




# perspective**series**

Handing Chart.....	2
Nomenclature.....	4-5
Slab Only.....	6

PG. 8-14



CLE - Clear Low-E

PG. 15



676 - Berkley  
(Antique Patina Coming)

PG. 16-17



115 - Chord

PG. 18-19




140 - Pearl


# Handing

## exterior **Outswing** door handing


single door



double door



Single door with stationary sidelite




## exterior **Inswing** door handing


single door



double door



Single door with stationary sidelite






THIS PAGE INTENTIONALLY LEFT BLANK



# PERSPECTIVE Nomenclature

The below diagram indicates how to determine the correct letter/number combination for the door you are interested in pricing. Follow steps 1-7 to compile the sku for your door.

**PBFA - 926 -CLEDC** Door Detail



1. The first letter references the door **Series:** Perspective Series = **P**

2. The second letter references the door **Surface:**  
 Smooth = S    Fir = F    Brushed Smooth = **B**


**PBFA-926-CLEDC**

Rift Cut = R    Mahogany = M    Rustic Mahogany = H

3. The third letter references the door **Embossment:**

Beadboard = B    Flat Tapered = **F**    Grooves = G    Plank = P    Raised Tapered = T


4. The fourth letter references the door **Layout:**



	<b>A</b>	<b>E</b>	<b>I</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>Q</b>	<b>X</b>	<b>Y</b>	<b>M</b>	<b>A</b>	<b>I</b>
Brushed Smooth	•	•	•	•	•	•	•		•	•	•	•
Fir	•	•	•	•	•	•	•			•	•	•
Mahogany								•				
Rift Cut			•									•
Smooth	•		•			•				•	•	
Rustic Mahogany				•	•							

**PBFA - 926 -CLEDC** Glass Shape

5. The first set of numbers reference the glass **Shape:**



	6-8 Glass Shape Options				450	152	8-0 Glass Shape Options			151	852
2-8 Width	217	106	404	122			3-0 Width	326	926	826	
3-0 Width	267/605	126	426	<b>926</b>			3-6 Width	330	-	-	

**PBFA - 926 - CLEDC**

**Glass Design**


6. In some instances, the second set of numbers reference the **Glass Design**:

Chord	115	Berkley	676
Pearl	140	Clear Low-E	<b>CLE</b>


**PBFA - 926 - CLEDC**

**Grids & Blinds**

7. The last two letters/numbers reference the **SDL Design**:



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



2-8 & under are 2-3/8" backset.

Brushed Smooth		PBFL	PBFK	PBFQ		PBFE
<b>Pre-Hung Unit</b>	<b>2-8 x 6-8</b>	\$818.18	\$817.96	\$845.56	---	\$905.15
	<b>3-0 x 6-8</b>	\$818.18	\$817.96	\$845.56	---	\$905.15
<b>Slab Only</b>	<b>2-8 x 6-8</b>	\$607.84	\$607.62	\$635.22	---	\$694.81
	<b>3-0 x 6-8</b>	\$607.84	\$607.62	\$635.22	---	\$694.81

Fir		PFFL	PFFK	PFFQ		PFFE
<b>Pre-Hung Unit</b>	<b>2-8 x 6-8</b>	\$1,206.32	\$1,206.32	\$1,253.91	---	\$1,266.85
	<b>3-0 x 6-8</b>	\$1,206.32	\$1,206.32	\$1,253.47	---	\$1,266.85
<b>Slab Only</b>	<b>2-8 x 6-8</b>	\$995.98	\$995.98	\$1,043.56	---	\$1,056.50
	<b>3-0 x 6-8</b>	\$995.98	\$995.98	\$1,043.13	---	\$1,056.50

Mahogany		PMGX-BGB1E5				
<b>Pre-Hung Unit</b>	<b>2-8 x 6-8</b>	---	---	---	---	---
	<b>3-0 x 6-8</b>	---	---	---	\$2,444.24	---
<b>Slab Only</b>	<b>2-8 x 6-8</b>	---	---	---	---	---
	<b>3-0 x 6-8</b>	---	---	---	\$2,233.90	---


Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.



THIS PAGE INTENTIONALLY LEFT BLANK




**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



Brushed Smooth		PBFI-605-CLE	PBFI-605-CLED2	PBFI-605-CLED3	PBFI-605-CLED6
Pre-Hung Unit	3-0 x 6-8	\$1,807.36	\$1,953.94	\$2,063.02	\$2,129.36
Slab Only	3-0 x 6-8	\$1,597.02	\$1,743.60	\$1,852.68	\$1,919.02

Rift Cut		PRFI-605-CLE	PRFI-605-CLED2	PRFI-605-CLED3	PRFI-605-CLED6
Pre-Hung Unit	3-0 x 6-8	\$1,865.10	\$1,993.14	\$2,093.07	\$2,174.58
Slab Only	3-0 x 6-8	\$1,654.76	\$1,782.80	\$1,882.73	\$1,964.24




Fir		PFFI-217-CLE	PFFI-217-CLED2	PFFI-217-CLED3	PFFI-217-CLED6
Pre-Hung Unit	2-8 x 6-8	\$1,680.29	\$1,763.02	\$1,789.52	\$1,842.51
Slab Only	2-8 x 6-8	\$1,469.95	\$1,552.68	\$1,579.18	\$1,632.17

Fir		PFFI-267-CLE	PFFI-267-CLED2	PFFI-267-CLED3	PFFI-267-CLED6
Pre-Hung Unit	3-0 x 6-8	\$1,680.29	\$1,763.02	\$1,789.52	\$1,842.51
Slab Only	3-0 x 6-8	\$1,469.95	\$1,552.68	\$1,579.18	\$1,632.17

**Sidelites & Accessories**

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.




Brushed Smooth	PBFI-655-CLE	PBFI-655-CLED2	---
Rift Cut	PRFI-655-CLE	PRFI-655-CLED2	---
Fir	---	---	PFFA-152-CLE

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.




Brushed Smooth		PBBY-605-CLE	PBBY-605-CLED2	PBBY-605-CLED3	PBBY-605-CLED6
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$1,807.36	\$1,953.94	\$2,063.02	\$2,129.36
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$1,597.02	\$1,743.60	\$1,852.68	\$1,919.02

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



2-8 & under are 2-3/8" backset.

Fir		PFTK-106-CLE	PFTK-126-CLE	PFTM-404-CLE	PFTM-426-CLE	PFTM-404-CLEH4	PFTM-426-CLEH4
Pre-Hung Unit	2-8 x 6-8	\$1,399.02	---	\$1,704.91	---	\$1,982.00	---
	3-0 x 6-8	---	\$1,399.02	---	\$1,704.91	---	\$2,037.21
Slab Only	2-8 x 6-8	\$1,188.68	---	\$1,494.57	---	\$1,771.66	---
	3-0 x 6-8	---	\$1,188.68	---	\$1,494.57	---	\$1,826.87
Brushed Smooth		PBFK-106-CLE	PBFK-126-CLE	PBFM-404-CLE	PBFM-426-CLE	PBFM-404-CLEH4	PBFM-426-CLEH4
Pre-Hung Unit	2-8 x 6-8	\$936.21	---	\$1,101.97	---	\$1,365.01	---
	3-0 x 6-8	---	\$936.21	---	\$1,101.97	---	\$1,416.71
Slab Only	2-8 x 6-8	\$725.87	---	\$891.63	---	\$1,154.67	---
	3-0 x 6-8	---	\$725.87	---	\$891.63	---	\$1,206.37

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



2-8 & under are 2-3/8" backset.

Fir		PFTM-404-CLED4	PFTM-426-CLED4	PFTM-404-CLED6	PFTM-426-CLED6
Pre-Hung Unit	2-8 x 6-8	\$1,874.88	---	\$1,893.63	---
	3-0 x 6-8	---	\$1,874.88	---	\$1,893.63
Slab Only	2-8 x 6-8	\$1,664.54	---	\$1,683.29	---
	3-0 x 6-8	---	\$1,664.54	---	\$1,683.29


  

Brushed Smooth		PBFM-404-CLED4	PBFM-426-CLED4	PBFM-404-CLED6	PBFM-426-CLED6
Pre-Hung Unit	2-8 x 6-8	\$1,265.63	---	\$1,265.63	---
	3-0 x 6-8	---	\$1,265.63	---	\$1,265.63
Slab Only	2-8 x 6-8	\$1,055.29	---	\$1,055.29	---
	3-0 x 6-8	---	\$1,055.29	---	\$1,055.29

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



2-8 & under are 2-3/8" backset.

Fir		PFFA-122-CLE	PFFA-926-CLE	PFFA-122-CLEL3	PFFA-926-CLEL3	PFFA-122-CLEH4	PFFA-926-CLEH4
<b>Pre-Hung Unit</b>	<b>2-8 x 6-8</b>	\$1,521.40	---	\$1,865.49	---	\$1,798.48	---
	<b>3-0 x 6-8</b>	---	\$1,521.40	---	\$1,961.44	---	\$1,836.14
<b>Slab Only</b>	<b>2-8 x 6-8</b>	\$1,311.06	---	\$1,655.15	---	\$1,588.14	---
	<b>3-0 x 6-8</b>	---	\$1,311.06	---	\$1,751.10	---	\$1,625.80


  

Brushed Smooth		PBFA-122-CLE	PBFA-926-CLE	PBFA-122-CLEL3	PBFA-926-CLEL3	PBFA-122-CLEH4	PBFA-926-CLEH4
<b>Pre-Hung Unit</b>	<b>2-8 x 6-8</b>	\$1,221.58	---	\$1,539.51	---	\$1,484.62	---
	<b>3-0 x 6-8</b>	---	\$1,253.34	---	\$1,658.50	---	\$1,568.08
<b>Slab Only</b>	<b>2-8 x 6-8</b>	\$1,011.24	---	\$1,329.16	---	\$1,274.28	---
	<b>3-0 x 6-8</b>	---	\$1,043.00	---	\$1,448.16	---	\$1,357.74

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



2-8 & under are 2-3/8" backset.

Fir		PFFA-122-CLED4	PFFA-926-CLED4	PFFA-122-CLEDC	PFFA-926-CLEDC
Pre-Hung Unit	2-8 x 6-8	\$1,717.90	---	\$1,683.62	---
	3-0 x 6-8	---	\$1,717.90	---	\$1,683.62
Slab Only	2-8 x 6-8	\$1,507.53	---	\$1,473.28	---
	3-0 x 6-8	---	\$1,507.53	---	\$1,473.28


Brushed Smooth		PBFA-122-CLED4	PBFA-926-CLED4	PBFA-122-CLEDC	PBFA-926-CLEDC
Pre-Hung Unit	2-8 x 6-8	\$1,410.48	---	\$1,378.76	---
	3-0 x 6-8	---	\$1,442.24	---	\$1,410.52
Slab Only	2-8 x 6-8	\$1,200.14	---	\$1,168.41	---
	3-0 x 6-8	---	\$1,231.90	---	\$1,200.18

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.




**Sidelites & Accessories**

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.



Fir	PFTM-450-CLE	PFTM-450-CLEH4	PFTM-450-CLED2	PFTM-450-CLED3
Brushed Smooth	PBFM-450-CLE	PBFM-450-CLEH4	PBFM-450-CLED2	PBFM-450-CLED3




Fir	PFFA-152-CLE	PFFA-152-CLEL3	PFFA-152-CLEH4	PFFA-152-CLED2	PFFA-152-CLEDC
Brushed Smooth	PBFA-152-CLE	PBFA-152-CLEL3	PBFA-152-CLEH4	PBFA-152-CLED2	PBFA-152-CLEDC



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.

Dentil Available



<b>Brushed Smooth</b>		<b>PBFI-605-676</b>
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$2,109.20
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$1,898.86
<b>Rift Cut</b>		<b>PRFI-605-676</b>
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$2,553.75
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$2,343.41

**Sidelites & Accessories**

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.



Brushed Smooth	<b>PBFI-655-676</b>
Rift Cut	<b>PRFI-655-676</b>


Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



Smooth		PSTM-426-115	PSTM-426-115H4	PSTM-426-115D4	PSTM-426-115D6
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$1,926.82	\$2,241.56	\$2,090.51	\$2,109.23
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$1,716.48	\$2,031.22	\$1,880.14	\$1,898.88
Fir		PFTM-426-115	PFTM-426-115H4	PFTM-426-115D4	PFTM-426-115D6
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$2,413.57	\$2,745.87	\$2,583.54	\$2,602.29
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$2,203.23	\$2,535.53	\$2,373.20	\$2,391.94




Smooth		PSFA-926-115	PSFA-926-115L3	PSFA-926-115H4	PSFA-926-115D4	PSFA-926-115DC
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$1,926.82	\$2,331.97	\$2,241.56	\$2,115.72	\$2,083.99
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$1,716.48	\$2,121.63	\$2,031.22	\$1,905.38	\$1,873.65
Fir		PFFA-926-115	PFFA-926-115L3	PFFA-926-115H4	PFFA-926-115D4	PFFA-926-115DC
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$2,413.57	\$2,853.61	\$2,241.56	\$2,610.04	\$2,575.79
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$2,203.23	\$2,643.27	\$2,031.22	\$2,399.70	\$2,365.45


Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

**Sidelites & Accessories**

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.




Smooth	PSTM-450-115	PSTM-450-115H4	PSTM-450-115D2	PSTM-450-115D3
Fir	PFTM-450-115	PFTM-450-115H4	PFTM-450-115D2	PFTM-450-115D3



Smooth	PSFA-152-115	PSFA-152-115L3	PSFA-152-115H4	PSFA-152-115D2	PSFA-152-115DC
Fir	PFFA-152-115	PFFA-152-115L3	PFFA-152-115H4	PFFA-152-115D2	PFFA-152-115DC



**Standard Prehung Configuration:** 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



Smooth		PSTM-426-140	PSTM-426-140H4	PSFA-926-140	PSFA-926-140L3	PSFA-926-140H4
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$1,926.82	\$2,241.56	\$1,926.82	\$2,331.97	\$2,241.56
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$1,716.48	\$2,031.22	\$1,716.48	\$2,121.63	\$2,031.22
Fir		PFTM-426-140	PFTM-426-140H4	PFFA-926-140	PFFA-926-140L3	PFFA-926-140H4
<b>Pre-Hung Unit</b>	<b>3-0 x 6-8</b>	\$2,413.57	\$2,745.87	\$2,413.57	\$2,853.61	\$2,690.65
<b>Slab Only</b>	<b>3-0 x 6-8</b>	\$2,203.23	\$2,535.53	\$2,203.23	\$2,643.27	\$2,480.31

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.



**Sidelites & Accessories**

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.

3-1/2" SDL

4-1/2" SDL

3-1/2" SDL



Smooth	PSTM-450-140	PSTM-450-140H4	PSFA-152-140	PSFA-152-140L3	PSFA-152-140H4
Fir	PFTM-450-140	PFTM-450-140H4	PFFA-152-140	PFFA-152-140L3	PFFA-152-140H4