

perspective**series**


Handing Chart.....	2
Nomenclature.....	4-5
Slab Only.....	6

PG. 8-14



CLE - Clear Low-E

PG. 15



676 - Berkley
(Antique Patina Coming)

PG. 16-17



115 - Chord

PG. 18-19



140 - Pearl

Handing

exterior **Outswing** door handing

single door

INTERIOR

EXTERIOR



Ext. Right-Hand Outswing


Ext. Left-Hand Outswing



double door

INTERIOR


EXTERIOR



Ext. Right-Hand Active Outswing Double Door

Ext. Left-Hand Active Outswing Double Door

Single door with stationary sidelite



EXTERIOR

Left-Hand Outswing with stationary on Knob Side

Left-Hand Outswing with stationary on Hinge Side

Right-Hand Outswing with stationary on Knob Side

Right-Hand Outswing with stationary on Hinge Side

exterior **Inswing** door handing

single door


INTERIOR

EXTERIOR



Ext. Left-Hand Inswing

Ext. Right-Hand Inswing



double door

INTERIOR

EXTERIOR



Ext. Left-Hand Active Inswing Double Door

Ext. Right-Hand Active Inswing Double Door

Single door with stationary sidelite



EXTERIOR

Left-Hand Inswing with stationary on Hinge Side

Left-Hand Inswing with stationary on Knob Side

Right-Hand Inswing with stationary on Hinge Side

Right-Hand Inswing with stationary on Knob Side




THIS PAGE INTENTIONALLY LEFT BLANK

PERSPECTIVE Nomenclature

The below diagram indicates how to determine the correct letter/number combination for the door you are interested in pricing. Follow steps 1-7 to compile the sku for your door.

PBFA - 926 -CLEDC Door Detail



1. The first letter references the door **Series**: Perspective Series = **P**

2. The second letter references the door **Surface**:

Smooth = S Fir = F Brushed Smooth = **B**


Rift Cut = R Mahogany = M Rustic Mahogany = H

PBFA-926-CLEDC

3. The third letter references the door **Embossment**:

Beadboard = B Flat Tapered = **F** Grooves = G Plank = P Raised Tapered = T

4. The fourth letter references the door **Layout**:




A

	E	I	K	L	M	Q	X	Y	M	A	I
Brushed Smooth	•	•	•	•	•	•		•	•	•	
Fir	•	•	•	•	•	•			•	•	•
Mahogany							•				
Rift Cut			•								•
Smooth	•		•		•				•	•	
Rustic Mahogany			•	•							

PBFA - 926 -CLEDC Glass Shape


5. The first set of numbers reference the glass **Shape**:



6-8 Glass Shape Options



450 152



8-0 Glass Shape Options

2-8 Width	217	106	404	122
3-0 Width	267/605	126	426	926

3-0 Width	326	926	826
3-6 Width	330	-	-

PBFA - 926 - CLEDC

Glass Design


6. In some instances, the second set of numbers reference the **Glass Design**:

Chord	115	Berkley	676
Pearl	140	Clear Low-E	CLE


PBFA - 926 - CLEDC

Grids & Blinds

7. The last two letters/numbers reference the **SDL Design**:



Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



2-8 & under are 2-3/8" backset.

Brushed Smooth		PBFL	PBFK	PBFQ		PBFE
Pre-Hung Unit	2-8 x 6-8	\$818.18	\$817.96	\$845.56	---	\$905.15
	3-0 x 6-8	\$818.18	\$817.96	\$845.56	---	\$905.15
Slab Only	2-8 x 6-8	\$607.84	\$607.62	\$635.22	---	\$694.81
	3-0 x 6-8	\$607.84	\$607.62	\$635.22	---	\$694.81

Fir		PFFL	PFFK	PFFQ		PFFE
Pre-Hung Unit	2-8 x 6-8	\$1,206.32	\$1,206.32	\$1,253.91	---	\$1,266.85
	3-0 x 6-8	\$1,206.32	\$1,206.32	\$1,253.47	---	\$1,266.85
Slab Only	2-8 x 6-8	\$995.98	\$995.98	\$1,043.56	---	\$1,056.50
	3-0 x 6-8	\$995.98	\$995.98	\$1,043.13	---	\$1,056.50


Mahogany		PMGX-BGB1E5				
Pre-Hung Unit	2-8 x 6-8	---	---	---	---	---
	3-0 x 6-8	---	---	---	\$2,444.24	---
Slab Only	2-8 x 6-8	---	---	---	---	---
	3-0 x 6-8	---	---	---	\$2,233.90	---

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.




THIS PAGE INTENTIONALLY LEFT BLANK

Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



Brushed Smooth		PBFI-605-CLE	PBFI-605-CLED2	PBFI-605-CLED3	PBFI-605-CLED6
Pre-Hung Unit	3-0 x 6-8	\$1,807.36	\$1,953.94	\$2,063.02	\$2,129.36
Slab Only	3-0 x 6-8	\$1,597.02	\$1,743.60	\$1,852.68	\$1,919.02

Rift Cut		PRFI-605-CLE	PRFI-605-CLED2	PRFI-605-CLED3	PRFI-605-CLED6
Pre-Hung Unit	3-0 x 6-8	\$1,865.10	\$1,993.14	\$2,093.07	\$2,174.58
Slab Only	3-0 x 6-8	\$1,654.76	\$1,782.80	\$1,882.73	\$1,964.24




Fir		PFFI-217-CLE	PFFI-217-CLED2	PFFI-217-CLED3	PFFI-217-CLED6
Pre-Hung Unit	2-8 x 6-8	\$1,680.29	\$1,763.02	\$1,789.52	\$1,842.51
Slab Only	2-8 x 6-8	\$1,469.95	\$1,552.68	\$1,579.18	\$1,632.17

Fir		PFFI-267-CLE	PFFI-267-CLED2	PFFI-267-CLED3	PFFI-267-CLED6
Pre-Hung Unit	3-0 x 6-8	\$1,680.29	\$1,763.02	\$1,789.52	\$1,842.51
Slab Only	3-0 x 6-8	\$1,469.95	\$1,552.68	\$1,579.18	\$1,632.17

Sidelites & Accessories


Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.



Brushed Smooth	PBFI-655-CLE	PBFI-655-CLED2	---
Rift Cut	PRFI-655-CLE	PRFI-655-CLED2	---
Fir	---	---	PFFA-152-CLE

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.


Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



Brushed Smooth		PBBY-605-CLE	PBBY-605-CLED2	PBBY-605-CLED3	PBBY-605-CLED6
Pre-Hung Unit	3-0 x 6-8	\$1,807.36	\$1,953.94	\$2,063.02	\$2,129.36
Slab Only	3-0 x 6-8	\$1,597.02	\$1,743.60	\$1,852.68	\$1,919.02

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



2-8 & under are 2-3/8" backset.

Fir		PFTK-106-CLE	PFTK-126-CLE	PFTM-404-CLE	PFTM-426-CLE	PFTM-404-CLEH4	PFTM-426-CLEH4
Pre-Hung Unit	2-8 x 6-8	\$1,399.02	---	\$1,704.91	---	\$1,982.00	---
	3-0 x 6-8	---	\$1,399.02	---	\$1,704.91	---	\$2,037.21
Slab Only	2-8 x 6-8	\$1,188.68	---	\$1,494.57	---	\$1,771.66	---
	3-0 x 6-8	---	\$1,188.68	---	\$1,494.57	---	\$1,826.87
Brushed Smooth		PBFK-106-CLE	PBFK-126-CLE	PBFM-404-CLE	PBFM-426-CLE	PBFM-404-CLEH4	PBFM-426-CLEH4
Pre-Hung Unit	2-8 x 6-8	\$936.21	---	\$1,101.97	---	\$1,365.01	---
	3-0 x 6-8	---	\$936.21	---	\$1,101.97	---	\$1,416.71
Slab Only	2-8 x 6-8	\$725.87	---	\$891.63	---	\$1,154.67	---
	3-0 x 6-8	---	\$725.87	---	\$891.63	---	\$1,206.37

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.




2-8 & under are 2-3/8" backset.

Fir		PFTM-404-CLED4	PFTM-426-CLED4	PFTM-404-CLED6	PFTM-426-CLED6
Pre-Hung Unit	2-8 x 6-8	\$1,874.88	---	\$1,893.63	---
	3-0 x 6-8	---	\$1,874.88	---	\$1,893.63
Slab Only	2-8 x 6-8	\$1,664.54	---	\$1,683.29	---
	3-0 x 6-8	---	\$1,664.54	---	\$1,683.29

Brushed Smooth		PBFM-404-CLED4	PBFM-426-CLED4	PBFM-404-CLED6	PBFM-426-CLED6
Pre-Hung Unit	2-8 x 6-8	\$1,265.63	---	\$1,265.63	---
	3-0 x 6-8	---	\$1,265.63	---	\$1,265.63
Slab Only	2-8 x 6-8	\$1,055.29	---	\$1,055.29	---
	3-0 x 6-8	---	\$1,055.29	---	\$1,055.29

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.




2-8 & under are 2-3/8" backset.

Fir		PFFA-122-CLE	PFFA-926-CLE	PFFA-122-CLEL3	PFFA-926-CLEL3	PFFA-122-CLEH4	PFFA-926-CLEH4
Pre-Hung Unit	2-8 x 6-8	\$1,521.40	---	\$1,865.49	---	\$1,798.48	---
	3-0 x 6-8	---	\$1,521.40	---	\$1,961.44	---	\$1,836.14
Slab Only	2-8 x 6-8	\$1,311.06	---	\$1,655.15	---	\$1,588.14	---
	3-0 x 6-8	---	\$1,311.06	---	\$1,751.10	---	\$1,625.80
Brushed Smooth		PBFA-122-CLE	PBFA-926-CLE	PBFA-122-CLEL3	PBFA-926-CLEL3	PBFA-122-CLEH4	PBFA-926-CLEH4
Pre-Hung Unit	2-8 x 6-8	\$1,221.58	---	\$1,539.51	---	\$1,484.62	---
	3-0 x 6-8	---	\$1,253.34	---	\$1,658.50	---	\$1,568.08
Slab Only	2-8 x 6-8	\$1,011.24	---	\$1,329.16	---	\$1,274.28	---
	3-0 x 6-8	---	\$1,043.00	---	\$1,448.16	---	\$1,357.74

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.




2-8 & under are 2-3/8" backset.

Fir		PFFA-122-CLED4	PFFA-926-CLED4	PFFA-122-CLEDC	PFFA-926-CLEDC
Pre-Hung Unit	2-8 x 6-8	\$1,717.90	---	\$1,683.62	---
	3-0 x 6-8	---	\$1,717.90	---	\$1,683.62
Slab Only	2-8 x 6-8	\$1,507.53	---	\$1,473.28	---
	3-0 x 6-8	---	\$1,507.53	---	\$1,473.28
Brushed Smooth		PBFA-122-CLED4	PBFA-926-CLED4	PBFA-122-CLEDC	PBFA-926-CLEDC
Pre-Hung Unit	2-8 x 6-8	\$1,410.48	---	\$1,378.76	---
	3-0 x 6-8	---	\$1,442.24	---	\$1,410.52
Slab Only	2-8 x 6-8	\$1,200.14	---	\$1,168.41	---
	3-0 x 6-8	---	\$1,231.90	---	\$1,200.18


Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

Sidelites & Accessories

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.




Fir	PFTM-450-CLE	PFTM-450-CLEH4	PFTM-450-CLED2	PFTM-450-CLED3
Brushed Smooth	PBFM-450-CLE	PBFM-450-CLEH4	PBFM-450-CLED2	PBFM-450-CLED3



Fir	PFFA-152-CLE	PFFA-152-CLEL3	PFFA-152-CLEH4	PFFA-152-CLED2	PFFA-152-CLEDC
Brushed Smooth	PBFA-152-CLE	PBFA-152-CLEL3	PBFA-152-CLEH4	PBFA-152-CLED2	PBFA-152-CLEDC

Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.

Dentil Available



Brushed Smooth		PBFI-605-676
Pre-Hung Unit	3-0 x 6-8	\$2,109.20
Slab Only	3-0 x 6-8	\$1,898.86
Rift Cut		PRFI-605-676
Pre-Hung Unit	3-0 x 6-8	\$2,553.75
Slab Only	3-0 x 6-8	\$2,343.41

Sidelites & Accessories

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.




Brushed Smooth	PBFI-655-676
Rift Cut	PRFI-655-676

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



Smooth		PSTM-426-115	PSTM-426-115H4	PSTM-426-115D4	PSTM-426-115D6
Pre-Hung Unit	3-0 x 6-8	\$1,926.82	\$2,241.56	\$2,090.51	\$2,109.23
Slab Only	3-0 x 6-8	\$1,716.48	\$2,031.22	\$1,880.14	\$1,898.88
Fir		PFTM-426-115	PFTM-426-115H4	PFTM-426-115D4	PFTM-426-115D6
Pre-Hung Unit	3-0 x 6-8	\$2,413.57	\$2,745.87	\$2,583.54	\$2,602.29
Slab Only	3-0 x 6-8	\$2,203.23	\$2,535.53	\$2,373.20	\$2,391.94




Smooth		PSFA-926-115	PSFA-926-115L3	PSFA-926-115H4	PSFA-926-115D4	PSFA-926-115DC
Pre-Hung Unit	3-0 x 6-8	\$1,926.82	\$2,331.97	\$2,241.56	\$2,115.72	\$2,083.99
Slab Only	3-0 x 6-8	\$1,716.48	\$2,121.63	\$2,031.22	\$1,905.38	\$1,873.65
Fir		PFFA-926-115	PFFA-926-115L3	PFFA-926-115H4	PFFA-926-115D4	PFFA-926-115DC
Pre-Hung Unit	3-0 x 6-8	\$2,413.57	\$2,853.61	\$2,241.56	\$2,610.04	\$2,575.79
Slab Only	3-0 x 6-8	\$2,203.23	\$2,643.27	\$2,031.22	\$2,399.70	\$2,365.45


Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

Sidelites & Accessories

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.




Smooth	PSTM-450-115	PSTM-450-115H4	PSTM-450-115D2	PSTM-450-115D3
Fir	PFTM-450-115	PFTM-450-115H4	PFTM-450-115D2	PFTM-450-115D3



Smooth	PSFA-152-115	PSFA-152-115L3	PSFA-152-115H4	PSFA-152-115D2	PSFA-152-115DC
Fir	PFFA-152-115	PFFA-152-115L3	PFFA-152-115H4	PFFA-152-115D2	PFFA-152-115DC

Standard Prehung Configuration: 4-9/16" Frame Saver® rot-proof primed exterior frame components with compression weatherstrip, satin brass ball-bearing hinges, Z-series inswing adjustable composite sill (available with Walnut or Oak finish), sill cover, applied rot-proof brickmould and single bore.



Smooth		PSTM-426-140	PSTM-426-140H4	PSFA-926-140	PSFA-926-140L3	PSFA-926-140H4
Pre-Hung Unit	3-0 x 6-8	\$1,926.82	\$2,241.56	\$1,926.82	\$2,331.97	\$2,241.56
Slab Only	3-0 x 6-8	\$1,716.48	\$2,031.22	\$1,716.48	\$2,121.63	\$2,031.22
Fir		PFTM-426-140	PFTM-426-140H4	PFFA-926-140	PFFA-926-140L3	PFFA-926-140H4
Pre-Hung Unit	3-0 x 6-8	\$2,413.57	\$2,745.87	\$2,413.57	\$2,853.61	\$2,690.65
Slab Only	3-0 x 6-8	\$2,203.23	\$2,535.53	\$2,203.23	\$2,643.27	\$2,480.31

Functioning double doors are recommended for use only in situations where weather related performance is not an issue. Double door units include a Trilennium multi-point lock.

Sidelites & Accessories

Add Sidelites to your door. For pricing and more information, please see Bayer Built Q or contact our Customer Service Department.

3-1/2" SDL

4-1/2" SDL

3-1/2" SDL



Smooth	PSTM-450-140	PSTM-450-140H4	PSFA-152-140	PSFA-152-140L3	PSFA-152-140H4
Fir	PFTM-450-140	PFTM-450-140H4	PFFA-152-140	PFFA-152-140L3	PFFA-152-140H4