BLADE HALO 3

Introduce

- For Tenders, Dinghies, Ribs, or Day Sailers up to 2,000LBS/1
 Metric Ton
- The Blade Halo 3 is your perfect entry point into electric boating—compact, affordable, and engineered with the same DNA as our larger outboards. Designed for lightweight tenders, fishing boats, and small craft, it delivers quiet performance, easy handling, and all the benefits of the Halo ecosystem in a portable package.
- Equivalent to 3 Horsepower ICE Outboard Engine

Use case

The Halo 3 is perfect for small craft under 5 meters, making it one of the most versatile compact outboards in its class. It's ideal for dinghies and tenders when shuttling to shore, inflatable boats and small RIBs used for day trips or exploring coves, and light fishing boats on lakes and rivers where quiet, clean propulsion is an advantage. Families will love it on picnic boats or small leisure craft, offering safe and simple handling for kids or first-time boaters. Thanks to its light weight and ease of mounting, the Halo 3 is also a go-to choice for backup or auxiliary power on sailboats, giving sailors peace of mind when docking or motoring in calm harbors





10kmph 5.4 knots

In to 2 000

Up to 2,000lbs 1 Metric Ton



Short Shaft - for transoms SKU 168302 under 15 inches

Long Shaft - for transoms sover 15 inches

SKU 168301

Advantages

Ultra-Quiet Operation Runs at under 60 dB, quieter than a conversation for stress-free boating.

Best-in-Class Battery Paired with a 1700 Wh Blade battery, delivering unmatched runtime in its category.

Multiple Drive Modes Eco, Normal, and Soft Start/Docking modes for smooth maneuvering in tight spaces.

Premium Materials Built from military-strength aluminum alloys and 300-series marine-grade

stainless steel for corrosion resistance and durability.

Ambidextrous Throttle 180° rotation allows both left- and right-handed operation with ease.

Battery Suspension

System

Integrated shock isolation absorbs impacts when inserting the battery, extending

lifespan and reliability.

Brushless Motor

Technology

High-efficiency BLDC design means no maintenance, no brushes to wear out, and a

longer service life.

Zero Emissions Clean propulsion with no fumes, fuel, or oil to manage

Lightweight Design Easy to transport, mount, and handle on and off the boat.

Low Operating Costs Minimal upkeep, no fuel expenses keep total ownership cost far below

gas outboards.

Technology

Hydro-Regeneration

Charges the battery under sail or when the boat is moving, extending range and

efficiency

Digital Screen

Real-time telemetry shows speed, range, and system data at a glance

Smartphone App

Connects your outboard for monitoring, firmware updates, and added features

Magnetic Kill Switch

Safety-first design instantly cuts power in an emergency

Push-Button Start

Hassle-free, modern starting at the touch of a button.

Warranty, Support & Certification

Warranty & Support

Every Blade Halo 3 is backed by our 2-year limited warranty, covering both parts and work-manship to ensure complete peace of mind on the water. Beyond the warranty, Blade provides direct access to our global support network, with service partners and technical experts ready to help wherever you boat. Firmware updates and continuous improvements are delivered free of charge, keeping your system smarter and more capable year after year

Certification









POWER (W)	SPEED (KMPH)	RUN TIME (HOURS)	RANGE (KM)	
250	5.9	6.8	40.1	
500	7.5	3.4	25.5	
750	8.5	2.2	18.7	
1000	9.5	1.7	16.1	
1200	10.5	1.4	10.4	

RANGE

The Halo 3 delivers best-in-class range and efficiency, powered by a premium high-efficiency motor and controller engineered to extract every watt of performance. Paired with the largest battery in its class, it offers longer runtime and more adventure on the water than any competitor.

*Range data measured on a 3m inflatable RIB with a 55 kg operator. Actual performance will vary with load, conditions, and usage. Results are not guaranteed and are subject to change without notice.



What's in the box?

Blade Halo 3 Motor (Short or Long Shaft)
1.7 kW Blade Battery
300W Battery Charger (EU Plug)
Blade Tiller (with ambidextrous throttle)
High-Performance Propeller
Magnetic Kill Switch & Safety Lanyard
User Manual & Quick Start Guide
Warranty Card
Quality Certification Documents
Standard Mounting Hardware

Technical Specifications

Power Input Continous	1200W
Power Input Boost	1250W
Battery	1700WH Integrated
Top Speed*	10kmph
Range*	Up to 40km 6.8h 250w
Weight (ex battery, transom)	15kg
Battery Weight	7.7kg
Total Net Weight	25kg
Shipping Weight	29kg
Input Voltage	48-58V
Other Features	Haptic Feedback, Buzzer, Padlock Holes

Input Voltage	USB-C Charger Port
Variants	Long Shaft, Short Shaft
Control	Tiller Included, External Throttle Optional
Hydroregenation	Yes
Bluetooth Phone App	Yes, Free of Charge
Charger	300W Charger Included
Charge Time	7 Hours to Full
Battery Suspension	Yes, Basic
Trim Angles	0,8,16,24,32,90deg
Motor Type	Brushless DC Motor

Phone Charger	USB-C Charger Port
Shaft Lengths (S,L)	650,750mm
Propeller	Composite 10x11 2 Blade Propeller
External Battery Compatible	Yes Halo 5kW, + 3rd party
Safety	Kill Switch, Shear Pin, Over-voltage and BMS protections
Battery Technology	NMC Grade A
Battery Protection	Advanced BMS with 15+ Protections
Certifications	CE, UKCA, ROHS, UN38.3