



# PRODUCT CATALOG

EST. 1978

[SPECTRAGUTTERSYSTEMS.COM](http://SPECTRAGUTTERSYSTEMS.COM)

# TABLE OF CONTENTS



## DIRECTORY

<b>OVERVIEW</b>	2-4	<b>LEAFSERIES</b>	53-57
<b>COIL</b>	5-10	<b>DNPIPE</b>	58-63
<b>ENDCAPS</b>	11-13	<b>DRAINAGE SOLUTIONS</b>	64-68
<b>OUTLETS</b>	14-21	<b>ACCESSORIES</b>	69-71
<b>MITERS</b>	22-26	<b>SEALANTS</b>	72-75
<b>ELBOWS</b>	27-35	<b>CONTRACTOR SERVICES</b>	75-77
<b>HANGERS</b>	36-52	<b>GUTTER MACHINES</b>	77



## HISTORY OF SPECTRA GUTTER SYSTEMS


Founded in St. Petersburg, FL in 1978, we are celebrating decades of leadership and innovation in the aluminum rainware manufacturing and wholesale distribution industry.

Spectra Gutter Systems moved to Atlanta, Georgia in 1992, and transformed our manufacturing and distribution from a small regional supplier into the premier manufacturer and distributor of rainware products in North America.

Today, Spectra Gutter Systems has 38+ regional locations to service our customers' needs and support their business. We are the fastest growing, most aggressive company in an established and stable industry.

With customers throughout the United States, we are the market leader in the aluminum rainware industry.

### AREAS WE SERVE



ADDISON

ALBANY

ATLANTA

AUSTIN

BIRMINGHAM

CAPITOL HEIGHTS

CARTERSVILLE

CHARLOTTE

CHATTANOOGA

CLEARWATER

CLEVELAND

COLUMBUS

DALLAS

DENVER

DULUTH

FT. MYERS

FT. PIERCE

FT. WORTH

GREENVILLE

HARAHAN

HOUSTON

HUNTSVILLE

INDIANAPOLIS

JACKSONVILLE

KANSAS CITY

KNOXVILLE

LITTLE ROCK

MOBILE

NAPERVILLE

NASHVILLE

OCALA

ORLANDO

RALEIGH

RICHMOND

SAN ANTONIO

ST. LOUIS

TAMPA

WINSTON-SALEM



Almond | AL



Antique Ivory | AI



Beaver Brown | B603



Black | BK



Bronze | BZ



Clay | CL



Cocoa Brown | CB



Colonial Gray | CG



Cream | CR



Deerskin | DS



Designer Copper | DCP



Dove Gray | DG



Eggshell | ES



Forest Green | FG



Linen | LN



Musket Brown | MB



Pearl Gray | GY



Royal Brown | RB



Scotch Red | SR



Terratone | TT




Traditional Blue | TB




Tuxedo Gray | TG



Wicker | WW



White 30° | 3W



White 80° | 8W

**PROUDLY FINISHED WITH**  
***SHERWIN-WILLIAMS®***  
***Coil Coatings***

**SPECIALTY NON-PAINTED METALS**



Copper 16 oz. | CP



Galvalume | Galv

COLORS ARE REPRESENTED AS ACCURATELY AS POSSIBLE

PRODUCT SPECIFICATIONS

# COILS

**COIL SPECIFICATIONS**

5 | SPECTRAGUTTERSYSTEMS.COM

# GUTTER COIL



**5"**



.027 X 11 - 5" Gutter Coil

02711\_\_  
350 - 400 LBS (PER BOX)



.032 X 11 - 5" Gutter Coil

03211\_\_  
350 - 400 LBS (PER BOX)



16oz x 11 - Copper 5"  
Gutter Coil

02111CP  
350 - 400 LBS (PER BOX)



26ga x 11 - Galvalume 5"  
Gutter Coil

2611GALVALUME  
350 - 400 LBS (PER BOX)

**6"**



.027 X 15 - 6" Gutter Coil

02715\_\_  
350 - 400 LBS (PER BOX)



.032 X 15 - 6" Gutter Coil

03215\_\_  
350 - 400 LBS (PER BOX)



16oz x 15 - Copper 6"  
Gutter Coil

02115CP  
350 - 400 LBS (PER BOX)



26ga x 15 - Galvalume 6"  
Gutter Coil

2615GALVALUME  
350 - 400 LBS (PER BOX)

**7"**



.032 x 18 - 7" Gutter Coil

03217875\_\_  
350 - 400 LBS (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

**8"**



.032 x 20 - 8" Gutter Coil

03220\_\_  
350 - 400 LBS (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS



PVC

189PVC  
24" x 50' (PER BOX)



SMOOTH

280WHITE  
24" x 50' (PER BOX)



GOLD SERIES

TC24W914  
24" x 50' (PER BOX)

## COLOR OPTIONS



BEIGE




ROYAL BROWN



BLACK



BRONZE



GLACIER GF WHITE



BRIGHT WHITE (280)




PEBBLE CLAY



SAVANNAH WICKER



GLACIER GRAY



MORE COLORS AVAILABLE  
CALL FOR MORE INFO

## GUTTER COIL



### PRODUCT DESCRIPTION

Roll-formed aluminum coil with .027 or .032 thickness with an enamel baked paint.

### MATERIALS

Aluminum

### QUANTITY

Sold by the pound (LB)

### COLORS

All Standard Colors

\* All Standard Colors except Designer Copper

\*\* All Standard Colors except 80 White, Deerskin, Beaver Brown, Designer Copper

\*\*\* All standard colors except Deerskin, Cocoa Brown, Beaver Brown, Designer Copper

\*\*\*\* Black; Bronze; Musket Brown; Tuxedo Gray; Low Gloss White; High Gloss White

PART CODE	PRODUCT NAME	AVAILABLE SIZES
02711_	5" Gutter Coil - .027 x 11.75"	.027 x 11.75"
02711875_	5" Gutter Coil - .027 x 11.875" *	.027 x 11.875"
02715_	6" Gutter Coil - .027 x 15"	.027 x 15"
03211_	5" Gutter Coil - .032 x 11.75" *	.032 x 11.75"
03211875_	5" Gutter Coil - .032 x 11.875" **	.032 x 11.875"
03215_	6" Gutter Coil - .032 x 15" ***	.032 x 15"
03217875_	7" Gutter Coil - .032 x 17.875" ****	.032 x 17.875"
03220_	8" Gutter Coil - .032 x 20"	.032 x 20"
03020_	8" Gutter Coil - .030 x 20"	.030 x 20"

### PRODUCT FEATURES

Aluminum coil is painted over a full clear coat painted lacquer to reduce corrosion.

Roll coated paint process with a baked enamel finish.

Aluminum is a recyclable material, making it an eco-friendly choice for those homeowners who prioritize sustainability.

Aluminum gutters are light, which makes them easier and safer to install.

## STEEL COIL



### PRODUCT DESCRIPTION

Galvalume steel is carbon steel coated with an alloy that combines the impervious properties of aluminum with the malleability and galvanic protection of zinc. The alloy coating gives Galvalume steel coil a smooth, plain finish.

### MATERIALS

Galvalume

### QUANTITY

Sold by the pound (LB)

PART CODE	PRODUCT NAME	AVAILABLE SIZES
2411GALVALUME	5" Steel Coil - 24 Gauge x 11.75"	24 Gauge x 11.75"
2415GALVALUME	6" Steel Coil - 24 Gauge x 15"	24 Gauge x 15"
2611GALVALUME	5" Steel Coil - 26 Gauge x 11.75"	26 Gauge x 11.75"
2615GALVALUME	6" Steel Coil - 26 Gauge x 15"	26 Gauge x 15"

### PRODUCT FEATURES

Corrosion resistant.

Made of steel, and have a coating on them that is a mix of 45% zinc and 55% aluminum.

Galvalume gutters are very reflective, meaning that they do not absorb heat like other metal gutters do.

## TRIM COIL

### PRODUCT DESCRIPTION

**PVC 24" x 50" Trim Coil** - Coated with poly vinyl chloride paint, the textured PVC trim coil lays flat, cuts clean, and is easy to install.

**Double-Sided Colors 24" x 50" Trim Coil (.019)** - Trim coil can be used to create decorative trim accents and other design elements for your home's exterior. Can be matched or used to complement home's existing windows and siding.

**Gold Series 24" x 50" Trim Coil (.019)** - Scratch resistant and has two-coat process with Plastilure, the Gold Series Trim Coil has superior color retention and resists weathering.

**Rough Cedar Embossed** - Trim coil can be used to create decorative trim accents and other design elements for your home's exterior. It can be matched or be used to complement the home's existing windows and siding. When using it around windows and siding, it can help provide a low maintenance exterior to your home.

**Poly 24" x 50" Trim Coil (.019)** - Coated with thermo polyester paint, the Smooth Poly Trim Coil is a beautiful and economical trim option.



PART CODE	PRODUCT NAME	AVAILABLE SIZES
189PVC	PVC 24" x 50" Trim Coil	.019 Gauge
TC24_2SOW	Double-Sided Colors 24" x 50" Trim Coil *	.019 Gauge
TC24W265	Gold Series 24" x 50" Trim Coil	.019 Gauge
TC24W914	Gold Series 24" x 50" Trim Coil	.019 Gauge
TC24W914RCE	24" x 50" Rough Cedar Embossed	.019 Gauge
280WHITE	Poly 24" x 50" Trim Coil (.019)	.019 Gauge

### MATERIALS

Aluminum

### QUANTITY

1 Role (EA)

### COLORS

White

\* Bright White; Beige; Pebble Clay; Musket Brown; Savannah Wicker; Glacier Gray; Matte Black; Dark Bronze; Linen

### PRODUCT FEATURES

■ No cracking, blistering, or peeling; withstands harsh weather conditions.

■ Designed to effectively create decorative trim accents.

■ Scratch and salt-spray resistant.

PRODUCT SPECIFICATIONS

# END CAPS

**END CAP SPECIFICATIONS**

11 | SPECTRAGUTTERSYSTEMS.COM



### 5" K-STYLE



5" LEFT

5ENL\_

50 (PER BOX)



5" RIGHT

5ENR\_

50 (PER BOX)

### 6" K-STYLE



6" LEFT

6ENL\_

50 (PER BOX)



6" RIGHT

6ENR\_

50 (PER BOX)

### 7" K-STYLE



7" LEFT \*

7ENL\_

50 (PER BOX)



7" RIGHT \*

7ENR\_

50 (PER BOX)

### 8" K-STYLE



8" LEFT \*

8ENL\_

50 (PER BOX)



8" RIGHT \*

8ENR\_

50 (PER BOX)

### HALF ROUND



6" HALF ROUND \*

6HREN\_

50 (PER BOX)



8" HALF ROUND \*

8HREN\_

50 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## END CAPS



### PRODUCT DESCRIPTION

Stamped coil for each gutter end that seals the trough and channels water to outlet & downpipe

### INSTALLATION

Place endcap over end of gutter. Crimp in at least 3 places, along back, bottom and front. Seal border completely on the inside with the appropriate sealant of choice.

### QUANTITY

50 per box

### COLORS

**5" & 6"** - Available in all standard gutter colors, copper & Galvalume

**7" & 8"** - Limited availability and some colors may be special order

PART CODE	PRODUCT NAME	AVAILABLE SIZES
_ENR	Right End Cap	5", 6", 7" & 8"
_ENL	Left End Cap	5", 6", 7" & 8"

A close-up, perspective view of a single end cap, showing its curved shape and how it would fit onto a gutter.

### PRODUCT FEATURES

❖ A loose friction that requires crimping and sealing for permanent seal.

❖ Color matched to gutter system.

❖ Ease of installation.

❖ Deeper and more defined cavity that fits over gutter for better crimping and seal.

PRODUCT SPECIFICATIONS

# OUTLETS

**OUTLET SPECIFICATIONS**

14 | SPECTRAGUTTERSYSTEMS.COM



## 2" x 3"



2 3/4"

234R

250 (PER BOX)



2 3/8"

238R

250 (PER BOX)



2x3 RECTANGULAR

3ROT

30 (PER BOX)

## 3" x 4"



3 3/8"

338R

250 (PER BOX)



3x4 OVAL WITHOUT FLANGE

4OVOT

20 (PER BOX)



3x4 OVAL WITH FLANGE

4OVOTF

20 (PER BOX)



3x4 RECTANGULAR

4ROT

30 (PER BOX)

## 4" x 5"



4x5 RECTANGULAR

5WOTAL

50 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## HALF ROUND



HALF ROUND OUTLET

4HROTW

25 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## 2 3/4 ROUND OUTLET



### INSTALLATION

Use a 2 3/4 hole saw or outlet crimp to cut a hole in gutter trough at downpipe connection spot. Place outlet in hole until securely fastened with snap in dimples. Caulk or seal around installed outlet.

Manufacturer's recommended use is with 4" round and 3x4 downpipe and elbow installation

PART CODE	PRODUCT NAME	AVAILABLE SIZES
234R	2 3/4 Round Outlet	2 3/4
234RBK	2 3/4 Round Outlet	2 3/4
234RW	2 3/4 Round Outlet	2 3/4

### QUANTITY

250 per box

### COLORS

30White Exterior with Gold Tinted Backer from Extrusion Process

### PRODUCT FEATURES

• Dimpled for lock-in performance.

• Aluminum material.

• Flanges for a tight fit once sealed.

## 2 3/8 ROUND OUTLET



### INSTALLATION

Use a 2 2/8 hole saw or outlet crimp to cut a hole in gutter trough at downpipe connection spot. Place outlet in hole until securely fastened with snap in dimples. Caulk or seal around installed outlet.

Manufacturer's recommended use is with 3" round and 3x4 downpipe and elbow installation, but can be used in 2x3 downpipe as well.

PART CODE	PRODUCT NAME	AVAILABLE SIZES
238R	2 3/8 Round Outlet	2 3/8
238RB2	2 3/8 Round Outlet	2 3/8
238RW	2 3/8 Round Outlet	2 3/8
238RCP	2 3/8 Round Outlet	2 3/8

### QUANTITY

250 per box

### COLORS

Low or High Gloss White Exterior over Bronze, Creamy Ivory, Royal Brown, Clear Bracket or Low/High Gloss White

### PRODUCT FEATURES

- Dimpled for lock-in performance.
- 0.019 Aluminum material.
- Flanges for a tight fit once sealed.

## 3 3/8 ROUND OUTLET



### INSTALLATION

Use a 3 3/8 hole saw or outlet crimp to cut a hole in gutter trough at downpipe connection spot. Place outlet in hole until securely fastened with snap in dimples. Caulk or seal around installed outlet.

Manufacturer's recommended use is with 4" round and elbow, can also be used in 3x4 downpipe as well.

### QUANTITY

100 per box

### COLORS

Painted White Outside, Interior  
Subject to Diverse Painted Colors

PART CODE	PRODUCT NAME	AVAILABLE SIZES
338R	3 3/8 Round Outlet	3 3/8

### PRODUCT FEATURES

- Dimpled for lock-in performance
- 0.019 Aluminum material.
- Only used for 6" gutter installation or larger
- Flanges for a tight fit once sealed

## OVAL OUTLET



WITH FLANGE



WITHOUT FLANGE

### INSTALLATION

Cut rectangular opening in gutter trough where downpipe will be connected. Place outlet in opening until dimples are engaged and seal with g2320. Connect 3×4 downpipe to outlet by sliding on and fastening with downpipe color matching #8×1/2 screws (sold separately).

Manufacturer's recommended use is with 3×4 downpipe.

PART CODE	PRODUCT NAME	AVAILABLE SIZES
4OVOTF	Oval Outlet with Flange	6"
4OVOT	Oval Outlet without Flange	5" & 6"

### QUANTITY

100 per box

### COLORS

White over Clay & Gold Tint

### PRODUCT FEATURES

0.024 Aluminum material.

White painted exterior.

## RECTANGULAR OUTLET



### INSTALLATION

Cut rectangular opening in gutter trough where downpipe will be connected. Place outlet in opening and seal with G2320. Connect downpipe to outlet by sliding on and fastening with downpipe color matching #8×1/2 screws (sold separately)

#### **3 Rectangular Outlet -**

Primarily used for 5" gutter systems

#### **4 Rectangular Outlet -**

Primarily used for 5" & 6" gutter systems

#### **5 Rectangular Outlet -**

Primarily used for 7" & 8" gutter systems

### QUANTITY

100 per box  
\* 50 per box

### COLORS

Mill Finish

PART CODE	PRODUCT NAME	AVAILABLE SIZES
3ROT	3 Rectangular Outlet	2" x 3"
4ROT	4 Rectangular Outlet	3" x 4"
5WOTAL	5 Rectangular Outlet *	4" x 5"

### PRODUCT FEATURES

Rectangular for perfect fit into downpipes sold nationally.

0.048 Aluminum material.

## HALF ROUND OUTLET



### INSTALLATION

Cut circular opening in gutter trough where downpipe will be connected. Place outlet in opening and seal with g2320. Connect round downpipe to outlet by sliding on and fastening with downpipe or color matching #8×1/2 screws (sold separately).

Manufacturer's recommended uses half round gutter & round downpipe

PART CODE	PRODUCT NAME	AVAILABLE SIZES
4HROTW	4" Half Round Outlet	4"
4HROTB2	4" Half Round Outlet	4"
4HROTBK	4" Half Round Outlet	4"
4HROTCP	4" Half Round Outlet	4"
4HROTGALV	4" Half Round Outlet	4"

### QUANTITY

50 per box

### COLORS

White, Galvalume, Copper

### PRODUCT FEATURES

Primarily used for Half Round installations.

0.024 Aluminum material.

PRODUCT SPECIFICATIONS

# MITERS

**MITER SPECIFICATIONS**

22 | SPECTRAGUTTERSYSTEMS.COM



## 5"



5" OUTSIDE STRIP

5OSM\_  
20 (PER BOX)



5" INSIDE STRIP

5ISM\_  
20 (PER BOX)



5" OUTSIDE BAY

5OBS\_  
20 (PER BOX)



5" INSIDE BAY

5IBS\_  
20 (PER BOX)



5" OUTSIDE BOX

5OTM\_  
20 (PER BOX)



5" INSIDE BOX

5INM\_  
20 (PER BOX)

AVAILABLE IN EVERY SIZE

## 6"



6" OUTSIDE STRIP

6OSM\_  
20 (PER BOX)



6" INSIDE STRIP

6ISM\_  
20 (PER BOX)



6" OUTSIDE BAY

6OBS\_  
20 (PER BOX)



6" INSIDE BAY

6IBS\_  
20 (PER BOX)



6" OUTSIDE BOX

6OTM\_  
20 (PER BOX)



6" INSIDE BOX

6INM\_  
20 (PER BOX)

AVAILABLE IN EVERY SIZE

**7"**



**7" OUTSIDE STRIP**

7OSM\_  
20 (PER BOX)



**7" INSIDE STRIP**

7ISM\_  
20 (PER BOX)



**7" OUTSIDE BAY**

7OBS\_  
20 (PER BOX)



**7" INSIDE BAY**

7IBS\_  
20 (PER BOX)

**8"**



**8" OUTSIDE STRIP**

8OSM\_  
20 (PER BOX)



**8" INSIDE STRIP**

8ISM\_  
20 (PER BOX)



**8" OUTSIDE BAY**

8OBS\_  
20 (PER BOX)



**8" INSIDE BAY**

8IBS\_  
20 (PER BOX)

AVAILABLE IN EVERY SIZE

\*AVAILABLE IN  
SELECT LOCATIONS

## 6" HALF ROUND



6" HALF ROUND  
INSIDE BOX

6HROTM

50 (PER BOX)



6" HALF ROUND  
OUTSIDE BOX

6HRINM

50 (PER BOX)

AVAILABLE IN EVERY SIZE

## 6" HALF ROUND



6" HALF ROUND  
OUTSIDE STRIP

6HROSM

20 (PER BOX)



6" HALF ROUND  
INSIDE STRIP

6HRISM

20 (PER BOX)



6" HALF ROUND  
OUTSIDE BAY

6HROBS

20 (PER BOX)



6" HALF ROUND  
INSIDE BAY

6HRIBS

20 (PER BOX)

## 8" HALF ROUND

\*AVAILABLE IN  
SELECT LOCATIONS



8" HALF ROUND  
OUTSIDE STRIP \*

8HROSM

20 (PER BOX)



8" HALF ROUND  
INSIDE STRIP \*

8HRISM

20 (PER BOX)



8" HALF ROUND  
OUTSIDE BAY \*

8HROBS

20 (PER BOX)



8" HALF ROUND  
INSIDE BAY \*

8HRIBS

20 (PER BOX)

## MITERS



### PRODUCT DESCRIPTION

A joint between two pieces of gutter, usually at a 90° angle

### INSTALLATION

Place gutter into miter. Join with color coordinated zip screws or rivets

Seal all seams. Use approximately 1 oz. per seam/ 3/8" wide bead of sealant at seam

Utilize a hanger (or equivalent) for maximum support at each side of the miter

### MATERIALS

Aluminum, Copper, Galvalume & Steel

### QUANTITY

20 per box

### COLORS

Standard Gutter Colors, Galvalume & Copper

PART CODE	PRODUCT NAME	AVAILABLE SIZES
#INM_	Box Miter 90°	5", 6", 7" & 8"
#OTM_	Box Miter 90°	5", 6", 7" & 8"
#IBS_OR #OBS_	Strip Miter 45°	5", 6", 7" & 8"
#ISM_OR #OSM	Strip Miter 90°	5", 6", 7" & 8"
#HRINM_	Half Round Miter	5", 6", 7" & 8"
#HROTM	Half Round Miter	5", 6", 7" & 8"

### PRODUCT FEATURES

- Ease of use & joining.
- Color coordinated to gutter system.
- Longer than competitors, creating more favorable conditions for installation.
- All miter styles available in inside and outside configurations

PRODUCT SPECIFICATIONS

# ELBOWS

**ELBOW SPECIFICATIONS**

27 | SPECTRAGUTTERSYSTEMS.COM



## ELBOWS



### 2" x 3"



2x3 A's - 75°

3AEL\_

30 (PER BOX)



2x3 B's - 75°

3BEL\_

30 (PER BOX)

### 3" x 4"



3x4 A's - 75°

4AEL\_

20 (PER BOX)



3x4 B's - 75°

4BEL\_

20 (PER BOX)

### 4" x 5"



4x5 A's - 75°

5AEL\_

25 (PER BOX)



4x5 B's - 75°

5BEL\_

20 (PER BOX)

### 4" ROUND



4" ROUND - 75°

4REL\_

15 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

SPECIALTY

### EZ ROUND



4RELEZ\_

20 (PER BOX)



5RELEZ\_

20 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

SPECIALTY

### 2" x 3" ONE-PIECE OFFSETS A&B



2 CRIMP - 22°



4 CRIMP - 45°



6 CRIMP - °

4EOSBLANK\_  
36 (PER BOX)

4EOSBLANK\_  
36 (PER BOX)

4EOSBLANK\_  
36 (PER BOX)

### 2" x 3" TWO-PIECE OFFSETS A&B



2 CRIMP - 22°



4 CRIMP - 45°

3AOS2\_ 3BOS2\_  
36 (PER BOX)

3AOS4\_ 3BOS4\_  
36 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

### 3" x 4" ONE-PIECE OFFSETS A&B



2 CRIMP - 22°



4 CRIMP - 45°



6 CRIMP - 0°

4EOSBLANK\_  
36 (PER BOX)

4EOSBLANK\_  
36 (PER BOX)

4EOSBLANK\_  
36 (PER BOX)

### 3" x 4" TWO-PIECE OFFSETS A&B



2 CRIMP - 22°



4 CRIMP - 45°

4AOS2\_ 4BOS2\_  
36 (PER BOX)

4AOS4\_ 4BOS4\_  
36 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

### 4" x 5" ONE-PIECE OFFSETS A&B



2 CRIMP - 22°



4 CRIMP - 45°



6 CRIMP - 0°

4EOSBLANK\_  
36 (PER BOX)

4EOSBLANK\_  
36 (PER BOX)

4EOSBLANK\_  
36 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

### 4" x 5" TWO-PIECE OFFSETS A&B



2 CRIMP - 22°



4 CRIMP - 45°

5AOS2\_ 5BOS2\_  
36 (PER BOX)

5AOS4\_ 5BOS4\_  
36 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

### 4" ROUND OFFSETS



2 CRIMP - 22°



4 CRIMP - 45°

4ROS\_2  
36 (PER BOX)

4ROS\_4  
36 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## 2x3 ELBOW & 3x4 ELBOW



### PRODUCT DESCRIPTION

**'A' Elbows** - Perpendicular kick-out or kick-in from the exterior/foundation of the home

**'B' Elbows** - Runs parallel to the exterior/foundation of the home

### QUANTITY

30 per box  
\* 20 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
3AEL_	2x3 Elbow	2, 4 & 7
3BEL_	2x3 Elbow	3, 4, & 7
4AEL_	3x4 Elbow *	2, 4 & 7
4BEL_	3x4 Elbow *	3, 4, & 7

### MATERIALS

Aluminum

### COLORS

Standard Aluminum Colors, Galvalume, Copper

\* 30White

### PRODUCT FEATURES

• Recommended for most residential buildings.

• Each crimp is approximately 11°.

• Side crimp for blended installation.

## 4×5 ELBOW



### PRODUCT DESCRIPTION

**'A' Elbows** - Perpendicular kick-out or kick-in from the exterior/foundation of the home

**'B' Elbows** - Runs parallel to the exterior/foundation of the home

### QUANTITY

25 per box

### MATERIALS

Aluminum

### COLORS

30White, 80White, Antique Ivory, Clay, Wicker, White, Bronze, Almond, Cream, Linen, Musket Brown, Pearl Gray, Royal Brown

\* 30White

PART CODE	PRODUCT NAME	AVAILABLE SIZES
5AEL_	4×5 Elbow	2, 4 & 7
5BEL_	4×5 Elbow *	3, 4, & 7

### PRODUCT FEATURES

• Recommended for most residential buildings.

• Each crimp is approximately 11°.

• Side crimp for blended installation.

## OFFSET ELBOWS



### PRODUCT DESCRIPTION

**Offsets** - Specialized downspout fittings that create a precise bend to route water around obstructions

### MATERIALS

Aluminum

### QUANTITY

25 per box  
 \* 30 per box  
 \*\* 35 per box  
 \*\*\* 36 per box

### COLORS

30White, 80White, Antique Ivory, Clay, Wicker, White, Bronze, Almond, Cream, Linen, Musket Brown, Pearl Gray, Royal Brown

PART CODE	PRODUCT NAME	AVAILABLE SIZES
3AOS2_	2x3 A Offset 2 Crimp - 22° ***	2x3
3AOS4_	2x3 A Offset 4 Crimp - 45° ***	2x3
3BOS2_	2x3 B Offset 2 Crimp - 22° ***	2x3
3BOS4_	2x3 B Offset 4 Crimp - 45° ***	2x3
4AOS2_	3x4 A Offset 2 Crimp - 22° **	3x4
4AOS4_	3x4 A Offset 4 Crimp - 45° *	3x4
4BOS2_	3x4 B Offset 2 Crimp - 22° **	3x4
4BOS4_	3x4 B Offset 4 Crimp - 45° *	3x4
5AOS2_	4x5 A Offset 2 Crimp - 22° *	4x5
5AOS4_	4x5 A Offset 4 Crimp - 45° *	4x5
4ROS2_	4" Round Offset 2 Crimp - 22° *	4"
4ROS4_	4" Round Offset 4 Crimp - 45°	4"

### PRODUCT FEATURES

Side crimp for blended installation.

Offsets are crimped.

Each crimp is approximately 11°.

## ROUND ELBOW



### PRODUCT DESCRIPTION

Only 'A' elbow needed  
(no 'A' or 'B' configuration)

### QUANTITY

15 per box

### COLORS

30White, 80White, Antique Ivory, Clay, Wicker, White, Bronze, Almond, Cream, Linen, Musket Brown, Pearl Gray, Royal Brown, Tuxedo Grey, Terratone, Wicker White

PART CODE	PRODUCT NAME	AVAILABLE SIZES
4REL_	Round Elbow	.019

### PRODUCT FEATURES

■ Recommended for Half-Round applications and as an upgrade to K-Style gutter systems

■ 22° offset available in 2 crimp

■ 45° offset available in 4 crimp

PRODUCT SPECIFICATIONS

# HANGERS

## 5" K-STYLE



**5" ULTRA HIDDEN**  
NO SCREW NO CLIP  
5UHNC  
1000 (PER BOX)



**5" ULTRA HIDDEN**  
WITH CLIP  
5UHWC  
1000 (PER BOX)



**5" HIDDEN**  
NO SCREW  
5HNS  
500 (PER BOX)



**5" ELITE HIDDEN**  
WITH SCREW  
5HFEH  
500 (PER BOX)



**5" HIDDEN**  
WITH SCREW  
5HFH  
500 (PER BOX)



**5" WRAP AROUND**  
K-STYLE  
5WSH8W  
50 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

AVAILABLE IN EVERY SIZE

## 6" K-STYLE



**6" ULTRA HIDDEN**  
NO SCREW NO CLIP  
6UHNC  
1000 (PER BOX)



**6" ULTRA HIDDEN**  
WITH CLIP  
6UHWC  
1000 (PER BOX)



**6" HIDDEN**  
NO SCREW  
6HNS  
500 (PER BOX)



**6" ELITE HIDDEN**  
WITH SCREW  
6HFEH  
275 (PER BOX)



**6" HIDDEN**  
WITH SCREW  
6SSH  
350 (PER BOX)

**6" WRAP AROUND**  
K-STYLE  
6WSH8W  
50 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

AVAILABLE IN EVERY SIZE

## 7" K-STYLE



**7" HIDDEN**  
NO SCREW

7HNS


250 (PER BOX)



**7" HIDDEN**  
WITH SCREW

7SSH

100 (PER BOX)



**7" ELITE HIDDEN**  
WITH SCREW

7HFEH

100 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

AVAILABLE IN EVERY SIZE

## 8" K-STYLE



**8" HIDDEN**  
NO SCREW

8HNS

250 (PER BOX)



**8" HIDDEN**  
WITH SCREW

8SSH

100 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## 6" HALF ROUND



6" HALF ROUND HIDDEN  
NO SCREW  
6HRHHAL  
100 (PER BOX)



6" HALF ROUND HIDDEN  
WITH SCREW  
6HRHHALWS  
100 (PER BOX)



6" COMBO  
(FOR HALF ROUND)  
6COMBO\_  
50 (PER BOX)



6" CIRCLE  
6CIRCLE\_  
50 (PER BOX)



6" STAMPED BRACKET  
6SH\_  
50 (PER BOX)

## 8" HALF ROUND



8" HALF ROUND HIDDEN  
NO SCREW  
8HRHHAL  
100 (PER BOX)



8" HALF ROUND HIDDEN  
WITH SCREW  
8HRHHALWS  
100 (PER BOX)



8" STAMPED BRACKET  
8SSH  
50 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## 5" ULTRA HIDDEN HANGER



5" ULTRA HIDDEN  
NO SCREW NO CLIP



5" ULTRA HIDDEN  
WITH CLIP

### PRODUCT DESCRIPTION

Available with or without clip

### QUANTITY

1000 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
5HTHWC	Ultra Hidden Hanger with Clip	5"
5HTH	Ultra Hidden Hanger without Clip	5"

### PRODUCT FEATURES

- 0.063 aluminum high grade.
- Channel-formed for strength.
- Keyholes for strapping if needed.
- A zinc coated #10×1.5 screw is recommended (sold separately).
- Tighter fold fits comfortably behind drip edge.
- Rounded front edges to protect gutter.

## 5" STEEL HIDDEN HANGER



### PRODUCT DESCRIPTION

Compatible with steel gutter installations and no clip for easy installation on drip edges

### QUANTITY

1000 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
5SHTHWC	Steel Hidden Hanger	0.16"

### PRODUCT FEATURES

- .16 gauge steel for strength.
- Rounded sides for improved strength.
- Keyholes for T-Bar strap (strap sold separately, code: TS).
- Most commonly installed with #10×1.5 screw (sold separately).

## OMNI HIDDEN HANGER



### PRODUCT DESCRIPTION

With clip

### QUANTITY

500 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
5HNS	5" Omni Hidden Hanger with Clip	5"
6HNS	6" Omni Hidden Hanger with Clip	6"

### PRODUCT FEATURES

- 0.063 aluminum high grade.
- Curved channels for superior strength.
- Most commonly installed with #10×1.5 screw (sold separately).
- Rounded front edges to protect gutter and added durability.
- 2 Keyholes provided for optimal T-Bar strap positioning.
- Exceptional value and ease of use put this hanger above the rest.
- Gusseted for rigidity.

## HIDDEN HANGER



### PRODUCT DESCRIPTION

With clip

T-bar strap sold separately

### QUANTITY

500 per box  
\* 1000 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
5HNC	5" Hidden Hanger with Clip	5"
6HNC	6" Hidden Hanger with Clip	6"
TS	Hanger Strap * with Clip	Universal

### PRODUCT FEATURES

Keyholes provided for T-bar strap installation under roof shingles.

Rolled edges for added strength and durability.

A great option when there is no fascia.

Most commonly used screw #10×1.5 (sold separately).

## HIDDEN HANGER



### PRODUCT DESCRIPTION

With clip

### QUANTITY

400 per box  
\* 100 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
7HNC	7" Hidden Hanger with Clip	7"
8HNC	8" Hidden Hanger with Clip *	8"

### PRODUCT FEATURES

- 0.063 gauge.
- Gusseted for rigidity.
- Most commonly installed with #10×1.5 screw (sold separately).
- Can be used for K-style or box gutter application.

## HIDDEN HANGER



### PRODUCT DESCRIPTION

With speed screw

With clip

### QUANTITY

500 per box  
\* 350 per box  
\*\* 200 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
5HFH	5" Hidden Hanger with Speed Screw & Clip	5"
6SSH	6" Hidden Hanger * with Speed Screw & Clip	6"
7SSH	7" Hidden Hanger ** with Speed Screw & Clip	7"

### PRODUCT FEATURES

- 0.048 Aluminum.
- Zinc coated #10 High Grade industrial fastener for solid contact with the driver.
- Screw tip has auger to help pre-drill hole.
- Channels water away from fascia board.
- Speed screw increases efficiency.

## ELITE SPEED SCREW HANGER



### PRODUCT DESCRIPTION

With speed screw

Available with or without clips

### QUANTITY

500 per box

\* 250 per box

\*\* 100 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
5HFEH	5" Elite Speed Screw Hanger	5"
6HFEH	6" Elite Speed Screw Hanger *	6"
7HFEH	7" Elite Speed Screw Hanger **	7"

### PRODUCT FEATURES

- 0.048 Aluminum
- Zinc coated #12 High Grade industrial fastener for solid contact with the driver
- Double gusset front strength
- Solid back clip for support
- Channel tabs guide screw
- Keyhole provided for T-Bar strap if needed
- Speed screw increases efficiency
- Screw tip has auger to help pre-drill hole
- Front nose/hemmed edges for strength/rigidity

## HALF ROUND HANGER



### PRODUCT DESCRIPTION

With clip

### QUANTITY

100 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
6HRHHAL	6" Half Round Hanger with Clip	6"
8HRHHAL	8" Half Round Hanger with Clip	8"

### PRODUCT FEATURES

- 0.050 Aluminum.
- Rolled edges for added durability.
- Gusseted for rigidity.
- #10×11 1/2 screw recommended (sold separately).
- Slot provided for T-Bar strap if needed (sold separately).
- #12 3.5" brass screw.
- Wedge to help with gutter pitch.

## HALF ROUND HANGER



### PRODUCT DESCRIPTION

With speed screw

With clip

### QUANTITY

100 per box

PART CODE	PRODUCT NAME	AVAILABLE SIZES
6HRHHALWS	6" Half Round Hanger with Speed Screw & Clip	6"
8HRHHALWS	8" Half Round Hanger with Speed Screw & Clip	8"

### PRODUCT FEATURES

- 0.050 Aluminum.
- Wedge to level out half rounded gutter
- Rolled edges for added durability
- #12 3.5" brass screw
- Keyhole provided for T-Bar strap if needed
- Speed screw increases efficiency
- Screw tip has auger to help pre-drill hole

## HALF ROUND STAMPED BRACKET



### PRODUCT DESCRIPTION

Supports gutter with stamped piece designed to increase strength

### COLORS

8White, 80White, Antique Ivory, Almond, Black, Bronze, Clay, Cream, Gray, Wicker, Linen, Musket Brown, Royal Brown, Tuxedo Grey, Terratone, Wicker White

PART CODE	PRODUCT NAME	AVAILABLE SIZES
6SH_	6" Stamped Bracket	Half Round Gutters
8SH_	8" Stamped Bracket	Half Round Gutters

### PRODUCT FEATURES

❖ Fascia mount only.

❖ #10×11 1/2 screws recommended (sold separately) .

❖ Aesthetically pleasing and decorative.

❖ Works with custom & classic gutter profiles

## HALF ROUND CIRCLE HANGERS



### PRODUCT DESCRIPTION

Can be used with shanks (6CIRCLE\_#)  
 #10 combo with clips (6COMBO)  
 11, 12, & 13 shanks available (sold separately) to attach to fascia, under shingles or rafter tails to provide proper pitch needed for installation  
 Primarily used with 6" Half Round Profiles  
 Hardware included

PART CODE	PRODUCT NAME	TYPE OF INSTALL
10COMBO	10 Combo	6" Half Round
11SHANK	11 Shank	6" Half Round
12SHANK	12 Shank	6" Half Round
30SHANK	30 Shank	6" Half Round
SPRING CLIP	Spring Clip	6" Half Round

### QUANTITY

50 per box

### COLORS

White, Black, Bronze, Royal Brown, Galvalume, Copper

### PRODUCT FEATURES

- Comes with spring clip.
- Aesthetically pleasing.
- Use nuts and bolts to help position the gutter to provide proper pitch.

## K-STYLE WRAP AROUND HANGER



### PRODUCT DESCRIPTION

Wraps entire gutter for greater support when no fascia is present

### QUANTITY

50 per box

### COLORS

80White, Copper, Royal Brown, Galvalume

PART CODE	PRODUCT NAME	TYPE OF INSTALL
5WSH_	5" K-Style Wrap Around Hanger	5"
6WSH_	6" K-Style Wrap Around Hanger	6"

### PRODUCT FEATURES

- Includes roof strap.
- Very economical hanger.

## HALF ROUND WRAP AROUND HANGER



### PRODUCT DESCRIPTION

Use when fascia is not present

### QUANTITY

50 per box

### COLORS

80White, Copper, Royal Brown, Galvalume

PART CODE	PRODUCT NAME	TYPE OF INSTALL
5HRWH_	5" Half Round Wrap Around Hanger	5"
6HRWH_	6" Half Round Wrap Around Hanger	6"

### PRODUCT FEATURES

• Comes with attached roof strap.

• Very economical hanger for half round gutter systems.

PRODUCT SPECIFICATIONS

# LEAFSERIES

A COMPLETE LINE OF GUTTER GUARD PRODUCTS

**GUTTER GUARD SPECIFICATIONS**


53 | SPECTRAGUTTERSYSTEMS.COM

## 5" LS SCREEN

4' Section  
GS501LC  
50 (PER BOX)

## 6" LS SCREEN

4' Section  
GS502LC  
4' - 50 (PER BOX)



## 5" LS LOCK

4' Section  
GS441FM  
25 (PER BOX)

## 6" LS LOCK

4' Section  
GS442FM  
25 (PER BOX)




## 5" LS GUARD

6' Section  
5EGBK  
4' - 50 (PER BOX)

## 6" LS GUARD

6' Section  
6EGBK  
50 (PER BOX)



## LS-SCREEN



### PRODUCT DESCRIPTION

A pressure fit gutter guard with a C-Lock Clip design and rust-resistant aluminum construction, the Leaf Series Screen provides quick and easy installation with no endcaps or tools required. The wider width and long/short diamond configurations ensure maximum strength and stability, accommodating steep roof lines while keeping leaves and debris out with its diamond shield filtration design.

PART CODE	PRODUCT NAME	TYPE OF INSTALL
GS501LC	5" LS-Screen	5"
GS502LC	6" LS-Screen	6"

### QUANTITY

4 FT sections  
50 pieces per box (200')

### COLORS

Mill finish

### PREVENTS CLOGS FROM

 Maple  
 Oak

 Sweet Gum  
 Dogwood

### PRODUCT FEATURES

- Quick install.
- Rainfall rate of 0.35" per hour.
- Long/short diamond configuration for maximum strength.
- Width is larger than standard gutter size for tighter fit
- Rust resistant aluminum.
- No endcaps/tools needed.
- Pressure fit installation.
- C-Lock Clip design snaps gutter into place.
- Accommodates very steep roof lines.
- Safe-spline rigid strength.

## LS-LOCK



### PRODUCT DESCRIPTION

A high-quality gutter protection system designed to keep your gutters functioning optimally. The system features a durable powder-coated steel construction that is built to withstand all types of weather conditions. The pressure fit design and roll lock feature ensure that the system stays securely in place, providing reliable protection against clogs and blockages caused by leaves, debris, and other environmental factors.

### QUANTITY

4 FT sections  
25 pieces per box (100')

### COLORS

Black

### PREVENTS CLOGS FROM

 Maple  
 Oak

 Sweet Gum  
 Dogwood

PART CODE	PRODUCT NAME	TYPE OF INSTALL
GS441FM	5" LS-Lock	5"
GS442FM	6" LS-Lock	6"

### PRODUCT FEATURES

- Quick install.
- Rainfall rate of 0.30" per hour.
- Pressure fit roll lock that is notched at one end, allowing the product to overlap for stabilized installation.
- No endcaps required.
- Minimal tools required.
- Animal & nesting exclusion.
- All-weather powder coated steel allows for more rigidity.

## LS-GUARD



### PRODUCT DESCRIPTION

A premium gutter protection system designed to effectively keep leaves and debris out of your gutter system. Its innovative design features a diamond shield filtration system with ten diamond-shaped holes per sq. inch, which helps to block out even the smallest of debris. The shield wave design also prevents leaves and debris from becoming sun-dried on top of the guard, as they are simply blown away by the wind.

\* Screws not included

### QUANTITY

6 FT sections  
50 pieces per box (300')

### COLORS

Black & white

### PREVENTS CLOGS FROM

 Maple

 Sweet Gum

 Oak

 Dogwood

PART CODE	PRODUCT NAME	TYPE OF INSTALL
5EGBK	5" LS-Guard Black	5"
5EGW	5" LS-Guard White	5"
6EGBK	6" LS-Guard Black	6"
6EGW	6" LS-Guard White	6"

### PRODUCT FEATURES

- Rainfall rate of 0.30" per hour.
- No shingle disruption.
- Shield wave design prevents leaves and debris from becoming sun-dried to topside. Leaves and debris are simply blown away by wind.
- Animal & nesting exclusion.
- Diamond shield filtration keeps debris out with ten diamond-shaped holes per sq. inch.
- Quick install.
- TrueCoat paint systems.
- Dual-fastening system adds superior strength to protect against wind & heavy snow

PRODUCT SPECIFICATIONS

# DOWNPIPES

## 2" x 3" CORRUGATED



2x3 - 8'  
3DP8\_  
10 (PER BOX)



2x3 - 10'  
3DP10\_  
10 (PER BOX)

## 3" x 4" CORRUGATED



3x4 - 8'  
4DP8\_  
10 (PER BOX)



3x4 - 10'  
4DP10\_  
10 (PER BOX)

## 4" x 5" CORRUGATED



4x5 - 10'  
5DP10\_  
6 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## 4" ROUND



SPECIALTY

4" ROUND - 10'

4RDP10\_  
8 (PER BOX)

## EZ ROUND



SPECIALTY

4" EZ

4RDPEZ10\_  
10 (PER BOX)



5" EZ

5RDPEZ10\_  
10 (PER BOX)

## 2×3 & 3×4 DOWNPIPE



### PRODUCT DESCRIPTION

Downpipes have flexible pressure fit design for easy/efficient installation. Use color coordinated zip screws for securing joints with at least 2 fastening points per joint. Secure downpipe to home with downpipe bands or clips. Each downpipe has one end crimped for joining multiple pieces for longer runs or multiple story homes. It is recommended to install a minimum of one 2×3 downpipe per 600 square feet of roof area and one 3×4 downpipe per 1200 square feet of roof area.

PART CODE	PRODUCT NAME	AVAILABLE SIZES
3DP8_	2×3 Downpipe	2×3
3DP10_	2×3 Downpipe	2×3
4DP8_	3×4 Downpipe	3×4
4DP10_	3×4 Downpipe	3×4

### MATERIALS

Aluminum

### QUANTITY

10 per box

### COLORS

Aluminum, Copper & Galvalume

### PRODUCT FEATURES

• Recommended for most residential buildings.

• 0.019 Aluminum.

• Spectra "Lock" - double lock seam.

• Will not have "run away seams".

## 4×5 DOWNPIPE



### PRODUCT DESCRIPTION

Downpipes have flexible pressure fit design for easy/efficient installation. Use color coordinated zip screws for securing joints with at least 2 fastening points per joint. Secure downpipe to home with downpipe bands or clips. Each downpipe has one end crimped for joining multiple pieces for longer runs or multiple story homes.

### MATERIALS

Aluminum

### QUANTITY

6 per box

### COLORS

30White, 80White, Antique Ivory, Clay, Wicker, White, Bronze, Almond, Cream, Linen, Musket Brown, Pearl Gray, Royal Brown

PART CODE	PRODUCT NAME	AVAILABLE SIZES
5DP10_	4×5 Downpipe	10'

### PRODUCT FEATURES

• Recommended for commercial buildings, large residential projects with high volume rain run-off and barrel tile roofing.

• 0.027 Aluminum.

• Spectra "Lock" - double lock seam.

• Will not have "run away seams".

## ROUND DOWNPIPE



### PRODUCT DESCRIPTION

Downpipes have flexible pressure fit design for easy/efficient installation. Use color coordinated zip screws for securing joints with at least 2 fastening points per joint. Secure downpipe to home with downpipe bands or clips. Each downpipe has one end crimped for joining multiple pieces for longer runs or multiple story homes.

PART CODE	PRODUCT NAME	AVAILABLE SIZES
4RP10_	Round Downpipe	0.019

### QUANTITY

8 per box

### COLORS

30White, 80White, Antique Ivory, Clay, Wicker, White, Bronze, Almond, Cream, Linen, Musket Brown, Pearl Gray, Royal Brown, Tuxedo Grey, Terratone, Wicker White

### PRODUCT FEATURES

• Recommended for Half-Round applications and as an upgrade to K-Style gutter systems.

• Premium Product.

• Historical & cultural appeal.

PRODUCT SPECIFICATIONS

# DRAINAGE SOLUTIONS

**DRAINAGE SOLUTION SPECIFICATIONS**

64 | SPECTRAGUTTERSYSTEMS.COM

## GROUND SPOUTS



**GREEN**

GRNDSPTFG  
15 (PER BOX)



**BLACK**

GRNDSPTBK2  
15 (PER BOX)



**BROWN**

GRNDSPTRB  
15 (PER BOX)



**WHITE**

GRNDSPTW  
15 (PER BOX)

## SPLASH BLOCKS



**GREEN**

SBLOCK



**BLACK**

SBLOCKBK



**BROWN**

SBLOCKRB



**GREY**

SBLOCKGS

## ADAPTERS



**3ADA & 4ADA**  
150 (PER BOX)



**DFADABK**  
12 (PER BOX)

## GROUND SPOUT



### PRODUCT DESCRIPTION

Works with Standard Downspouts in 2"x3", 3"x4" & 4" Round Sizes

An inch of rainfall can push up to 620 gallons of water into a home's gutters.

By using a Direct Flow System of downspout extensions and pipes, homeowners can help prevent several common issues. Such as harmful seepage along the foundation, erosion, and more.

PART CODE	PRODUCT NAME	AVAILABLE SIZES
GRNDSPTFG	Green Ground Spout	2"x3", 3"x4" & 4" Round Sizes
GRNDSPTBK2	Black Ground Spout	2"x3", 3"x4" & 4" Round Sizes
GRNDSPTRB	Brown Ground Spout	2"x3", 3"x4" & 4" Round Sizes
GRNDSPTW	White Ground Spout	2"x3", 3"x4" & 4" Round Sizes

### QUANTITY

15 per box

### COLORS

Green, Black, Brown, White

### PRODUCT FEATURES

• Eliminates leading cause of landscape erosion, helps prevent foundation damage, all at an affordable price.

• A collapsed length of 24" and an expanded length of 48".

• Components attach easily and stands up to years of exposure to the elements.

• Allows use when space is limited.

## SPLASH BLOCKS



### PRODUCT DESCRIPTION

The Splash Block by Spectra Gutter Systems has a quick and easy installation. It can accommodate any gutter by placing below your downspout. The Splash Block diverts water away from your home and helps slow down the water exiting your gutter system.

### QUANTITY

160 per pallet for 12×12  
100 per pallet for 12×18

PART CODE	PRODUCT NAME	AVAILABLE SIZES
SBLOCK_BK	Black Plastic Splash Block	12×18
SBLOCK_BK	Black Concrete Splash Block	12×12 & 12×18
SBLOCK_GS	Gray Plastic Splash Block	12×18
SBLOCK_GS	Gray Concrete Splash Block	12×12 & 12×18
SBLOCK_FG	Forest Green Plastic Splash Block	12×18
SBLOCK_FG	Forest Green Concrete Splash Block	12×12 & 12×18
SBLOCK_RB	Royal Brown Plastic Splash Block	12×18
SBLOCK_RB	Royal Brown Concrete Splash Block	12×12 & 12×18
SBLOCK_S	Stone Concrete Splash Block	12×12 & 12×18

### COLORS

Black, Gray, Forest Green, Royal Brown, Stone

### PRODUCT FEATURES

- Helps prevent soil from eroding and channel water away from your home.

## ADAPTERS



### PRODUCT DESCRIPTION

Works with Standard Downspouts in 2"x3", 3"x4" & 4" Round Sizes

Runoff from repeated downpours and heavy rains can do considerable damage to homes and landscapes, compromising foundations and footings, flooding patios and pathways, wreaking havoc in flowerbeds and lawns. The highly effective solution that totally encapsulates rain water from roof to under ground drainage system.

PART CODE	PRODUCT NAME	AVAILABLE SIZES
DFADABK	Adapter	2"x3", 3"x4" & 4" Round Sizes
3ADA & 4ADA	Adapter	2x3, 3x4 Adapter

### COLORS

Black

### PRODUCT FEATURES

• Eliminates leading cause of landscape erosion, helps prevent foundation damage, all at an affordable price.

• With a collapsed length of 12.5" and an expanded length of 20".

• Components attach easily and stands up to years of exposure to the elements.

• Allows use when space is limited.

PRODUCT SPECIFICATIONS

# ACCESSORIES

ACCESSORY SPECIFICATIONS

69 | SPECTRAGUTTERSYSTEMS.COM



## SCREWS



**#8 1/2" - ZIP SCREWS**

812\_  
1000 (PER BOX)



**#10 1"**

101H  
1000 (PER BOX)



**#10 1 1/2"**

10112H  
1000 (PER BOX)



**#10 2"**

102H  
1000 (PER BOX)

## WEDGES



**5" WEDGE**

WEDGE  
20 (PER BOX)



**6" WEDGE**

6WEDGE  
20 (PER BOX)

## POP RIVETS



**POP RIVETS**

PR42\_  
0 (PER BOX)

## TRIM NAILS



**TRIM NAILS**

TN114  
0 (PER BOX)

## BUILDING MATERIALS



ALUM STARTER  
STRIP - 10'

VLSS  
50 (PER BOX)



STEEL STARTER  
STRIP - 10'

STSS  
50 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## FLASH



FLASH - 10' SECTIONS

FLASH3W or BK  
50 (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## CONDUCTOR BOXES



CONDUCTOR BOX

4CBOX  
# (PER BOX)

\*AVAILABLE IN  
SELECT LOCATIONS

## SEALANTS



GEOCEL 2320 -  
WHITE OR ALUM

G2320

350 - 400 LBS (PER BOX)



GEOCEL 2300 -  
CLEAR OR BRONZE

G2300

350 - 400 LBS (PER BOX)



OSI 121

GS121W

350 - 400 LBS (PER BOX)

## TOUCH UP PAINT



TOUCH UP PAINT

TUP

12 (PER CASE)

\*AVAILABLE IN ALL COLORS

## GEOCEL



GEOCEL 2320



GEOCEL 2300

### PRODUCT DESCRIPTION

Wet surface application

### INSTALLATION

Use caulk gun to apply. Use approximately 1 oz. per seam or 3/8" wide bead of sealant. Works well in a wide range of temperatures

### QUANTITY

10 oz tubes  
24 tubes per case

### COLORS

Almond, Clay, Black, White, Bronze, Royal Brown

PART CODE	APPLICATION	PRODUCT NAME
G2320	Gutter Installation	Geocel 2320
G2300	Roofing & Construction	Geocel 2300

### PRODUCT FEATURES

- Self leveling, resealable & can be applied over itself.
- Can be used on aluminum, asphalt shingles, coated steel (Kynar 500), concrete & vinyl (G2300)
- Pro's #1 choice in sealant.
- Fast cure & cured sealant is mildew resistant.
- Triple polymer is UV resistant.

## OSI



### PRODUCT DESCRIPTION

For exterior use only

### INSTALLATION

Use caulk gun to apply. Use approximately 1 oz. per seam or 3/8" wide bead of sealant. Cannot be tooled/smeared or feathered. Not recommended for expansion joint control or joints over 3/8"

### QUANTITY

12 per box

### COLORS

Clear, Aluminum, White

PART CODE	PRODUCT NAME	AVAILABILITY
OSI121	OSI	10 oz
QUADMAX	OSI QUAD MAX	9 oz

### PRODUCT FEATURES

- Permanently flexible.
- Expands/contracts with temperature changes.
- Works well on Aluminum, Galvalume and Vinyl products.
- Cures as tough rubbery gasket.
- Water resistant seal.
- Not recommended for copper.

## TOUCH UP PAINT



### PRODUCT DESCRIPTION

Color consistency to gutter coil & accessories

\*Restricted shipping methods

### QUANTITY

12 cans per box  
12 oz cans

### COLORS

Available in 28 gutter system matching colors

PART CODE	PRODUCT NAME	AVAILABILITY
TUP_	TOUCH UP PAINT	12 oz

### PRODUCT FEATURES

- Color and Gloss consistency to that of the gutter system
- Spray nozzle replacement system
- Added benefit of forgiveness during installation

PRODUCT SPECIFICATIONS

# CONTRACTOR SERVICES

A COMPLETE LINE OF GUTTER GUARD PRODUCTS

**CONTRACTOR SERVICES SPECIFICATIONS**

77 | [SPECTRAGUTTERSYSTEMS.COM](http://SPECTRAGUTTERSYSTEMS.COM)

## CHOP & DROP

### SPECIALTY GUTTERS

- FORMED ON-SITE
- UNMATCHED CUSTOMER SERVICE
- SEAMLESS STYLE, CUSTOM FIT



7" & 8" K-STYLE



6" & 8" HALF ROUND



7" & 8" BOX GUTTER



## BELOW DECK SYSTEMS

### BRINGING INDOORS & OUTDOORS TOGETHER

- INSTALLATION SUPPORT
- VIDEO TRAINING
- NATIVE APP
- MADE IN THE U.S.A.

## COMMERCIAL GUTTERS


### BUILT FOR PERFORMANCE & PROTECTION

- CUSTOMIZED DESIGN PROFILES
- YOU DRAW IT, WE BUILD IT!



#### PROFILES

K-STYLE



7"K

8"K

#### STANDARD PROFILES

A, B, D, F, I



A-STYLE

B-STYLE

D-STYLE

F-STYLE

I-STYLE

#### DOWNSPOUTS

EZ ROUND, SMOOTH, & CORRUGATED



EZ ROUND



SMOOTH



CORRUGATED

# YOUR PROJECT, OUR PRIORITY



NEWTECH

#### KEY FEATURES


- ⚡ On-site manufacturing of custom gutters to reduce lead times & boost efficiency
- ⚡ Cuts inventory & transport needs for lower costs and greater flexibility
- ⚡ Ensures precision-formed gutters with consistent, engineered quality
- ⚡ Backed by Spectra's nationwide parts, training, and distribution support
- ⚡ Scales seamlessly from residential to commercial work with MACH II™ & BG7™ machines
- ⚡ Advanced controls, durable materials, and innovative design for lasting performance



SPARTAN

#### KEY FEATURES

- ⚡ Two Speed Completes Job Faster
- ⚡ Aviation Grade Aluminum Frame
- ⚡ Remote Pendant Available
- ⚡ Interior Wiring
- ⚡ Plastic Alloy in Key Locations to Reduce Weight
- ⚡ PLC with Digital Controls Available
- ⚡ Optimal Safety Switches
- ⚡ Solar Charging Operational Available





# ALWAYS IMPROVING

---

OFFERING A COMPLETE LINE OF RAINWARE  
PRODUCTS INCLUDING COIL AND ACCESSORIES.

