

# TRUTH SNAP<sup>®</sup>

## MODULAR PLATE SYSTEM

"I wear my Truth SNAP rifle plate every single night on patrol. I'm extremely happy with the product and it eases my family's mind to know that I have it."

Matthew Wilson  
Deputy Sheriff in Madison County

**THE NEXT GENERATION  
IN OFFICER SAFETY**



# ICW SERIES



**308**  
ULTRA

**308**  
PREMIUM

**308**  
STANDARD

.308 + SPIKE LEVEL 3



**855**  
CERAMIC  
STRIKE FACE

**308**  
.308 / MSC / .556  
+ SPIKE LEVEL 3

**M855**  
COMBINED

## NEVER GO TO YOUR TRUNK FOR ARMOR AGAIN™

### GROUNDBREAKING

- Thinnest, lightest, certified plate system on the market
- Patented, magnetic and modular SNAP system
- Proprietary, multi-curve design with a refined aesthetic finish

### SUPERIOR SAFETY

- Certified to NIJ 0101.06 Standard (Level III) — designed to be worn in conjunction with RISE Armor Packages or other soft body armor vests
- Advanced handgun, rifle, stab and special threat protection exceed NIJ standards
- Multi-round capable plates with dual-strike face design

### SCALABLE

- SNAP the 855 Strike Face Plate for tiered rifle and handgun protection — armor up or down
- Base Plate selections scale in weight, thickness and price
- Available in a variety of cuts and sizes



## 308 ULTRA

AAU301



**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA ULTRA PREMIUM ARMOR PACKAGE\***

CPL Model Designation: AAU301 ICW RISE, Ultra Premium, Male, IIIA

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.53" (13.5mm)

**AREAL DENSITY** 2.60 lb/ft<sup>2</sup> (1.18 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                               |                   |
|-------------------------------|-------------------|
| <b>5 x 8" Full Cut**</b>      | 0.72 lb (0.33 kg) |
| <b>7 x 9" Full Cut</b>        | 1.14 lb (0.52 kg) |
| <b>8 x 10" Shooter's Cut</b>  | 1.26 lb (0.57 kg) |
| <b>8 x 10" Full Cut</b>       | 1.46 lb (0.66 kg) |
| <b>9 x 11" Shooter's Cut</b>  | 1.58 lb (0.72 kg) |
| <b>9 x 11" Full Cut</b>       | 1.81 lb (0.82 kg) |
| <b>9 x 11" SAPI Cut</b>       | 1.67 lb (0.76 kg) |
| <b>10 x 12" Shooter's Cut</b> | 1.94 lb (0.88 kg) |
| <b>10 x 12" Full Cut</b>      | 2.21 lb (0.95 kg) |
| <b>10 x 12" SAPI Cut</b>      | 2.07 lb (1.20 kg) |
| <b>10 x 13" SAPI Cut</b>      | 2.24 lb (1.02 kg) |
| <b>11 x 14" SAPI Cut</b>      | 2.69 lb (1.23 kg) |
| <b>6 x 6" Side Plate**</b>    | 0.65 lb (0.29 kg) |

\*Independently tested in accordance with NIJ standards. Full test details and reports available upon request.



## 308 PREMIUM

AAP301.1



**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III)  
WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA  
STANDARD AND PREMIUM ARMOR PACKAGES\***

CPL Model Designation: AAP301.1 ICW AAP3A03

CPL Model Designation: AAP301.1 ICW AAS3A01

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard
- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.62" (15.7mm)

**AREAL DENSITY** 3.02 lb/ft<sup>2</sup> (1.47 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                               |                   |
|-------------------------------|-------------------|
| <b>5 x 8" Full Cut**</b>      | 0.84 lb (0.38 kg) |
| <b>7 x 9" Full Cut</b>        | 1.33 lb (0.60 kg) |
| <b>8 x 10" Shooter's Cut</b>  | 1.46 lb (0.66 kg) |
| <b>8 x 10" Full Cut</b>       | 1.70 lb (0.77 kg) |
| <b>9 x 11" Shooter's Cut</b>  | 1.83 lb (0.83 kg) |
| <b>9 x 11" Full Cut</b>       | 2.11 lb (0.96 kg) |
| <b>10 x 12" Shooter's Cut</b> | 2.26 lb (1.03 kg) |
| <b>10 x 12" Full Cut</b>      | 2.57 lb (1.17 kg) |
| <b>6 x 6" Side Plate**</b>    | 0.76 lb (0.34 kg) |

## 308 STANDARD

AAS302



**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III)  
WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA  
ULTRA PREMIUM ARMOR PACKAGE\***

CPL Model Designation: AAS302 ICW, RISE, Ultra, Premium, Male IIIA

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.70" (17.8mm)

**AREAL DENSITY** 3.46 lb/ft<sup>2</sup> (1.69 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                               |                   |
|-------------------------------|-------------------|
| <b>5 x 8" Full Cut**</b>      | 0.96 lb (0.44 kg) |
| <b>7 x 9" Full Cut</b>        | 1.52 lb (0.69 kg) |
| <b>8 x 10" Shooter's Cut</b>  | 1.67 lb (0.76 kg) |
| <b>8 x 10" Full Cut</b>       | 1.94 lb (0.88 kg) |
| <b>9 x 11" Shooter's Cut</b>  | 2.10 lb (0.95 kg) |
| <b>9 x 11" Full Cut</b>       | 2.41 lb (1.09 kg) |
| <b>10 x 12" Shooter's Cut</b> | 2.58 lb (1.17 kg) |
| <b>10 x 12" Full Cut</b>      | 2.94 lb (1.33 kg) |

\*Independently tested in accordance with NIJ standards.  
Full test details and reports available upon request.



## 855 STRIKE FACE

SNAP THE 855 STRIKE FACE PLATE TO ANY TRUTH  
SNAP BASE PLATE FOR M855 PROTECTION.



**TESTED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN  
WORN IN CONJUNCTION WITH RISE ARMOR PACKAGES  
AND TRUTH SNAP BASE PLATES\***

- 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE  
Armor Packages and Truth SNAP Base Plates:

5.56mm M855 @ 3115 fps (950 m/s)

**855 STRIKE FACE PLATE  
MUST BE WORN WITH ICW  
TRUTH SNAP BASE PLATES.**

**THICKNESS** 0.45" (11.43MM)

**AREAL DENSITY** 3.13 lb/ft<sup>2</sup> (1.53 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                               |                   |
|-------------------------------|-------------------|
| <b>7 x 9" Full Cut</b>        | 1.39 lb (0.63 kg) |
| <b>8 x 10" Shooter's Cut</b>  | 1.53 lb (0.69 kg) |
| <b>8 x 10" Full Cut</b>       | 1.77 lb (0.80 kg) |
| <b>9 x 11" Shooter's Cut</b>  | 1.89 lb (0.86 kg) |
| <b>9 x 11" Full Cut</b>       | 2.18 lb (0.99 kg) |
| <b>10 x 12" Shooter's Cut</b> | 2.35 lb (1.07 kg) |
| <b>10 x 12" Full Cut</b>      | 2.69 lb (1.22 kg) |
| <b>9 x 11" SAPI Cut</b>       | COMING<br>SOON    |
| <b>10 x 12" SAPI Cut</b>      |                   |
| <b>10 x 13" SAPI Cut</b>      |                   |
| <b>11 x 14" SAPI Cut</b>      |                   |

## 308 STANDARD + 855

**THICKNESS** 1.15" (29.23mm)

**AREAL DENSITY** 6.59 lb/ft<sup>2</sup> (3.22 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                        |                   |
|------------------------|-------------------|
| 7 x 9" Full Cut        | 2.91 lb (1.32 kg) |
| 8 x 10" Shooter's Cut  | 3.20 lb (1.45 kg) |
| 8 x 10" Full Cut       | 3.71 lb (1.68 kg) |
| 9 x 11" Shooter's Cut  | 3.99 lb (1.81 kg) |
| 9 x 11" Full Cut       | 4.59 lb (2.08 kg) |
| 10 x 12" Shooter's Cut | 4.93 lb (2.24 kg) |
| 10 x 12" Full Cut      | 5.63 lb (2.55 kg) |



## 308 PREMIUM + 855

**THICKNESS** 1.07" (27.13mm)

**AREAL DENSITY** 6.15 lb/ft<sup>2</sup> (3.00 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                        |                   |
|------------------------|-------------------|
| 7 x 9" Full Cut        | 2.72 lb (1.23 kg) |
| 8 x 10" Shooter's Cut  | 2.99 lb (1.36 kg) |
| 8 x 10" Full Cut       | 3.47 lb (1.57 kg) |
| 9 x 11" Shooter's Cut  | 3.72 lb (1.68 kg) |
| 9 x 11" Full Cut       | 4.29 lb (1.95 kg) |
| 10 x 12" Shooter's Cut | 4.61 lb (2.09 kg) |
| 10 x 12" Full Cut      | 5.26 lb (2.39 kg) |



## 308 ULTRA + 855

**THICKNESS** 0.98" (24.93mm)

**AREAL DENSITY** 5.73 lb/ft<sup>2</sup> (2.79 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                        |                   |
|------------------------|-------------------|
| 7 x 9" Full Cut        | 2.53 lb (1.15 kg) |
| 8 x 10" Shooter's Cut  | 2.79 lb (1.27 kg) |
| 8 x 10" Full Cut       | 3.23 lb (1.47 kg) |
| 9 x 11" Shooter's Cut  | 3.47 lb (1.57 kg) |
| 9 x 11" Full Cut       | 3.99 lb (1.80 kg) |
| 10 x 12" Shooter's Cut | 4.29 lb (1.95 kg) |
| 10 x 12" Full Cut      | 4.90 lb (2.22 kg) |

9 x 11" SAPI Cut

10 x 12" SAPI Cut

10 x 13" SAPI Cut

11 x 14" SAPI Cut

COMING  
SOON



# TRUTH SNAP<sup>®</sup>

## PLATE BACKER

DISPERSES PROJECTILE IMPACT



### NIJ STANDARD 0101.06 CERTIFIED

### LEVEL II

#### PREMIUM 2.0 AAP201

Areal Density  
(ASTM D3776M-09A Option C)

0.79 lb/ft<sup>2</sup> • 3.86 kg/m<sup>2</sup>

Thickness (ASTM D1777)

0.16" • 0.41 cm

V-50 9mm FMJ

1722 fps • 525 m/s

V-50 .357 MAG

1679 fps • 515 m/s

Special Threats

Available Upon Request



PAIR WITH TRUTH SNAP ARMOR PLATES FOR STAND ALONE USE

### NIJ STANDARD 0101.06 CERTIFIED

### LEVEL IIIA

Areal Density  
(ASTM D3776M-09A Option C)

#### ELITE AAE3A01

0.88 lb/ft<sup>2</sup> • 4.30 kg/m<sup>2</sup>

Thickness  
(ASTM D1777)

0.25" • 0.64 cm

V-50 .357 SIG

1868 fps • 569 mps

V-50 .44 MAG

1717 fps • 523 mps

Special Threats

Available Upon Request

#### ULTRA PREMIUM RISE, Ultra Premium, Male,

0.97 lb/ft<sup>2</sup> • 4.74 kg/m<sup>2</sup>

0.298" • 0.757 cm

1888 fps • 575 m/s

1730 fps • 527 m/s

#### FBI Body Armor Test Protocol 4.1

- 9mm 124gr FMJ
- .40 S&W 165gr GDHP
- 9mm 127gr +P+ SXT
- .45 AUTO

#### PREMIUM AAP3A03

1.13 lb/ft<sup>2</sup> • 5.51 kg/m<sup>2</sup>

0.238" • 0.604 cm

1866 fps • 568 m/s

1721 fps • 521 m/s

Available Upon Request

#### STANDARD AAS3A01

1.24 lb/ft<sup>2</sup> • 6.05 kg/m<sup>2</sup>

0.26" • 0.66 cm

1785 fps • 544 m/s

1583 fps • 483 m/s

Available Upon Request

#### AVAILABLE SIZES:

- 9 x 11" Shooter's Cut
- 9 x 11" Full Cut
- 9 x 11" SAPI Cut
- 10 x 12" Shooter's Cut
- 10 x 12" Full Cut
- 10 x 12" SAPI Cut
- 10 x 13" SAPI Cut
- 11 x 14" SAPI Cut



PAIR WITH  
TRUTH SNAP  
PLATE SYSTEM

Durable, 200D  
nylon finish with  
weatherproof seal.

# 308 ELITE

## STAND ALONE SERIES



**308  
ELITE**

.308 + SPIKE LEVEL 3



**855**  
CERAMIC  
STRIKE FACE

**308**  
.308 / MSC / .556  
+ SPIKE LEVEL 3

**M855**  
COMBINED

## NEXT GENERATION IN OFFICER SAFETY

### NEXT-GEN TECNOLOGY

- Thinnest, lightest, certified stand alone plate system on the market
- Patented, magnetic and modular SNAP system for immediate adjustment
- Proprietary, multi-curve design with durable aesthetic finish for years of service

### UNMATCHED PROTECTION

- Stand alone plate certified to NIJ 0101.06 Standard (Level III) with minimal back face deformation
- Stops high-powered handgun, rifle, stab and special threat protection, exceeding industry standards
- Proven multi-hit performance with dual-strike face design

### ADAPTABLE SYSTEM

- SNAP the 855 Strike Face Plate for tiered rifle protection
- Available in Full, Shooter's and SAPI cuts with a variety of sizes



PROTECTION AT A HIGHER LEVEL®



## 308 ELITE

AASA303

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) STAND ALONE**

CPL Model Designation: AASA303

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07:
  - 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)
  - 7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)
  - 5.56mm M193 @ 3250 fps (990 m/s)
  - ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)
- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.69" (17.5mm)

**AREAL DENSITY** 3.28 lb/ft<sup>2</sup> (1.60 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                        |                   |
|------------------------|-------------------|
| 7 x 9" Full Cut        | 1.36 lb (0.62 kg) |
| 8 x 10" Shooter's Cut  | 1.49 lb (0.68 kg) |
| 8 x 10" Full Cut       | 1.73 lb (0.78 kg) |
| 9 x 11" Shooter's Cut  | 1.87 lb (0.85 kg) |
| 9 x 11" Full Cut       | 2.15 lb (0.98 kg) |
| 9 x 11" SAPI Cut       | 1.96 lb (0.89 kg) |
| 10 x 12" Shooter's Cut | 2.30 lb (1.04 kg) |
| 10 x 12" Full Cut      | 2.63 lb (1.19 kg) |
| 10 x 12" SAPI Cut      | 2.44 lb (1.11 kg) |
| 10 x 13" SAPI Cut      | 2.81 lb (1.27 kg) |
| 11 x 14" SAPI Cut      | 3.22 lb (1.46 kg) |
| 6 x 6" Side Plate**    | 0.77 lb (0.35 kg) |



## 855

**SNAP THE 855 STRIKE FACE PLATE TO ANY TRUTH SNAP BASE PLATE FOR M855 PROTECTION.**

**TESTED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH TRUTH SNAP BASE PLATES\***

- 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard 5.56mm M855 @ 3115 fps (950 m/s)

**THICKNESS** 0.45" (11.43mm)

**AREAL DENSITY** 3.13 lb/ft<sup>2</sup> (1.53 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                        |                   |
|------------------------|-------------------|
| 7 x 9" Full Cut        | 1.39 lb (0.63 kg) |
| 8 x 10" Shooter's Cut  | 1.53 lb (0.69 kg) |
| 8 x 10" Full Cut       | 1.77 lb (0.80 kg) |
| 9 x 11" Shooter's Cut  | 1.89 lb (0.86 kg) |
| 9 x 11" Full Cut       | 2.18 lb (0.99 kg) |
| 10 x 12" Shooter's Cut | 2.35 lb (1.07 kg) |
| 10 x 12" Full Cut      | 2.69 lb (1.22 kg) |

9 x 11" SAPI Cut

10 x 12" SAPI Cut

10 x 13" SAPI Cut

11 x 14" SAPI Cut

COMING  
SOON

**855 STRIKE FACE PLATE MUST BE WORN WITH TRUTH SNAP BASE PLATES.**



PROTECTION AT A HIGHER LEVEL®

\*\*5x8" and 6x6" plates are tested to NIJ Standards.

## 308 ELITE + 855



**THICKNESS** 1.14" (28.95mm)

**AREAL DENSITY** 6.41 lb/ft<sup>2</sup> (3.13 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

|                               |                   |
|-------------------------------|-------------------|
| <b>7 x 9" Full Cut</b>        | 2.75 lb (1.25 kg) |
| <b>8 x 10" Shooter's Cut</b>  | 3.02 lb (1.37 kg) |
| <b>8 x 10" Full Cut</b>       | 3.50 lb (1.58 kg) |
| <b>9 x 11" Shooter's Cut</b>  | 3.76 lb (1.71 kg) |
| <b>9 x 11" Full Cut</b>       | 4.33 lb (1.97 kg) |
| <b>10 x 12" Shooter's Cut</b> | 4.66 lb (2.11 kg) |
| <b>10 x 12" Full Cut</b>      | 5.32 lb (2.41 kg) |

**9 x 11" SAPI Cut**

**10 x 12" SAPI Cut**

**10 x 13" SAPI Cut**

**11 x 14" SAPI Cut**

COMING  
SOON

\*Independently tested in accordance with NIJ standards.  
Full test details and reports available upon request.



# RISE®

A SYSTEM BUILT FOR YOUR MISSION



Pair Ally One Carrier Accessories with RISE Carriers  
for an elevated, mission-ready solution

