

THE COMPASSIONATE COMPANION SERIES

Photographs, Mirrors and Difficult Body-Image Days

*A gentler way to meet the moments
when seeing yourself feels difficult.*

Thoughtful guidance, practical support and private reflection for
anyone struggling with body image.

SPACE TO BREATHE THERAPY



You are more than *the image you see.*



Some days, a reflection or photograph can seem to take over everything. You may find yourself checking, comparing, hiding, seeking reassurance or wishing you could disappear from view. The pain can be very real, even when other people do not understand it.

This book is not asking you to love your appearance, or to look in a mirror until you feel comfortable. It offers space to understand what happens, respond with care and begin to loosen the hold that appearance-related worry can have on your day.


A THOUGHT TO TAKE WITH YOU

“I can feel uncomfortable about my appearance and still deserve kindness, rest, food, connection and a meaningful life.”

Use the chapters in any order. Skip exercises that feel overwhelming. For persistent or severe distress, a qualified professional can help you make a personalised plan.

CHAPTER 01

Understanding body dysmorphia



Body dysmorphic disorder is more than everyday dissatisfaction with appearance. It involves persistent preoccupation with perceived appearance flaws, often alongside repetitive behaviours or mental rituals.

Someone may spend significant time checking mirrors, seeking reassurance, comparing themselves with others, changing their appearance, hiding certain features or avoiding situations where they might be seen. The focus can be on any part of the body. Distress and disruption to daily life are important features of BDD.

Not everyone who struggles with body image has BDD. Body-image distress can also occur with eating disorders, depression, anxiety, trauma, disability, visible differences and difficult experiences of criticism or bullying. A qualified professional can help work out what is happening without reducing your experience to a label.


Why reassurance may not last Being told that you look fine can feel soothing for a few minutes. But if your brain learns that it needs repeated confirmation before you can cope, the urge to ask again may return stronger. The aim is not to stop accepting kindness; it is to gradually build confidence that uncertainty and discomfort can be tolerated without endless checking.

What effective help can look like Cognitive behavioural therapy (CBT) adapted for BDD, often including carefully planned exposure and response prevention, is an evidence-based treatment. Depending on symptoms and clinical assessment, medication such as an SSRI may also be considered. Exposure work is best tailored with a suitably trained professional, especially when distress is intense.

You are not required to prove that your concerns are “bad enough” before asking for help.

CHAPTER 02

The mirror and the checking cycle



A mirror can become a place to seek certainty. You might look closely, change lighting, compare angles, avoid mirrors entirely, or return again and again hoping to feel better.

Checking may offer short-term relief, but it can also make appearance feel increasingly important and dangerous. Avoidance can work in a similar way: it brings immediate relief while leaving the fear untested. Both are understandable attempts to manage discomfort.

Notice your own pattern
Trigger: You catch your reflection in a shop window. Thought: “Everyone must notice what I notice.” Feeling: Shame, panic or dread. Urge: Check another mirror, adjust clothing or ask for reassurance. Short-term result: A moment of relief. Longer-term result: More doubt and stronger urges next time.


A kinder experiment
Choose a small, manageable situation. You might use a mirror for a practical purpose, such as checking whether your face is clean, and then leave without inspecting individual features. Decide the practical task before you begin. If the urge to return appears, name it, breathe slowly and redirect attention to your next activity.

The goal is not to force yourself to feel attractive. It is to practise letting a feeling exist without allowing it to take over your day. If this feels overwhelming, discuss a graded approach with a therapist rather than pushing through alone.

A mirror can be a tool for daily living. It does not have to become a courtroom.

CHAPTER 03

Photographs and unexpected images



Photographs can feel especially difficult because they freeze one moment and invite repeated inspection. A single image may become something you zoom into, crop, compare or revisit for hours.

A photograph is affected by lens, distance, angle, lighting, movement, timing and perspective. More importantly, it is not a measure of your worth, relationships or the meaning of the occasion. Yet it can be tempting to let one image rewrite the memory of an entire day.

Before a photograph Ask yourself what matters about the moment: being with friends, marking a birthday, sharing a meal, enjoying a place. If you choose to be photographed, agree with yourself that participation matters more than controlling every image. You may also choose not to be photographed; choice and consent remain important.


After a photograph Notice the first urge. Do you want to zoom in, compare it with an older picture, demand deletion or ask several people what they think? You could try putting the photograph away for a while and returning to the event itself. Write down one memory that has nothing to do with appearance.

When someone shares an image without asking It is reasonable to communicate boundaries around tagging or posting. You can request that an image be removed without having to explain every detail of your body-image struggle. A boundary is different from allowing fear to dictate every interaction; finding that balance may take time.

The photograph is one record of a moment. It is not the whole moment, and it is not the whole of you.

CHAPTER 04

Comparison, cameras and social media



Comparison can happen almost automatically. A feed, a video call or an advertisement may make you suddenly conscious of features you had not been thinking about minutes earlier.

Online images may be selected, posed, edited, filtered or shaped by professional lighting. Even when they are not altered, they show a narrow slice of another person's life. Comparing your ordinary, moving, three-dimensional self with a carefully chosen image is rarely a fair comparison.


Make your digital environment less demanding Consider muting accounts that consistently trigger distress, limiting appearance-focused browsing and following people who share interests beyond looks. Pay attention to whether a camera preview makes it harder to concentrate during calls. If your platform allows it, hiding self-view may be a useful practical adjustment.

A three-question check-in After scrolling, ask: "How do I feel in my body?", "What am I being encouraged to compare?" and "What would I rather give my attention to?" You do not have to quit social media to use it more deliberately. Small changes in what you see, when you scroll and what you do afterwards can matter.

Your attention is valuable. You are allowed to spend it on something other than monitoring your appearance.

CHAPTER 05

Thoughts that sound like facts



Body-image thoughts often arrive in absolute language: “Everyone is staring”, “I cannot go out looking like this”, or “If I looked different, I would finally be happy.”

These thoughts may feel convincing because they come with strong emotions. But emotional intensity does not establish accuracy. Rather than arguing with yourself about whether you look good or bad, try looking at what the thought is asking you to do.

From judgement to observation Judgement: “I look disgusting.” Observation: “I noticed my appearance and felt a wave of disgust.” Supportive response: “This is painful. I can be gentle with myself and continue with what matters.”


Judgement: “Everyone will notice.” Observation: “I am predicting what other people are thinking.” Supportive response: “I cannot know what others notice. I can choose how I want to take part.”

A values-based question Instead of asking, “How can I make this feeling disappear?”, ask, “What would I do next if I did not need to settle this thought first?” The answer might be sending a message, going for a walk, finishing work, resting or meeting someone you care about.

You can disagree with a thought without having to win an argument against it.

CHAPTER 06

Getting through a difficult body-image



day Some days, the distress arrives before you have even started. On those days, a complicated routine may be too much. A small, realistic plan can help you move through the next hour.

A five-part support plan


1. Name it. "This is a difficult body-image day." Avoid turning the feeling into a description of your body.
2. Reduce fuel. Step away from repeated mirror checks, photo comparisons or appearance-focused searches where possible.
3. Regulate gently. Feel your feet on the floor, notice the support of your chair, or take a slow breath without forcing relaxation.
4. Meet a basic need. Eat regularly as appropriate, drink something, take prescribed medication, rest or change into comfortable clothes.
5. Reconnect. Choose one small action connected to your life, not your appearance.

If the feeling becomes overwhelming Contact a trusted person and say what kind of support would help: company, a distraction, a short walk, or help arranging professional care. If you feel unsafe or at risk of harming yourself, seek urgent help. In the UK, call 999 for immediate danger, NHS 111 for urgent advice, or Samaritans on 116 123 for emotional support.

A difficult day does not erase the progress you have made on other days.

CHAPTER 07

Clothing, comfort and daily routines



Clothes can become another place where body-image distress shows up. You may change outfits repeatedly, avoid certain fabrics, hide in oversized clothing or feel unable to leave until everything feels exactly right.


Comfort is a legitimate need. Choosing clothing that fits your body and feels manageable is not a failure. At the same time, notice whether getting dressed has become a long ritual of checking, adjusting or seeking reassurance. Practical comfort and compulsive certainty-seeking are not the same thing.

Create a less stressful morning Consider preparing a few comfortable options in advance, allowing a realistic amount of time to dress and choosing clothes according to the activity ahead. If you catch yourself repeating the same inspection, try moving attention towards the purpose of your day. You might ask, “Can I move, breathe and do what I need to do in this?”

Body neutrality Body neutrality means you do not have to feel positive about every part of your body. You can acknowledge that your body helps you experience the world, while recognising that bodies also experience pain, disability, illness and limitations. There is no need to force gratitude. A neutral statement such as “My body deserves comfort and care” may feel more believable than an affirmation about loving your appearance.

CHAPTER 08

Relationships and asking for support



People who care about you may not know how to respond. Some offer repeated reassurance; others say “just stop worrying”, which can leave you feeling misunderstood.

It can help to explain that the distress is not a request for compliments. You may be looking for help to resist a checking ritual, remain connected to an activity or tolerate uncertainty without feeling alone.

Words you could use “I am having a difficult body-image day. I do not need you to tell me whether I look okay. Could you sit with me for a little while and help me focus on something else?”

“I am trying not to keep checking photographs. If I ask you repeatedly what I look like, please gently remind me of the plan we made.”


“I am finding it hard to go out. I would appreciate company, and I do not want the conversation to centre on my appearance.”

For family and friends Listen without minimising the distress. Avoid debating whether a perceived flaw is real, and try not to become involved in repetitive checking or reassurance rituals. Encourage professional support when symptoms are persistent or disruptive. Ask the person what helps them feel respected, not scrutinised.

Support is not about convincing someone that they are beautiful. It is about helping them feel less alone and more able to live.

CHAPTER 09

Your personal reflection pages



You can return to these prompts whenever you need them. You do not have to answer every question, and there is no correct way to respond.

A moment I found difficult What happened? What did I notice in my thoughts, feelings and urges? What did I need in that moment?

The checking or avoidance pattern What did I feel pulled to do? Did it help briefly? What happened afterwards?


One gentle alternative What is a small response I could try next time that would support my wellbeing rather than feed the cycle?

Something I want my life to include Which relationships, interests, responsibilities or experiences matter to me beyond appearance?

A sentence for difficult days Write a compassionate, believable sentence that you could return to when the inner critic becomes loud.

CHAPTER 10

When to seek additional help



Body-image difficulties deserve support, particularly when they begin to restrict daily life or cause significant distress.

Consider speaking with your GP or a qualified mental-health professional if appearance worries take up a lot of time, interfere with work or relationships, lead to repeated checking or avoidance, or leave you feeling trapped. You can describe your experiences even if you are uncertain whether the term BDD fits.

Preparing for an appointment You might note how much time you spend thinking about appearance, any checking or avoidance patterns, the impact on everyday life, and whether you have experienced anxiety, low mood, eating difficulties or thoughts of self-harm. You do not need to present this perfectly. Written notes can help if speaking about it feels difficult.


Support in the UK Your GP can discuss assessment and referral options. NHS Talking Therapies may be appropriate for some difficulties, while suspected BDD may require a service or clinician experienced in BDD-specific CBT. For further information, see the NHS body dysmorphic disorder information at nhs.uk/mental-health/conditions/body-dysmorphia/.

If you are in immediate danger, call 999. For urgent but non-emergency help in England, contact NHS 111 and select the mental health option where available. Samaritans offer free emotional support on 116 123.

Asking for help is a meaningful step, even when you are unsure how to explain what you feel.

CHAPTER 11

A life larger than appearance



Recovery is rarely a straight line. You may have a week when mirrors feel less powerful, followed by a day when an unexpected photograph brings back familiar distress. That does not mean you are back at the beginning.

Progress can look like spending less time checking, leaving the house despite discomfort, staying present in a conversation, wearing comfortable clothes, or letting a photograph exist without analysing it. These moments may seem small, but they represent a shift in what has control over your time and attention.


There may still be days when you dislike how you look. The goal is not to guarantee a positive body image every morning. It is to make space for a fuller life, where appearance is only one part of a much bigger story.

Your next small step Choose one realistic action for the coming week. Make it specific and compassionate. Perhaps you will reduce one checking ritual, tell a trusted person what you need, book a GP appointment, or take part in something you have been avoiding. Notice the effort involved, not just the outcome.

You are a person with experiences, relationships, hopes and needs. Your life is worth participating in, exactly as it is today.

This guide offers education and self-reflection, not a diagnosis or a replacement for individual therapy. Activities involving feared situations should be adapted to your needs, ideally with professional support when distress is severe.

When a photograph feels painful



A photograph captures one moment, not your value, your relationships or the whole story of your day.

What happened just before the photograph felt difficult?

What did I feel urged to do next?

What would help me return to the moment rather than analyse the image?

You may leave any question unanswered. Your reflection belongs to you.

A gentler mirror moment



The aim is not to force a positive opinion of your appearance. It is to practise noticing distress without letting checking take over.

What tends to trigger repeated checking or avoidance?

What might a reasonable, time-limited mirror routine look like?

What could I do afterwards that matters to me?

You may leave any question unanswered. Your reflection belongs to you.

My difficult-day plan



Prepare this page on a calmer day. You can return to it when words and decisions feel hard.

Three signs I am entering a difficult body-image moment

One person, place or activity that helps me feel grounded

A small next step I can take without changing my appearance

You may leave any question unanswered. Your reflection belongs to you.

You do not have to manage *this alone*.

Professional support

Body dysmorphic disorder can respond to specialist cognitive behavioural therapy (CBT), including carefully supported exposure and response prevention. A GP can discuss assessment, treatment and referrals. If you also experience an eating disorder, tell your clinician so both needs can be considered.

When to reach out

Consider getting help if thoughts about appearance take up substantial time, affect eating or daily routines, prevent you from going out, or leave you feeling hopeless. You deserve support before things become unbearable.

If you are in immediate danger

In the UK, call 999 in an emergency. For urgent mental health help, NHS 111 can advise. Samaritans can be contacted on 116 123, day or night.

A final reminder

You do not need to win an argument with your reflection to take part in your life. A difficult body-image day is still a day in which you deserve gentleness and care.