



FOR TOHATSU / NISSAN ENGINE

PROPELLER



Strive for excellence



FOR TOHATSU/NISSAN | ALUMINUM ALLOY PROPELLER



Ourboard Engine
 M2 5/3.5A2/3.5B2
 (2-Stroke)&MFS2.5B/3.5B
 (4-Stroke)
 (1)M2 5/3.5A2/ Standard Propeller
 (2)3.5B2/ MFS2.5B/3.5BStandard Propeller*

OEM Part No.	Blades	Diameter	Pitch	R	part No.
309-641060M(1)	3	7-3/8"	5-3/8"	-	T3R-737-54-01
309-64106-0 (plastic)(2)	3	7-1/4"	6"	-	T3R-725-60-01



Ourboard Engine
 4-6 Horsepower - Tohatsu/Nissan
 4-6 Horsepower
 4 - 5 HP 2-Stroke 1987 & Newer
 4, 5, 6 HP -Stroke 1999 & Newer
 12 Tooth Spline
 (1) Standard with 4 Hp, 2-Stroke and FourStroke
 (2) Standard with 5 and 6 Hp FourStroke

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3R1B64514-2 (1)	3	7.8"	7"	-	T3R-780-70-01
3R1W64516-0 (2)	3	7.8"	8"	-	T3R-780-80-01

FOR TOHATSU
ENGINE

FOR TOHATSU/NISSAN | ALUMINUM ALLOY PROPELLER

Ourboard Engine

8/9.9 Horsepower (4-Stroke) - Tohatsu/Nissan
 8/9.9 (4-Stroke)
 12 Tooth Spline
 (1) Standard with 8 Hp FourStroke
 (2) Standard with 9.9 Hp FourStroke

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3B2B64515-1	3	8.5"	7.5"	-	T3R-850-75-01
3B2B64519-1	3	8.9"	9.5"	-	T3R-890-95-01
48-897614A10(1)	3	8.9"	7.5"	-	T3R-890-75-01
3B2B64517-0	3	8.5"	9"	-	T3R-850-90-01
3B2W64517-1 (2)	3	8.9"	8.5"	-	T3R-890-85-01



Ourboard Engine

9.9-20 Horsepower Tohatsu/Nissan
 9.9 HP 1984 and Newer
 9.9 HP 4-Stroke 2000 and Newer
 12 HP 1985-1988
 15 HP 4-Stroke 2000 and Newer
 15/18 HP 1995 and Newer
 18/20 HP 4-Stroke 2001 and Newer
 14 Tooth Spline

OEM Part No.	Blades	Diameter	Pitch	R	part No.
362-64101-0	3	9.25"	9"	-	T3R-925-90-01
362-64108-0	3	9.25"	10"	-	T3R-925-10-01
362B641090	3	9.25"	11"	-	T3R-925-11-01
3BAB64516-1	3	9.5"	8"	-	T3R-950-80-01



Ourboard Engine

25-30 Horsepower 4-Stroke - Tohatsu/Nissan
 25 HP 1986 and Newer
 30 HP 1985 and Newer
 10 Tooth Spline

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3ROB64518-0	3	9.7"	10"	-	T3R-980-90-01
3ROB645210	3	9.8"	9"	-	T3R-970-10-01
3ROB645230	3	9.8"	11"	-	T3R-980-11-01
3ROB64525-0	3	9.9"	12"	-	T3R-990-12-01
346-64104-5	3	9.9"	13"	-	T3R-990-13-01
349B64529-1	3	9.9"	14"	-	T3R-990-14-01



FOR TOHATSU/NISSAN | ALUMINUM ALLOY PROPELLER

Ourboard Engine

35-50 Hp Tohatsu/Nissan
 35 HP (35B Only) 1984 and Earlier
 50 HP (50D Only) 1991
 40 HP 1984 and Newer
 50 HP 1992 and Newer
 13 Tooth Spline

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3T5B64523-0	3	11.6"	11"	-	T3R-116-11-01
3T5B64525-0	3	11.4"	12"	-	T3R-114-12-01
3T5B64527-0	3	11.1"	13"	-	T3R-111-13-01
3T5B64529-0	3	11.1"	14"	-	T3R-111-14-01
3T5B64532-0	3	11"	15"	-	T3R-110-15-01



Ourboard Engine

70-140 Horsepower - Tohatsu/Nissan
 70C HP 1996 & Newer
 90 HP 1987 & Newer
 115 HP 1992 & Newer
 120 HP 1988 & Newer
 140 HP 1988 & Newer
 15 Tooth Spline

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3HKB64523-0	3	14"	11"	-	T3R-140-11-01
3HKB64525-0	3	14"	13"	-	T3R-140-13-01
3HKB64527-0	3	13.75"	13"	-	T3R-138-13-01
3HKB64532-0	3	13.5"	15"	-	T3R-135-15-01
3HKB64536-0	3	13.25"	17"	-	T3R-133-17-01
3HKB64541-0	3	13.2"	19"	-	T3R-132-19-01
3HKB64545-0	3	13.2"	21"	-	T3R-132-21-01

FOR TOHATSU/NISSAN | STAINLESS STEEL PROPELLER



Ourboard Engine
 4-6 Horsepower - Tohatsu/Nissan
 4-6 Horsepower
 4-5 HP 2-Stroke 1987 & Newer
 4, 5, 6 HP -Stroke 1999 & Newer
 12 Tooth Spline

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3R1B64514-2	3	7.8"	8"	-	T3R-780-80-02



Ourboard Engine
 8/9.9 Horsepower (4-Stroke) - Tohatsu/Nissan
 8/9.9 (4-Stroke)
 12 Tooth Spline

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3B2B64517-0	3	8.5"	9"	-	T3R-850-90-02

FOR TOHATSU/NISSAN | STAINLESS STEEL PROPELLER



Ourboard Engine
 9-20 Horsepower Tohatsu/Nissan
 9.9 HP 1984 and Newer
 9.9 HP 4-Stroke 2000 and Newer
 12 HP 1985-1988
 15 HP 4-Stroke 2000 and Newer
 15/18 HP 1995 and Newer
 18/20 HP 4-Stroke 2001 and Newer
 14 Tooth Spline

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3BAB64521-1	3	9.25"	10"	-	T3R-925-10-02



Ourboard Engine
 25-30 Horsepower 4-Stroke - Tohatsu/Nissan
 25 HP 1986 and Newer
 30 HP 1985 and Newer
 10 Tooth Spline

OEM Part No.	Blades	Diameter	Pitch	R	part No.
3ROB64525-1	3	9.9"	12"	-	T3R-990-12-02
3ROB64527-1	3	9.9"	13"	-	T3R-990-13-02