KLS Fenster



WINDOWS AND ENTRANCE DOORS

Your home.
Your style.

Clean lines. More light. A sense of warmth.
Discover the possibilities of GEALAN systems with KLS Fenster.

klsfenster.net

GEALAN SYSTEMS

DESIGN AND FUNCTION

A beautiful view. A good feeling.

Windows shape how your home looks and how you live in it. Choose a system that brings together architecture, thermal insulation and your personal style.



01

More light

Slim profiles make room for larger glass areas and natural light.

02

Warmth and comfort

Multi-chamber construction and the right glazing make for a more comfortable room.

03

Style made to measure

Colours, decors and profile versions give windows and façade a harmonious look.

In this brochure
GEALAN-LINEAR® · S 9000 · S 8000 IQ · Entrance doors · Colours and decors

MODERN ARCHITECTURE

The beauty of clean lines.



GEALAN-LINEAR® brings straight contours and balanced proportions. The standard version with offset surfaces adds depth, while the flush version creates a calm, uniform look.

74 mm

BUILD DEPTH



In harmony with the façade. In the flush version, frame and sash merge visually into one. Straight geometry underlines contemporary architecture, in new builds and renovations alike.

MORE GLASS, LESS FRAME

Room for light.

GEALAN-LUMAXX® in the GEALAN-LINEAR® system allows particularly narrow visible profile widths, while keeping operation simple and secure.



GEALAN-LUMAXX®



STANDARD GEALAN-LINEAR®

102 mm

FRAME + SASH

100 mm

SINGLE MULLION

74 mm

BUILD DEPTH

The narrowest visible widths in these versions leave more room for glass. The low build depth makes it easier to fit into existing structures during renovation.

ADVANCED COMBINATION SYSTEM

Warmth starts with a good choice.

S 9000 combines the advantages of centre and rebate seals. An 82.5 mm build depth and six-chamber construction form the basis for very good thermal and sound insulation.

82.5 mm	6
BUILD DEPTH	CHAMBERS

01

Sealing

Up to three sealing levels. The centre seal helps protect the hardware area from moisture.

02

STV® technology

The system is optimised for dry glazing of the glass and the sash overlap.

Designed for your home.
The characteristic 15° bevel of the profile gives the system a distinctive look.
Versions with centre or rebate seal are available.

PROVEN PROFILE SYSTEM

A reliable basis for new windows.

Planning to replace windows or install large window elements? S 8000 IQ offers versions that combine structural strength, thermal insulation and appearance.

Build depth	**74 mm**
Glazing	**up to 46 mm**
Glazing with STV®	**up to 48 mm**
Versions in this brochure	**5 or 6 chambers**
Appearance	**White PVC, wood decors and solid-colour foils**
Further options	**Design variants and GECCO ventilation**

Chosen per project
The six-chamber version emphasises thermal insulation, the five-chamber version structural strength. Permitted sizes depend on version, reinforcement and glazing.

THE FIRST IMPRESSION OF YOUR HOME

An entrance with character.



S 9000

The entrance door is the calling card of a house. Choose a look that blends naturally with your façade and personal style.

Classic

The classic version gives you free choice of colours and shapes for a distinctive, personal entrance.

Design

The cover version with a concealed sash emphasises clean lines. The even surface is easier to maintain and clean.

Match the door decor to your windows and the overall look of your home.

DETAILS THAT MAKE A DIFFERENCE

The colour of your style.

From contemporary solid colours to the warm look of wood: choose the finish that suits your architecture.



GEALAN-acrylcolor®

A durable, smooth coloured surface that is easy to care for.



Decor foils

Wood decors and solid-colour foils, on one or both sides.



Realwood

A special texture and lower gloss for a natural wood look.



Aluminium cladding

A modern aluminium look with the insulating benefits of PVC.

Ask for a surface sample before choosing the final shade.

A CONSIDERED CHOICE

For your home. For the future.



01

Materials in a new cycle

PVC offcuts from the production of GEALAN profiles are recycled and reused in production.

02

Lower energy demand

Thermally insulating windows help make a home energy-efficient. GEALAN profiles contain recycled material.

Sustainability covers profile development, production and end of life. GEALAN continuously invests in recycling technology and optimised logistics.

GEALAN S 9000

Comfort that lasts all year round.

A good profile is an important part of an energy-efficient window. In the versions shown, the S 9000 system achieves the following frame U-values:

0.89 W/(m²·K)

Uf · CENTRE-SEAL VERSION

0.97 W/(m²·K)

Uf · REBATE-SEAL VERSION

Uf describes the frame. The Uw value of the whole window also depends on glazing, dimensions and version. The values refer to the configurations described in the source brochure.

FROM IDEA TO CHOICE

Find the right solution for your home.

01 **New build or renovation?**

Purpose and existing structure guide the choice of profile and build depth.

02 **What matters most to you?**

Thermal insulation, large glass areas, clean lines or matching colours.

03 **Choose the look.**

Compare colours, decors and versions of windows and entrance doors.

04 **Let's talk about your project.**

Prepare approximate dimensions and photos of the space and contact KLS Fenster.





KLS Fenster

Your next step starts with a conversation.

Get in touch and tell us about your project.
Together we will choose the windows and doors that suit your home.

+387 65 338 800

Omladinska 134 · 78250 Laktaši

klsfenster.net