





LEADING MANUFACTURER & SUPPLIER OF STEEL SECURITY FENCES

WWW.CLA FABRICATIONS.CO.UK | 0121 272 1777





CONTENTS

04

GUARDSAFE™ SECURE VMESH

06

GUARDSAFE™ SECURE 656 TWIN WIRE

08

GUARDSAFE™ SECURE 868 TWIN WIRE

10

GUARDSAFE™ SPORTS

12

GUARDSAFE™ SECURE 358 PRISON MESH

14

GUARDSAFE™ SECURE SAFETOP

16

GUARDSAFE™ DEFEND SECURITY RATED MESH



18

ASTON BOWTOP RAILINGS

20

CLA CHILDSAFE® BOWTOP RAILINGS

22

CHARTWELL BALLTOP RAILINGS

24

BLENHIM ESTATE RAILINGS

26

WOBURN VERTICAL BAR RAILINGS

28

PEDESTRIAN GUARDRAIL



30

PALISADE FENCING

32

NETWORK RAIL PALISADE

34

ARMCO BARRIER

36

SITE GATES



38

LOCKS



WITH OVER 20 YEARS EXPERIENCE IN THE FABRICATION BUSINESS, THE CLA TEAM WILL NOT COMPROMISE ON QUALITY FOR YOUR PROJECT.

CLA Fencing Systems create quality products at competitive prices to ensure our customers' repeat business. It's this repeat custom and reputation that has helped us grow and expand across the UK.

Our products cover a wide range of fencing styles, and we also manufacture complementary gate solutions. We manufacture and supply our products for an expanding portfolio of contractors nationwide.



FREE QUOTE

Our dedicated sales team have many decades of experience within the trade and can advise on projects of all sizes. We aim to return quotes to enquiries within the same day.



CUSTOMER SERVICE

At CLA we have an uncompromising commitment to investing in new systems and procedures to reinforce our drive to deliver excellent customer care and service.



STOCK

We hold a large stock of fencing and gates and with our modern production and stock control systems, we can offer very short lead times on stock and manufactured orders.



NATIONWIDE DELIVERY

CLA operates its own fleet of vehicles for nationwide delivery, ensuring our deliveries reach their destination securely and on time. We are continually investing in and expanding our fleet to meet market demands.



SCAN TO WATCH OUR JOURNEY VIDEO PRESENTATION

CONTACT

Buy online or message us via our website
www.clafabrications.co.uk

Call us for FREE quote
0121 272 1777

Send us an email
sales@clafabrications.co.uk

Come and visit
120 Leabrook Road, Wednesbury, WS10 7NB



GUARDSAFE™ SECURE 55 VMESH




PROFILED MESH OR ‘V’ MESH IS A POPULAR AND ECONOMICAL SINGLE WIRE MESH SYSTEM FOR GENERAL PURPOSE LOW TO MEDIUM RISK BOUNDARY PROTECTION. AN ATTRACTIVE AND DISTINCTIVE HORIZONTAL “V” SHAPE IS PRESSED INTO THE PANEL TO PROVIDE STRENGTH AND RIGIDITY.

This popular and attractive mesh is less imposing than other types of mesh due to its large aperture size allowing good visibility through the mesh, allowing the fence line to blend into its surroundings. Tried and trusted “V” mesh certainly has the good looks, but does not compromise on value for money, strength, durability, and versatility.

Vmesh mesh panels are manufactured using a 5mm diameter wire with a 200mm x 50mm aperture. Our vmesh mesh panel has a very useful barbed spike on the top edge of the panel to deter climbing. The panel can also be inverted with the barbed edge facing down.

We supply sturdy 60mm x 60mm SHS posts with factory fitted inserts ready to accept clip style fixings.

STANDARD AND CUSTOM FINISHES



HEIGHT	PANEL SIZE	POST SIZE	POST LENGTH	POST CENTRES	FIXINGS	WIRE SIZE
1200mm	1230mm x 3005mm	60 x 60 SHS	1800mm	3020mm	3 clips and bolts	5mm
1500mm	1530mm x 3005mm	60 x 60 SHS	2100mm	3020mm	4 clips and bolts	5mm
1800mm	1730mm x 3005mm	60 x 60 SHS	2400mm	3020mm	4 clips and bolts	5mm
2000mm	1930mm x 3005mm	60 x 60 SHS	2700mm	3020mm	4 clips and bolts	5mm
2400mm	2330mm x 3005mm	60 x 60 SHS	3100mm	3020mm	5 clips and bolts	5mm
3000mm	2960mm x 2500mm	60 x 60 SHS	3750mm	2520mm	6 clips and bolts	5mm

Higher versions of this system are available and made to order

VMESH FEATURES

- Attractive design
- Available from stock
- Cost effective
- Unobtrusive design
- Polyester powder coated
- Choice of RAL colours
- Easy fit metal clip system




SUITABLE FOR USE IN:

- New build housing
- Commercial development
- Schools
- Hospitals

TECHNICAL DATA SHEET:



CLA MANUFACTURE A RANGE OF STOCK SINGLE AND DOUBLE LEAF GATES. BESPOKE OPTIONS ARE ALSO AVAILABLE.



GUARDSAFE™ SECURE 656 TWIN WIRE




656 MESH IS A VERSATILE ENTRY LEVEL FLAT PANEL TWIN WIRE MESH SYSTEM WHICH IS THE NEXT STEP UP IN SECURITY PROTECTION FROM SINGLE WIRE SYSTEMS. 656 DESCRIBES THE DIAMETER OF WIRE USED WHICH SIMPLY REFERS TO A 5MM DIAMETER WIRE SANDWICHED BETWEEN TWO 6MM DIAMETER WIRES.

Double wire systems are inherently vandal resistant and offer greater cut-through protection than single wire systems. One edge of the panel is finished flush, and the vertical wires extend over the other edge to form a barbed top. This produces a simple and effective deterrent to scaling the fence. For a less aggressive look the the panel may be inverted so that the barbed edge is at the bottom of the panel, pointing into the ground

Our 656 easy to install system is manufactured from galvanised and powder coated steel to give a resilient weatherproof finish. This superb system is offered in standard RAL colours whilst non-standard colours can be specified as a cost option. CLA's 656 mesh can be secured to the support posts using either our standard metal clip or for higher security areas we offer a full length clamp bar option.

Both options are supplied with anti-tamper fixings which fit into our factory fitted inserted posts.

STANDARD AND CUSTOM FINISHES



HEIGHT	PANEL SIZE	POST SIZE	POST LENGTH	POST CENTRES	FIXINGS	WIRE SIZE
1000	1030mm x 2518mm	60 x 60 SHS	1800mm	2520mm	3 clips & bolts	6 and 5mm
1200	1230mm x 2518mm	60 x 60 SHS	1800mm	2520mm	3 clips & bolts	6 and 5mm
1400	1430mm x 2518mm	60 x 60 SHS	2000mm	2520mm	5 clips & bolts	6 and 5mm
1600	1630mm x 2518mm	60 x 60 SHS	2200mm	2520mm	5 clips & bolts	6 and 5mm
1800	1830mm x 2518mm	60 x 60 SHS	2400mm	2520mm	5 clips & bolts	6 and 5mm
2000	2030mm x 2518mm	60 x 60 SHS	2700mm	2520mm	5 clips & bolts	6 and 5mm
2400	2430mm x 2518mm	60 x 60 SHS	3100mm	2520mm	6 clips & bolts	6 and 5mm
3000	3030mm x 2518mm	60 x 60 SHS	3750mm	2520mm	9 clips & bolts	6 and 5mm

Higher versions of this system are available and made to order

656 TWIN WIRE MESH FEATURES


- Galvanised & PPC
- Mesh size 200x50mm
- 60x60mm SHS posts with cap
- 1 x 5mm vertical and 2 x 6mm
- Horizontal diameter wires
- Easy-fit metal clip system
- Full length clamp bar fixing option
- Choice of RAL colours



SUITABLE FOR USE IN:

- Schools
- Car parks
- Retail premises
- Business parks
- Industrial sites

TECHNICAL DATA SHEET:



CLA MANUFACTURE A RANGE OF STOCK SINGLE AND DOUBLE LEAF GATES. BESPOKE OPTIONS ARE ALSO AVAILABLE.

GuardSAFE
SECURE

GUARDSAFE™ SECURE 868 TWIN WIRE

868 MESH HAS A SIMILAR APPEARANCE TO ITS 656 TWIN WIRE COUNTERPART BUT IS A HEAVIER DUTY MESH SYSTEM AND IS GENERALLY USED FOR MEDIUM TO HIGH RISK AREAS. THE MESH PATTERN MAKES THIS SYSTEM TOUGH, RIGID, ATTACK RESISTANT AND EXTREMELY VERSATILE. THE MESH APERTURE IS 200 X 50MM WHICH PROVIDES EXCELLENT VISIBILITY THROUGH THE MESH.

The barbed edge of the panel can either be installed at the top of the fence for additional security or towards the ground to give the fence line a less aggressive appearance. As with all our mesh systems the mesh is galvanised and powder coated to provide long lasting durability.

This exceptionally strong and low maintenance panel system offers a myriad choice of applications. 868 can be used in multi-lift panels where a greater height of fence is required, for example, in ball-stop or sports fences. CLA stock a range of standard height panels and posts for this easy to install system. As standard we supply metal clips and M8 anti-tamper fixings for fixing panels to posts and for extra security we have a full length clamp bar option supplied with M8 anti-tamper fixings.

Our posts are either 60 x 60 or 80 x 40 depending on panel height requirements and come with factory fitted inserts.

STANDARD AND CUSTOM FINISHES




HEIGHT	PANEL SIZE	POST SIZE	POST LENGTH	POST CENTRES	FIXINGS	WIRE SIZE
1000	1030mm x 2518mm	60 x 60 SHS	1500mm	2520mm	4 bolts	8 and 6mm
1200	1230mm x 2518mm	60 x 60 SHS	1800mm	2520mm	4 bolts	8 and 6mm
1400	1430mm x 2518mm	60 x 60 SHS	2100mm	2520mm	5 bolts	8 and 6mm
1600	1630mm x 2518mm	60 x 60 SHS	2200mm	2520mm	5 bolts	8 and 6mm
1800	1830mm x 2518mm	60 x 60 SHS	2400mm	2520mm	6 bolts	8 and 6mm
2000	2030mm x 2518mm	60 x 60 SHS	2700mm	2520mm	6 bolts	8 and 6mm
2400	2430mm x 2518mm	60 x 60 SHS	3100mm	2520mm	7 bolts	8 and 6mm
3000	3030mm x 2518mm	80 x 40 RHS	3750mm	2520mm	9 bolts	8 and 6mm
Rebound 3000	3030mm x 2518mm	80 x 40 RHS	3750mm	2520mm	9 bolts	8 and 6mm

Higher versions of this system are available and made to order

868 TWIN WIRE MESH FEATURES

- Galvanised & PPC
 - Mesh size 200x50mm
 - 60x60mm or 80x40mm
- Metal Clip Fixing Option
 - 6mm Vertical And 8mm Horizontal Wires
 - Full Length Clamp Bar Fixing Option
- Choice of RAL Colours



SUITABLE FOR USE IN:

- Schools
- Car parks
- Retail premises
- Business parks
- Industrial sites

TECHNICAL DATA SHEET:




CLA MANUFACTURE A RANGE OF STOCK SINGLE AND DOUBLE LEAF GATES. BESPOKE OPTIONS ARE ALSO AVAILABLE.

GUARDSAFE™
SPORTS

OVER THE LAST DECADE OR SO MESH SYSTEMS HAVE BECOME A POPULAR CHOICE TO FORM A BOUNDARY AROUND BALL COURTS, PLAY AREAS, SPORTS COURTS, URBAN SPORTS AREAS AND MULTI-USE GAMES AREAS (MUGA).

CLA have developed a range of rigid mesh panel products based on our tried and trusted 868 mesh system providing a cost-effective solution for sports and spectator applications. Our options include either standard 868 mesh with full length clamp bars or rebound panels with a reinforced lower section. Alternately where a combination of public viewing and safety is required, CLA have developed our spectator rail system incorporating mesh panels and a tubular handrail.

STANDARD AND CUSTOM FINISHES



HEIGHT	PANEL SIZE	POST SIZE	POST LENGTH	POST CENTRES	FIXINGS	WIRE SIZE
1000mm	1030mm x 2518mm	60 x 60 SHS	1800mm	2520mm	clamp bar & 4 bolts	8mm & 6mm
1200mm	1230mm x 2518mm	60 x 60 SHS	1800mm	2520mm	clamp bar & 4 bolts	8mm & 6mm
1200mm Spectator	1030mm x 2518mm	60 x 60 SHS	1800mm	2520mm	clamp bar & 4 bolts	8mm & 6mm
1400mm	1430mm x 2518mm	60x 60 SHS	2400mm	2520mm	clamp bar & 5 bolts	8mm & 6mm
1600mm	1630mm x 2518mm	60 x 60 SHS	2400mm	2520mm	clamp bar & 5 bolts	8mm & 6mm
1800mm	1830mm x 2518mm	60 x 60 SHS	2400mm	2520mm	clamp bar & 6 bolts	8mm & 6mm
2000mm / Rebound	2030mm x 2518mm	60 x 60 SHS	2700mm	2520mm	clamp bar & 6 bolts	8mm & 6mm
2400mm / Rebound	2430mm x 2518mm	60 x 60 SHS	3100mm	2520mm	clamp bar & 7 bolts	8mm & 6mm
3000mm / Rebound	3030mm x 2518mm	80 x 40 SHS	3750mm	2520mm	clamp bar & 9 bolts	8mm & 6mm
4000mm / Rebound	4070mm x 2518mm *	100 x 50 RHS	5000mm	2520mm	clamp bar & 13 bolts	8mm & 6mm
4500mm / Rebound	4470mm x 2518mm *	100 x 50 RHS	5500mm	2520mm	clamp bar & 14 bolts	8mm & 6mm
5000mm / Rebound	5070mm x 2518mm *	120 x 60 RHS	6200mm	2520mm	clamp bar & 15 bolts	8mm & 6mm
6000mm / Rebound	6070mm x 2518mm *	120 x 60 RHS	7200mm	2520mm	clamp bar & 18 bolts	8mm & 6mm

*Double lift system

SUITABLE
FOR USE IN:

- Multi Use Games Area
- Football pitches
- Tennis courts
- Urban sports areas
- General sports areas

TECHNICAL
DATA SHEET:




TO COMPLETE YOUR SECURITY PERIMETER WE CAN MANUFACTURE A RANGE OF BESPOKE GATES TO SUIT.



GUARDSAFE™ SPORTS FEATURES

- Designed for high usage
 - Excellent & rigid system with rebound option available.
 - Full length clamp bar
- Good visibility for spectators
 - EPDM washer option
 - Easy to install



GUARDSAFE™ SECURE 358 PRISON MESH




358 MESH (OFTEN CALLED PRISON MESH), IS THE ULTIMATE MESH DEFENCE SYSTEM FOR HIGH RISK OR STRATEGICALLY IMPORTANT ESTABLISHMENTS. A 4MM DIAMETER WIRE IS USED ON BOTH THE VERTICAL AND HORIZONTAL WIRES TO FORM A 76.2MM X 12.7MM PATTERN. UNLIKE MOST OTHER MESH SYSTEMS. 358 MESH HAS A VERY SMALL APERTURE TO PREVENT FOOT AND FINGER HOLDS.

The small aperture helps to prevent items being passed through the mesh and reduces the opportunity for hand cutting tools to be effective. This formidable and incredibly strong system is most identified with prisons and military sites but can now be seen being utilised by local authorises, retail sites or indeed anywhere that needs a high degree of physical perimeter protection.

358 fencing is galvanised and powder coated in standard colours, with powder coating available in various RAL colours as a cost option. Our range of 358 fencing is available in a variety of heights, complete with dig in or bolts down posts options. Typically 358 mesh is secured with full length clamp bars but clips can be specified to ensure flexible installation options for fencing contractors. To complete and maintain the perimeter protection either for pedestrian or vehicle access, CLA design and manufacture both single and double leaf gates using the same “358” mesh to ensure the same level security. Gates are supplied complete with posts, slide latch and drop bolts as standard. A range of manual lock options is available.

STANDARD AND CUSTOM FINISHES



HEIGHT	PANEL SIZE	POST SIZE	POST LENGTH	POST CENTRES	FIXINGS	WIRE SIZE
1800mm	1829mm x 2518mm	60 x 60 SHS	2400mm	2530mm	5 (clip fixing)	4mm
2000mm	2005mm x 2518mm	60 x 60 SHS	2700mm	2530mm	5 (clip fixing)	4mm
2400mm	2400mm x 2518mm	60 x 60 SHS	3100mm	2530mm	6 (clip fixing)	4mm
2400mm	2400mm x 2518mm	60 x 60 SHS	3100mm	2440mm	9 (clamp bar fixing)	4mm
3000mm	3000mm x 2518mm	80 x 40 RHS	3750mm	2440mm	11 (clamp bar fixing)	4mm
3300mm	3300mm x 2518mm	80 x 40 RHS	4150mm	2440mm	13 (clamp bar fixing)	4mm
4200mm	4200mm x 2518mm	100 x 50 RHS	5200mm	2440mm	15 (clamp bar fixing)	4mm
5200mm	5200mm x 2518mm	120 x 60 RHS	6200mm	2440mm	18 (clamp bar fixing)	4mm

Higher versions of this system are available and made to order

358 MESH FEATURES

- Galvanised & PPC
- 4mm diameter wire
- 76.2mm x 12.7mm pattern
- 60 x 60mm or 80 x 40 posts
- Metal clip fixing option
- Full length clamp bar fixing option
- Base plated posts option




SUITABLE FOR USE IN:

- New build housing
- Commercial development
- Schools
- Hospitals

TECHNICAL DATA SHEET:



TO COMPLETE YOUR SECURITY PERIMETER WE CAN MANUFACTURE A RANGE OF BESPOKE GATES TO SUIT.



GUARDSAFE™

SECURE SAFETOP


ROLLED TOP MESH LOOKS VERY DIFFERENT FROM OTHER TYPES OF MESH AND IS OFTEN QUOTED AS “USER FRIENDLY” MESH. IT HAS DISTINCTIVE ROLLED TOP AND BOTTOM EDGES TO THE PANELS MAKING THIS SYSTEM AN IDEAL CHOICE WHERE USER SAFETY NEEDS TO BE CONSIDERED.

The open mesh design provides good visibility and with no sharp or protruding edges makes this system ideal for areas where children are playing or the public may come into contact with the fence. This attractive, safe and sturdy mesh system is an obvious choice for nurseries, primary schools and playgrounds but can be used anywhere that requires enhanced safety.

Our “Safetop” 3.0m wide panels are available in 0.9m, 1.2m, 1.5m and 1.8m heights, fences above 1.8m in height can be achieved by combining any of the four panel heights (so-called “multilifting”). All our “Safetop” mesh comes galvanised and powder coated in our standard colours, however, as with all our mesh systems other colours can be specified for an extra charge.

This system comes complete a kit using 60mm x 60mm SHS posts and M8 anti-tamper fixings.

STANDARD AND CUSTOM FINISHES




HEIGHT	PANEL SIZE	POST SIZE	POST LENGTH	POST CENTRES	FIXINGS	WIRE SIZE
900mm	905mm x 3005mm	60 x 60 SHS	1450mm	3020mm	4 clips and bolts	5mm
1200mm	1205mm x 3005mm	60 x 60 SHS	1800mm	3020mm	4 clips and bolts	5mm
1500mm	1505mm x 3005mm	60 x 60 SHS	2100mm	3020mm	5 clips and bolts	5mm
1800mm	1805mm x 3005mm	60 x 60 SHS	2400mm	3020mm	5 clips and bolts	5mm


Higher versions of this system are available and made to order



SAFETOP
MESH FEATURES

- Safety top and bottom edge
- Robust & versatile
- 60 x 60mm or 80mm x 40mm posts
- Galvanised & PPC





SUITABLE
FOR USE IN:

TECHNICAL
DATA SHEET:

- Educational facilities
- Car parks
- Retail premises
- Nurseries & play grounds
- Public buildings



TO COMPLETE YOUR SECURITY PERIMETER WE CAN MANUFACTURE A RANGE OF BESPOKE GATES TO SUIT.

GUARDSAFE™ DEFEND

SECURITY RATED MESH

CLA IS PLEASED TO INTRODUCE GUARDSAFE™ 868 AND GUARDSAFE™ 358, THE LATEST ADDITIONS TO ITS GROWING RANGE OF MESH SECURITY FENCING PRODUCTS. BUILDING ON THE ALREADY ROBUST CONSTRUCTION OF CLA'S STANDARD 868 AND 358 PRODUCTS, THE GUARDSAFE™ DERIVATIVES FEATURE A CLAMP BAR SYSTEM WITH UPGRADED FIXINGS.

These two products are certified to, and compliant with, the requirements of LPS 1175 A1 (equivalent to SR1 rating under the previous rating system). Both products offer a proven level of resistance to vandalism and intrusion, having been tested by BRE and found to comply with the requirements of the standard. They provide ideal solutions where an enhanced and guaranteed level of protection is required and are available in four standard heights (1.8m, 2.0m, 2.4m and 3.0m). Standard 'dig-in' and surface mounted posts options are available. Typical uses would include commercial premises, government property and utility installations.

GUARDSAFE™ DEFEND 868

HEIGHT	PANEL SIZE	POST SIZE	POST LENGTH	POST CENTRES	FIXINGS	WIRE SIZE
1800mm	1830mm x 2518mm	60 x 60 SHS	2400mm	2520mm	clamp bar & 6 bolts	8mm & 6mm
2000mm	2030mm x 2518mm	60 x 60 SHS	2700mm	2520mm	clamp bar & 6 bolts	8mm & 6mm
2400mm	2430mm x 2518mm	60 x 60 SHS	3100mm	2520mm	clamp bar & 7 bolts	8mm & 6mm
3000mm	3030mm x 2518mm	80 x 40 SHS	3750mm	2520mm	clamp bar & 9 bolts	8mm & 6mm
4000mm	4070mm x 2518mm *	100 x 50 RHS	5000mm	2520mm	clamp bar & 13 bolts	8mm & 6mm
5000mm	5070mm x 2518mm *	120 x 60 RHS	6200mm	2520mm	clamp bar & 15 bolts	8mm & 6mm

*Double lift system

GUARDSAFE™ DEFEND 358

HEIGHT	PANEL SIZE	POST SIZE	POST LENGTH	POST CENTRES	FIXINGS	WIRE SIZE
1800mm	1829mm x 2518mm	60 x 60 SHS	2400mm	2440mm	7 (clamp bar fixing)	4mm
2000mm	2005mm x 2518mm	60 x 60 SHS	2700mm	2440mm	8 (clamp bar fixing)	4mm
2400mm	2400mm x 2518mm	60 x 60 SHS	3100mm	2440mm	9 (clamp bar fixing)	4mm
3000mm	3000mm x 2518mm	80 x 40 SHS	3750mm	2440mm	11 (clamp bar fixing)	4mm


Higher versions of this system are available and made to order



SUITABLE
FOR USE IN:

- Posts to be set in concrete
- Bolt down posts for concrete
- Cranked posts to suit wall mounting

TO COMPLETE YOUR SECURITY PERIMETER
WE CAN MANUFACTURE A RANGE OF BESPOKE
GATES TO SUIT.




ASTON BOWTOP RAILINGS

BOWTOP RAILINGS ARE A TRADITIONAL AND EVER POPULAR DESIGN OF RAILINGS. BOWTOP RAILINGS ARE AN EFFECTIVE AND DECORATIVE WAY TO FORM A PROTECTIVE AND ATTRACTIVE BOUNDARY.

CLA Fencing Systems design and manufacture a comprehensive range of bowtop railings in one of our Midlands facilities to suit every requirement. We can supply the railings in self-colour, galvanised only, or galvanised and powder coated finishes. Our standard colours are RAL6005 green and RAL9005 black; a wide range of other colours are available on request.

We have designed a range of posts to suit various installation requirements, which includes standard dig in, base plated and cranked options. We also manufacture complementary gates to complete your boundary protection.

STANDARD AND CUSTOM FINISHES



HEIGHT	PANEL HEIGHT	BAR INFIL	BAR CENTRES	FLAT SIZE	POST CENTRES	POST SIZE
900mm	825 actual	12mm	112mm	30 x 10mm	2820mm	50 x 50 SHS
1000mm	925 actual	12mm	112mm	30 x 10mm	2820mm	50 x 50 SHS
1200mm	1125 actual	12mm	112mm	30 x 10mm	2820mm	50 x 50 SHS
1500mm	1425 actual	16mm	116mm	40 x 10mm	2820mm	50 x 50 SHS
1800mm	1725 actual	20mm	120mm	50 x 10mm	2820mm	70 x 70 SHS
1800mm	1725 actual	19mm CHS	119mm	50 x 10mm	2840mm	70 x 70 SHS
2000mm	1925 actual	25mm CHS	125mm	50 x 10mm	2840mm	70 x 70 SHS

Bespoke heights and specifications made to order.

ASTON BOWTOP RAILINGS FEATURES

- Matching gates
- Loose cleat design
- Available in various heights
- Solid bar and hollow tube infill
- Cranked post option
- Base plated post option



SUITABLE FOR USE IN:

- New build housing
- Commercial development
- Schools
- Hospitals

TECHNICAL DATA SHEET:



TO COMPLETE YOUR SECURITY PERIMETER WE CAN MANUFACTURE A RANGE OF BESPOKE GATES TO SUIT.

CLA CHILDSAFE®

ChildSAFE
PLAYGROUND PERIMETER

BOWTOP RAILINGS


OUR CHILDSAFE RANGE OF BOWTOP RAILINGS HAS BEEN DESIGNED WITH CAREFUL CONSIDERATION TO FORM A CHILD-SAFE AND ATTRACTIVE BOUNDARY TO PLAY AREAS AND SIMILAR APPLICATIONS. THE RAILINGS ARE DESIGNED TO ROSPA GUIDELINES SO YOU CAN BE CONFIDENT THAT SAFETY IS OUR PRIORITY.

Our Childsafe range of bowtop railings have been designed with careful consideration to form a child safe and attractive boundary typically to play areas. The railings are design to RoSPA guidelines so you can be confident that safety is our main priority.

Childsafe railings are designed to hinder children from trapping their head, neck or limbs. This design of railings also allows parents or guardians a clear view through the bars. They also conform to BS EN 1176 playground specification with the gaps not exceeding 89mm.

To complete the boundary area, CLA have designed a range of pedestrian and maintenance gates to match the railings. Our Childsafe range ccomes supplied in a galvanised finish as standard to BS EN 10345:2009 with an option to polyester powder coat to BS EN 13438:2005.

STANDARD AND CUSTOM FINISHES



HEIGHT	PANEL HEIGHT	BAR INFIL	BAR CENTRES	FLAT SIZE	POST CENTRES	POST SIZE
1000mm	825 actual	12mm	96mm	30 x 10mm	2770mm	50 x 50 SHS
1200mm	1125 actual	12mm	96mm	30 x 10mm	2770mm	50 x 50 SHS

Bespoke heights and specifications made to order.

CLA CHILDSAFE®
BOWTOP RAILINGS

- Matching gates
- Loose cleat design
- Available in various heights
- Solid bar and hollow tube infill
- Cranked post option
- Base plated post option

CHILDSAFE SELF-CLOSING PEDESTRIAN GATE

Our Childsafe self closing gate is the perfect addition to any playground. The self closing APS unit makes the gate virtually imposible to slam shut and prevents it from swinging back when pushed hard. Supplied as Galvanised and PPC Yellow as standard. This makes the gate easily visable for children using the facilities.

Leaf Size: 1105mm Overall width: 1340mm
Available as standard in both 1m & 1.2m heights.

CHILDSAFE DOUBLE LEAF MAINTENANCE GATE

These additions to our Childsafe range are designed to allow maintenance vehicles into playareas. With the manual leaf still having the APS self closer it doubles up as a pedestrian access gate also, with a drop bolt on the manual leaf to keep it locked into place. Supplied as galvanised and coated as standad. This makes the gate easily visable for children using the facilities.

Overall width: 3000mm
Available in both 1m & 1.2m heights.

ROSPA
Compliant

POST OPTIONS
AVAILABLE:

- In ground posts
- Baseplated posts
- Wall fixing plates

OTHER HEIGHTS & SPECIFICATIONS AVAILABLE
ON REQUEST

SUITABLE
FOR USE IN:

- Schools
- Children's play areas
- Public parks
- Gardens
- Housing developments

KEY
FEATURES:

- RoSPA Compliant
- Available from Stock
- Attractive Boundary Fence
- Child Safe Design


CHARTWELL BALLTOP RAILINGS

THE MODERN WORLD PLACES INCREASING IMPORTANCE ON BOTH SAFETY AND AESTHETICS IN THE “DESIGN AND BUILD” ENVIRONMENT. BALLTOP RAILINGS SATISFY BOTH OF THOSE CONSIDERATIONS WITH THEIR TIMELESSLY ELEGANT AND DECORATIVE DESIGN.

Chartwell Balltop Railings are easily identified by the spherical tops fitted to the vertical pales. They form an attractive boundary to provide “test of time” perimeter security to any location.

CLA Fencing Systems manufacture a comprehensive range of Chartwell Balltop Railings and complimentary gates at our West Midlands facility to suit every requirement.

STANDARD AND CUSTOM FINISHES



HEIGHT	PANEL HEIGHT	BAR INFILL	BAR CTRS	FLAT SIZE	POST CENTRES	POST SIZE
900mm	825mm actual	12mm	112mm	30 x 10mm	2820mm	50 x 50 SHS
1000mm	925mm actual	12mm	112mm	30 x 10mm	2820mm	50 x 50 SHS
1200mm	1125mm actual	12mm	112mm	30 x 10mm	2820mm	50 x 50 SHS
1500mm	1425mm actual	16mm	116mm	40 x 10mm	2820mm	50 x 50 SHS
1800mm	1725mm actual	20mm	120mm	50 x 10mm	2840mm	70 x 70 SHS
1800mm	1725mm actual	19mm CHS	119mm	50 x 10mm	2840mm	70 x 70 SHS
2000mm	1925mm actual	25mm CHS	125mm	50 x 10mm	2840mm	70 x 70 SHS

Bespoke heights and specifications made to order.

CHARTWELL FEATURES

- Loose cleat design
- Available in various heights
- Solid bar and hollow tube infill
- Cranked post option
- Matching Gates
- Base plated post option
- Easy to assemble design
- Galvanised as standard to BS EN 10345:2009
- Available powder coated to BS EN 13438: 2005 (minimum 100 microns)



SUITABLE FOR USE IN:

- New build housing
- Commercial development
- Schools
- Hospitals

TECHNICAL DATA SHEET:



TO COMPLETE YOUR SECURITY PERIMETER WE CAN MANUFACTURE A RANGE OF BESPOKE GATES TO SUIT.



BLenheim ESTATE RAILINGS


TRADITIONALLY USED IN RURAL SETTINGS FROM THE VICTORIAN ERA TO FORM BOUNDARIES ON COUNTRY ESTATES, PARKS AND FARMLAND. THIS SIMPLE VICTORIAN DESIGN OFFERS A ROBUST, YET RESTRAINED ORNATE AND VISUALLY UNOBTRUSIVE CONTINUOUS BOUNDARY SOLUTION.

As an historical footnote, many metal railing systems were removed and recycled during the two world wars due to material shortages. Estate railings are having a renaissance and are being reintroduced across many parklands and estates and are also popular on new residential developments.

CLA Fencing Systems have introduced a modern reproduction of this traditional design. Our Blenheim Estate Railing system is supplied in 1.2m high ready-made 2.0m wide welded panels using stylish 19mm CHS rails giving the Blenheim a modern yet traditional look.

Blenheim Estate Railings system manufactured at our West Midlands facility and offers a quick and economical continuous boundary solution. As with all our other railing systems we manufacture quality matching gates.

STANDARD AND CUSTOM FINISHES



HEIGHT	PANEL HEIGHT	BAR INFILL	PANEL WIDTH	POST CENTRES	RAILS QUANTITY	POST SIZE
1000mm	900mm	19mm CHS	112mm	2000mm	5	40 x 8 flat
1200mm	1000mm	19mm CHS	112mm	2000mm	5	40 x 8 flat

Bespoke heights and specifications made to order.


SUITABLE FOR USE IN:

- New build housing
- Commercial development
- Schools
- Hospitals

TECHNICAL DATA SHEET:




TO COMPLETE YOUR SECURITY PERIMETER WE CAN MANUFACTURE A RANGE OF BESPOKE GATES TO SUIT.



BLenheim ESTATE RAILINGS FEATURES

- 5 Rail system
- 19mm CHS rails
- 40 x 8 flat posts
- 1200mm high
- 2.0m wide panels
- Optional 50 x 50 end posts
- Matching gates
- Bespoke design - available on request



WOBURN VERTICAL BAR RAILINGS

VERTICAL BAR RAILINGS ARE A TRADITIONAL BOUNDARY FENCE, WHICH ARE LESS IMPOSING THAN INDUSTRIAL LOOKING PALISADE TYPE FENCING SYSTEMS. VERTICAL BAR RAILINGS HAVE THEIR OWN VERSATILITY, BY BEING SUITABLE FOR BOTH DOMESTIC AND INDUSTRIAL APPLICATIONS, MAKING THE PRODUCT POPULAR WITH ARCHITECTS, DESIGNERS AND INSTALLERS.

The Woburn Vertical bar railing system is manufactured in our West Midlands facility using high quality materials and processes ensuring a robust and long lasting product.


To individualise our range of Woburn railings we also offer attractive alternative railheads such as fleur-de-lys and arrowhead. Other designs of railheads are available on request.

As with all our ranges of railings CLA offer high quality matching gates to complete the boundary protection.

STANDARD AND CUSTOM FINISHES

						
Galvanised HAMPTON	Green 6005 KENSINGTON	Black 9005 WINDSOR	Grey 7016 WOBURN	Blue 5010 BUCKINGHAM	Red 3000 OXFORD	Yellow 1021 WESTMINSTER
HEIGHT	PANEL HEIGHT	BAR INFILL	BAR CTRS	FLAT SIZE	POST CTRS	POST SIZE
900mm	825mm actual	12mm bar	112mm	30 x 10mm	2820mm	50 X 50 SHS
1000mm	925mm actual	12mm bar	112mm	30 x 10mm	2820mm	50 X 50 SHS
1200mm	1125mm actual	12mm bar	112mm	30 x 10mm	2820mm	50 X 50 SHS
1500mm	1425mm actual	19mm CHS	119mm	50 x 10mm	2830mm	60 X 60 SHS
1800mm	1725mm actual	19mm CHS	119mm	50 x 10mm	2840mm	70 X 70 SHS
2000mm	1925mm actual	25mm CHS	125mm	50 x 10mm	2840mm	70 X 70 SHS
2400mm	2325mm actual	25mm CHS	125mm	50 x 10mm	2840mm	70 X 70 SHS

Bespoke heights and specifications made to order.



SUITABLE
FOR USE IN:

- Housing developments
- Retail and industrial parks
- Commercial areas
- General perimeter areas

POST OPTIONS
AVAILABLE:


- Posts to be set in concrete
- Bolt down posts for concrete
- Cranked posts to suit wall mounting

WE CAN MANUFACTURE A RANGE OF GATES TO SUIT THIS SYSTEM FROM ASTON BOWTOP



WOBURN VERTICAL BAR
RAILINGS FEATURES

- Matching gates
- Loose cleat design
- Available in various heights
- Solid bar and hollow tube infill
- Cranked post option
- Base plated post option



PEDESTRIAN GUARDRAIL

GUARDRAIL, DESIGNED AND MANUFACTURED BY CLA, IS AN EFFECTIVE SOLUTION FOR PEDESTRIAN SAFETY. GUARDRAIL IS DESIGNED TO GIVE PROTECTION TO BOTH PEDESTRIANS AND MOTORISTS AT ROAD JUNCTIONS, CROSSINGS AND WALKWAYS.

It combines strength with transparency, allowing excellent visibility for both motorists and pedestrians alike. CLA offer two types of rails, a standard PG1 and a PG2, which incorporates an additional visibility gap or “letterbox”.

Both designs are manufactured in our West Midlands factory using premium materials. Our panels are 900mm high and 2000mm wide, feature 12mm diameter infills at 109mm centres and are framed in 50x25 RHS. They are prepared to allow panels to be bolted together. Guardrail is hot dip galvanised as standard, but can be customised with a cost option PPC finish.

For more information or a quick no-obligation quotation please contact our sales team.

STANDARD AND CUSTOM FINISHES



TYPE	HEIGHT	PANEL WIDTH	BAR INFILL	BAR CTRS	FRAME SIZE
PG1	1000mm	2000mm	12mm bar	109mm	50 x 25mm RHS
PG2	1000mm	2000mm	12mm bar	109mm	50 x 25mm RHS

Bespoke heights and specifications made to order.

SUITABLE FOR USE IN:

- Schools
- High Streets
- Public walkways
- Commercial properties
- Residential areas



SUITABLE FOR USE IN:

- Schools
- High Streets
- Public walkways
- Commercial properties
- Residential areas

POST OPTIONS AVAILABLE:

- Root Fixed
- Baseplated for concrete

PALISADE FENCING


IN 2019 CLA FENCING SYSTEMS MADE A MAJOR INVESTMENT AND PURCHASED A PALISADE ROLLING MILL FOR OUR WEST MIDLANDS MANUFACTURING FACILITY. AS A MANUFACTURER, WE ENSURE THAT ONLY TOP QUALITY MATERIALS ARE USED IN THE PRODUCTION OF OUR PALISADE PRODUCTS. CLA PRODUCE THE MODERN “W “PROFILE PALE. THE RE-ENFORCING SHAPE OF THE “W “PROFILE PRODUCES A STRONG AND RESILIENT PALE.

CLA Palisade Fencing is predominately used to secure large areas where a permanent cost effective but formidable long-lasting security deterrent is required.

CLA Palisade fencing is an easy to install system which comes in kit form and is suited to both hard and soft ground and has the ability to follow contours of the ground.

CLA Palisade Fencing has many benefits once installed to protect your property. The pointed pale top act as a climbing deterrent and the style and shape of the pales gives little grip and deters climbing. With no compromise on quality materials and protective treatments our range of palisade fencing is low maintenance yet strong, sturdy and durable.

STANDARD AND CUSTOM FINISHES






HEIGHT	POST SIZE	POST LENGTH	RAIL SIZE	POST CENTRES	PALE THICKNESS	PALE CENTRES
1200mm	100 x 55 IPE	1725mm	45 x 45 RSA	2750mm	2mm	153mm
1500mm	100 x 55 IPE	2025mm	45 x 45 RSA	2750mm	2mm	153mm
1800mm	100 x 55 IPE	1325mm	45 x 45 RSA	2750mm	2mm	153mm
2000mm	100 x 55 IPE	2725mm	45 x 45 RSA	2750mm	2mm	153mm
2100mm	100 x 55 IPE	2725mm	45 x 45 RSA	2750mm	2mm	153mm
2400mm	100 x 55 IPE	3125mm	45 x 45 RSA	2750mm	2mm	153mm
3000mm	100 x 55 IPE	3925mm	50 x 50 RSA	2750mm	2mm	153mm

Bespoke heights and specifications made to order.

PALISADE FENCING FEATURES

- Supplied In Kit Form
- Cost Effective
- Available from Stock
- Deters Climbing



SUITABLE FOR USE IN:

- New build housing
- Commercial development
- Schools
- Hospitals

TECHNICAL DATA SHEET:



CLA MANUFACTURE A RANGE OF STOCK SINGLE AND DOUBLE LEAF GATES. BESPOKE OPTIONS ARE ALSO AVAILABLE.



NETWORK RAIL PALISADE

AS A RISQS VERIFIED SUPPLIER CLA'S OUTSTANDING NETWORK RAIL SPECIFICATION PALISADE OFFERS A ROBUST AND SECURE SOLUTION FOR BOUNDARY DEMARCATION AND TRACKSIDE PROTECTION. THIS SPECIFICATION IS ALSO AN IDEAL SOLUTION FOR COMMERCIAL, INDUSTRIAL, DATA CENTRES AND GOVERNMENT INSTALLATIONS ENSURING MEDIUM TO HIGH LEVEL OF SECURITY.

Our Palisade is a versatile and adaptable easy to install system which allows for "raking" to follow ground contours with out compromise to site security. This makes installation efficient and less time consuming to suit location specifics.

Manufactured in house using our own production facilities ensuring that you receive a high quality product that you can trust to give many years of service. CLA use carefully designed and manufactured components comprising of 2.5mm thick W section pales complete with posts, rails and security fixings.

STANDARD AND CUSTOM FINISHES



HEIGHT	POST type	RAIL SIZE	PALE THICKNESS	POST LENGTH
1800mm	102x44 RSJ	45x45 RSA	2.5mm	2525mm
2400mm	102x44 RSJ	50x50 RSA	2.5mm	3125mm

NETWORK RAIL PALISADE FEATURES

- Supplied In Kit Form
- Available from Stock
- Deters Climbing



WE CAN MANUFACTURE A RANGE OF GATES TO SUIT THIS SYSTEM FROM ASTON BOWTOP

ARMCO BARRIER



CLA ARE NOW SUPPLIERS OF STEEL ARMCO CRASH BARRIERS. ARMCO CRASH BARRIER IS WIDELY USED FOR LOW IMPACT AND LOW SPEED APPLICATIONS SUCH AS CAR PARKS, RESIDENTIAL AREAS, AND INDUSTRIAL SITES TO PROTECT PEOPLE, MACHINERY, KEY ASSETS/ INFRASTRUCTURE, BUILDINGS AND WAREHOUSES.

Our Armco range are all made from tough steel, making them perfect for the busiest of areas and providing long-lasting protection when needed.

This system has many benefits and protecting the public is one of its key features, it can dramatically reduce the speed of the vehicle that strikes the barrier.

We carry a large extensive range of accessories to suit the armco including, various post styles, ends, corners & fittings.

STANDARD AND CUSTOM FINISHES



Galvanised



Yellow 1021

ARMCO BARRIER FEATURES

- Long-lasting protection
- Available from stock
- High visibility finish available
- Improved public safety




STANDARD ARMCO FIXING

Beams fix together using a recommended 8 No. lap bolts and connect to our range of posts using 1 No. post bolt.

Standard beams are 3504mm long with an effective length of 3200mm due to the overlap when fixing. Manufactured from a 2.5mm thick steel. Supplied as standard in a Galvanised finish with the option to Polyester Powder Coat to increase visibility & safety.

STANDARD POST RANGE FOR ARMCO SAFETY BARRIERS

Here at CLA, we carry a range of different posts available from stock including our bolt down range which is ideal for use when installing barrier on a service yard concrete slab or inside a warehouse. These posts should always be installed onto a solid service. We do also supply Root Fixed RSJ posts which are mainly used for outdoor installations and can be easily installed into the ground. Each post only uses 1 No. Post bolt to secure the beam to the post, these holes come pre drilled in all our posts.




SUITABLE FOR USE IN:

- Car parks
- Residential Areas
- Industrial Sites
- Warehouses
- Freight depots
- Loading bays

TECHNICAL DATA SHEET:




CLA ARMCO ACCESSORIES




INTERNAL 90° CORNER

Welded 90° internal corner section attaches to standard beams using 8 No. Lap bolts.



EXTERNAL 90° CORNER

Welded 90° external corner section attaches to standard beams using 8 No. Lap bolts.



FISHTAIL ENDS

A popular choice for a terminal end with an option for polyester powder coat to increase visibility & safety. Requires up to 8 No. Lap Bolts for installation.



LAP BOLTS

Required on all joins (Up to 8 No. per join including corners and ends) includes M16 x 50mm bolt with M16 Nut & 2 No. M16.



POST BOLTS

Required on all post connections (1 No. per post) includes M16x 50mm bolt with M16 Nut & 2 No. M16 washers.

SITE GATES




PROTECT YOUR SITE WITH RELIABLE AND STURDY TEMPORARY SITE GATES. THESE GATES ARE DESIGNED TO PROVIDE MAXIMUM SECURITY FOR YOUR SITE WHILE BEING EASY TO INSTALL. CONSTRUCTED USING HIGH-QUALITY HOLLOW SECTION STEEL, THEY FEATURE A STRONG FRAME THAT CAN WITHSTAND THE DEMANDS OF TEMPORARY INSTALLATIONS. THE HEAVY GAUGE SINGLE WIRE CLAD ADDS DURABILITY AND ENHANCES SECURITY.

Our temporary gates come with a polyester powder-coated finish, available in RAL 9005 Black. We supply all double leaf gates complete with standalone 100x100 SHS dig-in posts, adjustable hinge fittings, and secure pad-lockable slide latch and drop bolts for your convenience.

Installation is quick and hassle-free, allowing you to secure your site promptly. We understand that every site has unique requirements, ee also offer bespoke gate manufacturing services. If you need customized gates to fit specific dimensions or meet particular specifications, our technical sales team is ready to assist you. Contact us for more information and personalized solutions.

Invest in the security of your site with our easy-to-install temporary site gates. Trust CLA Fencing Systems for durable and reliable products that provide peace of mind. Order your gates today and ensure the safety of your temporary installations.

STANDARD AND CUSTOM FINISHES




HEIGHT	BETWEEN POST WIDTH	INFILL TYPE	POST SIZE	FRAME SIZE	HINGE SIZE
1800mm	5040mm	Vmesh (C-Pro55)	100 x 100 SHS	40 x 40 SHS	25mm
2400mm	6260mm	Vmesh (C-Pro55)	120 x 120 SHS	40 x 40 SHS	25mm

Bespoke heights and specifications made to order.

SITE GATES FEATURES

- Temporary solution
- Powder coated finish available
- Available from stock
- Padlockable for security



SUITABLE
FOR USE IN:

- Construction sites
- Temporary site protection

WEBSITE:



LOCINOX GATE LOCKS

RELIABLE SECURITY FOR YOUR GATES. ENSURE THE SECURITY AND CONVENIENCE OF YOUR GATES WITH THE LOCINOX GATE LOCK. DESIGNED WITH SAFETY AND FUNCTIONALITY IN MIND, THIS LOCK PROVIDES RELIABLE SECURITY WHILE OFFERING EASY ACCESS DURING EMERGENCY SITUATIONS



BORG LOCKS

WITH ITS SPECIALLY DESIGNED LOCKCASE AND MARINE-GRADE KEYPAD, THIS GATE LOCK COMBINES CONVENIENCE, DURABILITY, AND UNPARALLELED SECURITY. SAY GOODBYE TO TRADITIONAL LOCKS AND EMBRACE THE FUTURE OF GATE SECURITY.



GATEMASTER LOCKS

SECURE YOUR GATES WITH GATEMASTER LOCKS: PREMIER QUALITY AT YOUR FINGERTIPS. WITH OUR EASY ONLINE PURCHASING, ENJOY THE CONVENIENCE OF BUYING TODAY AND TAKE ADVANTAGE OF OUR UK-WIDE DELIVERY SERVICE AND GREAT SAVINGS.





LEADING MANUFACTURER & SUPPLIER OF STEEL SECURITY FENCING



WWW.CLA FABRICATIONS.CO.UK | 0121 272 1777