



**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post



**INTER POST
ARRANGEMENT**


plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

2520 post centres

NOTE: panel may need to
be inverted to give a flat
(non-spiked) top



60x60 SHS posts


200x50mm mesh pattern;
6mm vertical wires,
8mm twin horizontal wires

1230

1800


1280

520




**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post




**INTER POST
ARRANGEMENT**

plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

2520 post centres



1830


2400

1880

520


60x60 SHS posts

200x50mm mesh pattern;
6mm vertical wires,
8mm twin horizontal wires




**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post



**INTER POST
ARRANGEMENT**

plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

60x60 SHS posts

200x50mm mesh pattern;
6mm vertical wires,
8mm twin horizontal wires


2520 post centres

2030

2700


2080

620




**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post



**INTER POST
ARRANGEMENT**

plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

60x60 SHS posts

200x50mm mesh pattern;
6mm vertical wires,
8mm twin horizontal wires

2520 post centres

2430

3100

2480

620

