



**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post



**INTER POST
ARRANGEMENT**

plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

60x60 SHS posts

358 mesh pattern:
76.2mm x 12.7mm crs, 4mm wires

2530 post centres


1829

1850

2400


1850

550




**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post



**INTER POST
ARRANGEMENT**

plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

60x60 SHS posts

358 mesh pattern:
76.2mm x 12.7mm crs, 4mm wires

2530 post centres


2007

2050

2700


2050

650




**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post



**INTER POST
ARRANGEMENT**

plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

60x60 SHS posts

358 mesh pattern:
76.2mm x 12.7mm crs, 4mm wires

2530 post centres

2400

2450

3100

2450

650