



**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post





**INTER POST
ARRANGEMENT**

plastic cap




CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005






**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post



**INTER POST
ARRANGEMENT**


plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

3020 post centres

NOTE: panel may need to
be inverted to give a flat
(non-spiked) top



1530


2100

1580

520


60x60 SHS posts

200x50mm mesh pattern with
pressed 'V' beams; 5mm wires




**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post




**INTER POST
ARRANGEMENT**

plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

3020 post centres



1730


2400

1780

620


60x60 SHS posts

200x50mm mesh pattern with
pressed 'V' beams; 5mm wires




**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post




**INTER POST
ARRANGEMENT**

plastic cap




CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005




60x60 SHS posts

200x50mm mesh pattern with
pressed 'V' beams; 5mm wires




**CORNER POST
ARRANGEMENT**

M8 anti-tamper bolt
fitted into rivnut insert
in face of post



**INTER POST
ARRANGEMENT**

plastic cap



CLA steel mesh fixing clip
coated green RAL 6005
or black RAL 9005

60x60 SHS posts

200x50mm mesh pattern with
pressed 'V' beams; 5mm wires

3020 post centres

2330

3100

2380

720

