

RARE DISORDERS TEST REQUISITION FORM



All sections on this page are required unless otherwise specified.
Incomplete information could result in a delay of testing.

PATIENT INFORMATION

| | | |
|--|--|----------|
| First Name | Last Name | |
| Sex Assigned at Birth: <input type="radio"/> Male <input type="radio"/> Female | Date of Birth (mm/dd/yy) | |
| Patient Karyotype (if known): _____ | | |
| Gender Identification (optional): _____ | | |
| Email | | |
| Address | | |
| City | State | Zip Code |
| Phone (mobile preferred) | Is this patient deceased? <input type="radio"/> Yes <input type="radio"/> No | |
| Deceased Date: _____ | | |

SAMPLE INFORMATION

| | |
|--|------------------|
| Date Sample Collected (mm/dd/yy) | Medical Record # |
| <input type="radio"/> Blood <input type="radio"/> Buccal Swab <input type="radio"/> Other (specify source): _____ | |
| <input type="checkbox"/> Treatment-related RUSH (optional) | |
| Reason: <input type="radio"/> Transplantation <input type="radio"/> Pregnancy <input type="radio"/> Surgery <input type="radio"/> Other: _____ | |
| Patient has had a blood transfusion <input type="radio"/> Yes <input type="radio"/> No Date of Last Transfusion: _____ | |
| (2-4 weeks of wait time is required for some testing) | |
| Patient has had an allogeneic bone marrow transplant <input type="radio"/> Yes <input type="radio"/> No | |
| Fibroblasts are required for patients who had an allogeneic bone marrow transplant. See www.genedx.com/specimen-requirements for details. | |
| Patient has a personal history of a hematologic malignancy or disease | |
| <input type="radio"/> Yes (specify diagnosis) _____ <input type="radio"/> No | |
| If yes, please call the lab to discuss with a genetic counselor the most appropriate sample type. | |

ORDERING PROVIDER ATTESTATION

By signing this form, the ordering provider attests that (i) he/she authorizes and directs GeneDx to perform the testing indicated; (ii) he/she is the ordering provider and is authorized by law to order the test(s) requested; (iii) any test(s) requested on this Test Requisition Form ("TRF") are reasonable and medically necessary for the diagnosis or treatment of a disease, illness, impairment, symptom, syndrome or disorder; (iv) the test results will determine the patient's medical management and treatment decisions of this patient's condition on this date of service; (v) the patient or the individual/family member authorized to make decisions for the patient (collectively, the "patient"), in addition to any relatives, when applicable, has been supplied with information regarding genetic testing, and has consented to undergo genetic testing; (vi) the full and appropriate diagnosis codes are indicated to the highest level of specificity; (vii) he/she will not seek reimbursement from any third party, including but not limited to federal healthcare programs if testing is covered by GeneDx and will inform the patient of the same; (viii) GeneDx may share contact information for the ordering provider and other healthcare providers listed on the this order with third parties regarding the requested genetic testing and potential clinical trial or study opportunities; and (ix) the patient or the individual/family member authorized to be contacted via the email address or mobile phone number provided for this and future testing.

☐ **New York Retention Opt-In.** By checking this box, I confirm that the patient is a New York State resident who gives permission for GeneDx to retain any remaining sample longer than 60 days after testing has been completed.

☐ **Patient Research Opt-Out.** By checking this box, I confirm that the patient wishes to opt out of being contacted for research studies.

☐ **Health Information Exchange Opt-in.** Check this box if your patient resides in CA, FL, MA, NV, NY, RI, and VT and wishes to opt-in to having their information shared for Health Information Exchange participation.

☐ **Health Information Exchange Opt-out.** Check this box if your patient resides in any other US state or territory and wishes to opt-out of participation in Health Information Exchange.

| | |
|--------------------------------|------|
| Signature of Ordering Provider | Date |
|--------------------------------|------|

ACCOUNT INFORMATION

| | | |
|--|--------------|------------|
| GeneDx Account Number | Account Name | |
| Phone | Fax | |
| Address | | |
| City | State | Zip Code |
| Ordering Provider Name | | Role/Title |
| NPI | Phone Number | |
| Send Report Via: <input type="checkbox"/> Fax <input type="checkbox"/> Email <input type="checkbox"/> Portal | | |
| Fax #/Email: _____ | | |
| Additional Ordering Provider Name (optional) | | Role/Title |
| NPI | | |
| Send Report Via: <input type="checkbox"/> Fax <input type="checkbox"/> Email <input type="checkbox"/> Portal | | |
| Fax #/Email: _____ | | |
| SEND ADDITIONAL REPORT COPIES TO (optional) | | |
| Provider Name | GeneDx Acct# | |
| Fax #/Email: _____ | | |

ICD-10-CM CODES

ICD-10-CM Codes to support all test(s) ordered

| | |
|--------------------|--------------|
| Clinical Diagnosis | Age of Onset |
|--------------------|--------------|

PAYMENT OPTIONS (Select One)

☐ **INSURANCE BILL**

Select all that apply

☐ Commercial

☐ Medicaid

☐ Medicare

☐ Tricare

☐ CHAMPVA

FOR ALL INSURANCE PROVIDE FRONT AND BACK COPY OF CARD(S)

Patient Status

Is this individual currently a Hospital Inpatient? ☐ Yes ☐ No

☐ **PATIENT BILL**

If Patient Bill is selected, I am electing to be treated as a self-pay patient for this testing. I agree that neither GeneDx nor I will submit a claim to my insurance for this testing, if I have insurance. GeneDx will send an invoice to the patient listed above.

Authorized Patient/Guardian Signature

☐ **INSTITUTIONAL BILL**

| | |
|-------------------|--------------------------|
| GeneDx Account # | Place Sticker/Stamp Here |
| Hospital/Lab Name | |

| | | |
|------------|-----------|---------------|
| First Name | Last Name | Date of Birth |
|------------|-----------|---------------|

CLINICAL INFORMATION (DETAILED MEDICAL RECORDS MUST BE ATTACHED)

Is this person affected: ☐ Yes ☐ No Clinical diagnosis: _____
Reason for testing: ☐ Diagnosis ☐ Presymptomatic diagnosis ☐ Carrier/Familial variant testing

Please check all that apply. This is not a substitute for submitting clinical records.

| | | | |
|--|---|---|--|
| <p>Pre/Perinatal History</p> <p><input type="checkbox"/> Cystic hygroma</p> <p><input type="checkbox"/> Growth delay</p> <p><input type="checkbox"/> Increased nuchal translucency</p> <p><input type="checkbox"/> Intrauterine growth retardation</p> <p><input type="checkbox"/> Nonimmune hydrops fetalis</p> <p><input type="checkbox"/> Multiple prenatal fractures</p> <p><input type="checkbox"/> Oligohydramnios</p> <p><input type="checkbox"/> Polyhydramnios</p> | <p><input type="checkbox"/> Hypertelorism</p> <p><input type="checkbox"/> Low set ears</p> <p><input type="checkbox"/> Macrocephaly</p> <p><input type="checkbox"/> Microcephaly</p> <p><input type="checkbox"/> Micrognathia</p> <p><input type="checkbox"/> Retrognathia</p> <p><input type="checkbox"/> Short neck</p> <p><input type="checkbox"/> Synophrys</p> <p><input type="checkbox"/> Wide nasal bridge</p> | <p><input type="checkbox"/> Hepatomegaly/Splenomegaly</p> <p><input type="checkbox"/> Hepatic fibrosis</p> <p><input type="checkbox"/> Inflammatory bowel disease</p> <p><input type="checkbox"/> Intestinal perforation</p> <p><input type="checkbox"/> Intrahepatic biliary atresia</p> <p><input type="checkbox"/> Laryngomalacia</p> <p><input type="checkbox"/> Nausea</p> <p><input type="checkbox"/> Pancreatitis</p> <p><input type="checkbox"/> Pyloric stenosis</p> <p><input type="checkbox"/> Tracheoesophageal fistula</p> <p><input type="checkbox"/> Vomiting</p> | <p><input type="checkbox"/> Renal agenesis</p> <p><input type="checkbox"/> Renal insufficiency</p> <p><input type="checkbox"/> Renal tubular dysfunction/acidosis</p> |
| <p>Structural Brain Abnormalities</p> <p><input type="checkbox"/> Abnormal myelination</p> <p><input type="checkbox"/> Abnormality of basal ganglia</p> <p><input type="checkbox"/> Abnormality of the corpus callosum</p> <p><input type="checkbox"/> Aplasia/hypoplasia of cerebellum</p> <p><input type="checkbox"/> Arnold Chiari malformation</p> <p><input type="checkbox"/> Holoprosencephaly</p> <p><input type="checkbox"/> Hydrocephalus</p> <p><input type="checkbox"/> Lissencephaly</p> <p><input type="checkbox"/> Molar tooth sign on MRI</p> <p><input type="checkbox"/> Ventriculomegaly</p> | <p>Eye/Vision Abnormalities</p> <p><input type="checkbox"/> Abnormality of vision</p> <p><input type="checkbox"/> Anophthalmia</p> <p><input type="checkbox"/> Blue sclerae</p> <p><input type="checkbox"/> Cataracts</p> <p><input type="checkbox"/> Coloboma</p> <p><input type="checkbox"/> Ectopia lentis</p> <p><input type="checkbox"/> External ophthalmoplegia</p> <p><input type="checkbox"/> Microphthalmia</p> <p><input type="checkbox"/> Myopia</p> <p><input type="checkbox"/> Nystagmus</p> <p><input type="checkbox"/> Photophobia</p> <p><input type="checkbox"/> Ptosis</p> <p><input type="checkbox"/> Strabismus</p> | <p>Musculoskeletal</p> <p><input type="checkbox"/> Abnormal connective tissue</p> <p><input type="checkbox"/> Abnormality of bone mineral density</p> <p><input type="checkbox"/> Abnormality of the ribs</p> <p><input type="checkbox"/> Abnormality of the upper limb</p> <p><input type="checkbox"/> Bowing of the long bones</p> <p><input type="checkbox"/> Bruising susceptibility</p> <p><input type="checkbox"/> Clinodactyly</p> <p><input type="checkbox"/> Ectrodactyly</p> <p><input type="checkbox"/> Fractures of the long bones</p> <p><input type="checkbox"/> Hyperostosis</p> <p><input type="checkbox"/> Hypertonia</p> <p><input type="checkbox"/> Hypotonia</p> <p><input type="checkbox"/> Limb joint contracture</p> <p><input type="checkbox"/> Overgrowth %ile: _____</p> <p><input type="checkbox"/> Pectus carinatum</p> <p><input type="checkbox"/> Pectus excavatum</p> <p><input type="checkbox"/> Polydactyly</p> <p><input type="checkbox"/> Short stature</p> <p><input type="checkbox"/> Skeletal dysplasia</p> <p><input type="checkbox"/> Small chest circumference</p> <p><input type="checkbox"/> Syndactyly</p> <p><input type="checkbox"/> TC ratio: _____</p> <p><input type="checkbox"/> Thoracic hypoplasia</p> <p><input type="checkbox"/> Vertebral abnormalities</p> | <p>Metabolic/Mitochondrial <i>(Attach relevant lab reports/values)</i></p> <p><input type="checkbox"/> Abnormal LDL-Cholesterol levels</p> <p><input type="checkbox"/> Abnormal newborn screen result: _____</p> <p><input type="checkbox"/> Abnormal plasma AA result: _____</p> <p><input type="checkbox"/> Abnormal urine OA result: _____</p> <p><input type="checkbox"/> Elevated CPK: _____</p> <p><input type="checkbox"/> Elevated hepatic transaminases</p> <p><input type="checkbox"/> Hyperglycemia</p> <p><input type="checkbox"/> Hypoglycemia</p> <p><input type="checkbox"/> Hypokalemia</p> <p><input type="checkbox"/> Increased serum pyruvate</p> <p><input type="checkbox"/> Lactic acidosis</p> <p><input type="checkbox"/> Vitamin D deficiency</p> |
| <p>Developmental/Behavioral</p> <p><input type="checkbox"/> Absent speech</p> <p><input type="checkbox"/> Attention deficit hyperactivity disorder</p> <p><input type="checkbox"/> Autistic behavior</p> <p><input type="checkbox"/> Behavioral abnormality</p> <p><input type="checkbox"/> Delayed fine motor development</p> <p><input type="checkbox"/> Delayed gross motor development</p> <p><input type="checkbox"/> Delayed speech & language development</p> <p><input type="checkbox"/> Developmental regression</p> <p><input type="checkbox"/> Global developmental delay</p> <p><input type="checkbox"/> Hyperactivity</p> <p><input type="checkbox"/> Intellectual disability</p> <p><input type="checkbox"/> Obsessive compulsive disorder</p> <p><input type="checkbox"/> Specific learning disability</p> <p><input type="checkbox"/> Stereotypy</p> | <p>Hearing Impairment</p> <p><input type="checkbox"/> Conductive hearing impairment</p> <p><input type="checkbox"/> bilateral <input type="checkbox"/> unilateral</p> <p><input type="checkbox"/> Sensorineural hearing impairment</p> <p><input type="checkbox"/> bilateral <input type="checkbox"/> unilateral</p> <p><input type="checkbox"/> Hearing impairment, mixed or unknown</p> <p><input type="checkbox"/> bilateral <input type="checkbox"/> unilateral</p> | <p>Skin/Hair</p> <p><input type="checkbox"/> Abnormal blistering of the skin</p> <p><input type="checkbox"/> Abnormality of hair _____</p> <p><input type="checkbox"/> Abnormality of nail</p> <p><input type="checkbox"/> Alopecia</p> <p><input type="checkbox"/> Angiokeratoma</p> <p><input type="checkbox"/> Café-au-lait macules</p> <p><input type="checkbox"/> Dry skin</p> <p><input type="checkbox"/> Eczema</p> <p><input type="checkbox"/> Hyperextensible skin</p> <p><input type="checkbox"/> Hyperpigmentation of the skin</p> <p><input type="checkbox"/> Hypertrichosis</p> <p><input type="checkbox"/> Hypopigmentation of the skin</p> <p><input type="checkbox"/> Ichthyosis</p> <p><input type="checkbox"/> Recurrent skin infections</p> <p><input type="checkbox"/> Velvety skin (soft skin)</p> <p><input type="checkbox"/> Xanthomatosis</p> | <p>Endocrine</p> <p><input type="checkbox"/> Amenorrhea</p> <p><input type="checkbox"/> BMI: _____</p> <p><input type="checkbox"/> Delayed puberty</p> <p><input type="checkbox"/> Diabetes insipidus</p> <p><input type="checkbox"/> Diabetes mellitus</p> <p><input type="checkbox"/> Ectopic calcification</p> <p><input type="checkbox"/> Elevated hemoglobin A1c</p> <p><input type="checkbox"/> Goiter</p> <p><input type="checkbox"/> Hypercalcemia</p> <p><input type="checkbox"/> Hyperthyroidism</p> <p><input type="checkbox"/> Hypophosphatemia</p> <p><input type="checkbox"/> Hypothyroidism</p> <p><input type="checkbox"/> Low alkaline phosphatase</p> <p><input type="checkbox"/> MODY: age of onset _____</p> <p><input type="checkbox"/> Pancreatic islet autoantibody negativity</p> <p><input type="checkbox"/> Rickets</p> |
| <p>Neurological</p> <p><input type="checkbox"/> Abnormality of nervous system</p> <p><input type="checkbox"/> Anosmia, congenital</p> <p><input type="checkbox"/> Ataxia</p> <p><input type="checkbox"/> Cerebral palsy</p> <p><input type="checkbox"/> Dystonia</p> <p><input type="checkbox"/> Encephalopathy</p> <p><input type="checkbox"/> Epileptic encephalopathy</p> <p><input type="checkbox"/> Familial or sporadic hemiplegic migraine</p> <p><input type="checkbox"/> Focal seizures</p> <p><input type="checkbox"/> Headaches</p> <p><input type="checkbox"/> Hyperreflexia</p> <p><input type="checkbox"/> Infantile spasms</p> <p><input type="checkbox"/> Peripheral neuropathy</p> <p><input type="checkbox"/> Reduced tendon reflexes</p> <p><input type="checkbox"/> Seizures</p> <p><input type="checkbox"/> Sensory neuropathy</p> <p><input type="checkbox"/> Spasticity</p> <p><input type="checkbox"/> Stroke-like episode(s)</p> <p><input type="checkbox"/> Tremors</p> | <p>Cardiac</p> <p><input type="checkbox"/> Abnormal heart morphology</p> <p><input type="checkbox"/> Aortic root dilation</p> <p><input type="checkbox"/> Arrhythmia</p> <p><input type="checkbox"/> Atrial septal defect</p> <p><input type="checkbox"/> Cardiomyopathy</p> <p><input type="checkbox"/> DCM HCM</p> <p><input type="checkbox"/> Coarctation of aorta</p> <p><input type="checkbox"/> Heart murmur</p> <p><input type="checkbox"/> Heterotaxy</p> <p><input type="checkbox"/> Hypertension</p> <p><input type="checkbox"/> Patent ductus arteriosus</p> <p><input type="checkbox"/> Tetralogy of Fallot</p> <p><input type="checkbox"/> Ventricular septal defect</p> | <p>Respiratory</p> <p><input type="checkbox"/> Asthma</p> <p><input type="checkbox"/> Bronchiectasis</p> <p><input type="checkbox"/> Pneumothorax</p> <p><input type="checkbox"/> Pulmonary fibrosis</p> <p><input type="checkbox"/> Recurrent upper respiratory infections</p> <p><input type="checkbox"/> Respiratory distress</p> <p><input type="checkbox"/> Respiratory insufficiency</p> | <p>Hematological or Immunological</p> <p><input type="checkbox"/> Anemia</p> <p><input type="checkbox"/> Bone marrow hypocellularity</p> <p><input type="checkbox"/> Immunodeficiency</p> <p><input type="checkbox"/> Neutropenia</p> <p><input type="checkbox"/> Pancytopenia</p> <p><input type="checkbox"/> Recurrent infections</p> <p><input type="checkbox"/> Recurrent otitis media</p> <p><input type="checkbox"/> Thrombocytopenia</p> <p><input type="checkbox"/> Thromboembolism</p> |
| <p>Craniofacial/Dysmorphism</p> <p><input type="checkbox"/> Abnormal facial shape</p> <p><input type="checkbox"/> Cleft lip</p> <p><input type="checkbox"/> Cleft palate</p> <p><input type="checkbox"/> Craniosynostosis</p> <p><input type="checkbox"/> Downslanted palpebral fissures</p> <p><input type="checkbox"/> Epicanthus</p> <p><input type="checkbox"/> External ear malformation</p> <p><input type="checkbox"/> Facial asymmetry</p> <p><input type="checkbox"/> Frontal bossing</p> <p><input type="checkbox"/> High palate</p> | <p>Gastrointestinal</p> <p><input type="checkbox"/> Abnormality of the liver</p> <p><input type="checkbox"/> Aganglionic megacolon</p> <p><input type="checkbox"/> Cholestasis</p> <p><input type="checkbox"/> Congenital diaphragmatic hernia</p> <p><input type="checkbox"/> Constipation</p> <p><input type="checkbox"/> Diarrhea</p> <p><input type="checkbox"/> Duodenal stenosis/atresia</p> <p><input type="checkbox"/> Exocrine pancreatic insufficiency</p> <p><input type="checkbox"/> Failure to thrive</p> <p><input type="checkbox"/> Feeding difficulties</p> <p><input type="checkbox"/> Gastroesophageal reflux</p> <p><input type="checkbox"/> Gastrointestinal dysmotility</p> <p><input type="checkbox"/> Gastroschisis</p> | <p>Genitourinary</p> <p><input type="checkbox"/> Abnormal renal biopsy: _____</p> <p><input type="checkbox"/> Abnormal urine analysis: _____</p> <p><input type="checkbox"/> Ambiguous genitalia</p> <p><input type="checkbox"/> Chronic kidney disease</p> <p><input type="checkbox"/> Cryptorchidism</p> <p><input type="checkbox"/> Cystic renal dysplasia</p> <p><input type="checkbox"/> Hydronephrosis</p> <p><input type="checkbox"/> Hypospadias</p> <p><input type="checkbox"/> Micropenis</p> <p><input type="checkbox"/> Nephrocalcinosis</p> <p><input type="checkbox"/> Nephrotic syndrome</p> <p><input type="checkbox"/> Nephrolithiasis</p> <p><input type="checkbox"/> Polycystic kidney disease</p> | <p>Vascular System</p> <p><input type="checkbox"/> Aneurysm</p> <p><input type="checkbox"/> Arterial calcification</p> <p><input type="checkbox"/> Arterial dissection</p> <p><input type="checkbox"/> Arteriovenous malformation</p> <p><input type="checkbox"/> Lymphedema</p> <p><input type="checkbox"/> Stroke</p> |
| <p>Additional Clinical Findings:</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> | | | |

RARE DISORDERS TEST REQUISITION FORM

| | | |
|------------|-----------|---------------|
| First Name | Last Name | Date of Birth |
|------------|-----------|---------------|

FAMILY HISTORY

☐ No Known Family History ☐ Pedigree Attached ☐ Adopted

| Relationship | Maternal | Paternal | Relevant History | Age at Dx |
|--------------|-----------------------|-----------------------|------------------|-----------|
| 1 | <input type="radio"/> | <input type="radio"/> | | |
| 2 | <input type="radio"/> | <input type="radio"/> | | |
| 3 | <input type="radio"/> | <input type="radio"/> | | |

PREVIOUS GENETIC TESTING

Personal or family history of genetic testing ☐ No ☐ Yes (If yes, please complete all fields below)

Relation to patient (self, sibling, etc.), Genetic Test(s) and Result (e.g. positive, negative, etc.). If relative was tested at GeneDx, please also provide their accession #:

If patient or relative(s) were found to have a positive or VUS result on prior testing, please provide details below.
Indicate any Variants of Interest[‡] via the checkbox below.

| Relation (self, sibling, etc.) | Gene | Transcript # | c./p. (SNV) or exon # (CNV) | Build, coordinates (CNV) | Variant of Interest [‡] |
|--------------------------------|------|--------------|-----------------------------|--------------------------|----------------------------------|
| 1 | | | | | <input type="checkbox"/> |
| 2 | | | | | <input type="checkbox"/> |
| 3 | | | | | <input type="checkbox"/> |

Required for sequence variants: gene, c./p., transcript #

Required for CNVs: gene, transcript #, exon # OR build, coordinates

Abnormal karyotype, FISH, or other results: _____

[‡] For certain tests, GeneDx **may** be able to specifically comment upon the presence or absence of previously identified variant(s) of interest in the report. Complete variant information must be provided in the table above at the time the test order is placed. If you do not complete the table above and check off that a previously identified variant is a variant of interest, it will not be possible to comment upon the presence or absence of the variant in the report retrospectively. This service is not applicable to targeted variant testing.

TARGETED VARIANT TESTING

Individual to be tested: ☐ Affected/Symptomatic ☐ Unaffected/Asymptomatic

☐ Known Familial Variant(s) in a Nuclear Gene ☐ Confirmation of Variant Identified in Research Lab ☐ Targeted Mosaic Variant Testing*
☐ Known Familial Copy Number Variant(s) ☐ Known mtDNA Variant(s) Testing **Insurance Billing NOT Accepted; Patient Bill or Institutional Bill MUST be selected on page 1*

| | | |
|--------------|-------------------------|----------------------------|
| Proband Name | Relationship to Proband | Proband GeneDx Accession # |
|--------------|-------------------------|----------------------------|

Non-GeneDx Test: ☐ Family member test report included (recommended if previous test was performed at another lab)
☐ Positive control included/will be sent - **Positive control is recommended if previous test was performed at another lab.**
☐ Positive control not available (caveat language will be included on a negative report)

Variant Information (please fill out the below information if family member report is not included) Number of Variants: _____

| | | | |
|------|--------------------|-----------------|------------------|
| Gene | Coding DNA (c./m.) | Amino Acid (p.) | Transcript (NM#) |
| Gene | Coding DNA (c./m.) | Amino Acid (p.) | Transcript (NM#) |

COPY NUMBER VARIANT Number of Variants: _____

| | | | |
|---------|--------|-------------|--------------|
| Gene(s) | Exon # | Coordinates | Genome Build |
| Gene(s) | Exon # | Coordinates | Genome Build |

RARE DISORDERS TEST REQUISITION FORM



| | | |
|------------|-----------|---------------|
| First Name | Last Name | Date of Birth |
|------------|-----------|---------------|

| TEST MENU | | | |
|--|---|-------------------------------|--|
| TEST CODE | TEST NAME | TEST CODE | TEST NAME |
| DERMATOLOGIC DISORDERS | | | |
| <input type="checkbox"/> 707 | Slice — Epidermolysis Bullosa (EB) | <input type="checkbox"/> 708 | Slice — Congenital Ichthyosis |
| <input type="checkbox"/> 553 | Incontinentia Pigmenti — Full Gene Sequencing and Common Deletion (<i>IKBKG/NEMO</i>) | | |
| DYSMORPHOLOGY AND MULTIPLE CONGENITAL ANOMALIES | | | |
| <input type="checkbox"/> 962 | Neurofibromatosis Type 1 Panel | <input type="checkbox"/> 963 | Neurofibromatosis Type 2 Panel |
| <input type="checkbox"/> TA06 | Noonan and Comprehensive RASopathies Panel | | |
| ENDOCRINE DISORDERS | | | |
| <input type="checkbox"/> 676 | Hypogonadotropic Hypogonadism Panel | <input type="checkbox"/> 674 | Maturity-Onset Diabetes of the Young (MODY) Panel |
| HEMATOLOGIC DISORDERS | | | |
| <input type="checkbox"/> TB47 | Dyskeratosis Congenita Panel | <input type="checkbox"/> 109 | Shwachman-Diamond Syndrome (<i>SBDS</i> gene sequencing) |
| <input type="checkbox"/> 107 | Dyskeratosis Congenita, Autosomal Dominant (<i>TERC</i> gene sequencing) | | |
| IMMUNOLOGIC DISORDERS | | | |
| <input type="checkbox"/> T990 | Autoimmune Lymphoproliferative Syndrome (ALPS) Panel | <input type="checkbox"/> TA48 | Severe Congenital Neutropenia, Autosomal Dominant (<i>ELANE/ELA2</i>) |
| <input type="checkbox"/> T989 | Chronic Granulomatous Disease (CGD) Panel | | |
| NEUROLOGIC DISORDERS | | | |
| <input type="checkbox"/> 526 | Cerebral Cavernous Malformations Panel | <input type="checkbox"/> 552 | X-linked Hydrocephalus, X-linked Spastic Paraplegia, Masa, Crash Syndrome (<i>L1CAM</i>) |
| PULMONARY DISORDERS | | | |
| <input type="checkbox"/> T829 | Cystic Fibrosis/Congenital Bilateral Absence of The Vas Deferens (<i>CFTR</i> sequencing and del/dup analysis) | <input type="checkbox"/> TB46 | Primary Ciliary Dyskinesia Panel |
| RENAL AND GASTROINTESTINAL DISORDERS | | | |
| <input type="checkbox"/> TG21 | Alport Syndrome Panel | <input type="checkbox"/> TH01 | Nephrolithiasis and Nephrocalcinosis Panel |
| <input type="checkbox"/> TG23 | Cystic Kidney and Liver Diseases Panel | <input type="checkbox"/> TG22 | Polycystic Kidney Disease Panel |
| <input type="checkbox"/> TG98 | Hypokalemia and Related Disorders Panel | <input type="checkbox"/> TG90 | Primary Hyperoxaluria Panel |
| <input type="checkbox"/> TG99 | Nephrotic Syndrome/Focal Segmental Glomerulosclerosis Panel | | |
| REPRODUCTIVE DISORDERS | | | |
| <input type="checkbox"/> 522 | FMR1-associated Premature Ovarian Failure, CGG Repeat Analysis Only (<i>FMR1</i>) | <input type="checkbox"/> 677 | Premature Ovarian Failure Panel |
| RHEUMATOLOGIC DISORDERS | | | |
| <input type="checkbox"/> 367 | Periodic Fever Syndromes Panel: Familial Hibernian fever/TRAPS; Familial Mediterranean fever; Hyper-IgD syndrome; Muckle Wells/familial cold urticaria, NOMID; Cyclic neutropenia; PAPA syndrome; Majeed syndrome | | |
| SKELETAL DISORDERS | | | |
| <input type="checkbox"/> T992 | Autosomal Dominant Osteogenesis Imperfecta Panel | <input type="checkbox"/> TA42 | Limb Abnormalities and Reduction Defects Panel |
| <input type="checkbox"/> TA40 | Craniosynostosis Panel | <input type="checkbox"/> J797 | Osteogenesis Imperfecta Panel |
| <input type="checkbox"/> TA43 | Skeletal Dysplasia Panel | | |
| CUSTOM DEL/DUP TESTING | | | |
| <input type="checkbox"/> 906 | Deletion/Duplication Analysis of ONE Nuclear Gene | <input type="checkbox"/> 703 | Deletion/Duplication Analysis of 2-20 Nuclear Genes |
| Write-in Desired Gene(s) to be Tested: _____ | | | |
| WRITE-IN TEST SELECTION | | | |
| <input type="checkbox"/> Test Code: _____ Test Name: _____ | | | |

GeneDx tests are frequently updated and improved based upon the most recent scientific evidence. The test codes, genes, and gene quantities listed on this test requisition are subject to change by GeneDx at any time. The most current test menu, list of genes, and technical limitations included for a specific test panel may be found on our website, [genedx.com](https://www.genedx.com). Please note that GeneDx reserves the right to modify and upgrade any ordered panel to the version currently listed on our website.

| | | |
|------------|-----------|---------------|
| First Name | Last Name | Date of Birth |
|------------|-----------|---------------|

For the purposes of this consent, “I”, “my”, and “your” will refer to me or to my child, including my unborn child, if my child is the person for whom the healthcare provider has ordered testing.

PURPOSE OF THIS TEST

The purpose of this test is (a) to see if I may have a genetic variant or chromosome rearrangement causing a genetic disorder; or (b) to evaluate the chance that I will develop or pass on a genetic disorder in the future. If I already know the specific gene variant(s) or chromosome rearrangement that causes the genetic disorder in my family, I agree to inform the laboratory of this information.

WHAT TYPE OF TEST RESULTS CAN I EXPECT FROM GENETIC TESTING?

1. **Positive:** A change in your DNA was found, which is very likely the cause of your features/symptoms. This is the most straightforward test result, which can be used as the basis to test other family members to determine their chances of having either the disease or a child with the disease.
2. **Negative:** No variants were found to explain your symptoms. This does not mean that you do not have a genetic condition. It is still possible that there is a genetic variant not found by the test that was ordered. Your healthcare provider or genetic counselor may discuss more testing either now or in the future.
3. **Variant of Uncertain Significance (VUS):** A change in a gene was found. However, we are not sure whether this variant is the cause of your symptoms/features. More information is needed. We may suggest testing other family members to help figure out the meaning of the test result.
4. **Unexpected Results (ACMG Secondary Findings):** In rare instances, this test may reveal an important genetic change that is not directly related to the reason for ordering this test. For example, this test may find you are at risk for another genetic condition I am not aware of or it may indicate differences in the number or rearrangement of sex chromosomes. We may disclose this information to the ordering healthcare provider if it likely affects medical care.

Because medical and scientific knowledge is constantly changing, new information that becomes available may supplement the information GeneDx used to interpret my results. Healthcare providers can contact GeneDx at any time to discuss the classification of an identified variant.

WHAT IS TRIO/DUO-BASED GENETIC TESTING?

For some genetic tests, including samples from the biological parents and/or other biological relatives along with the patient’s sample can help with the interpretation of the test results. These tests are often referred to as “trio tests” since they typically include samples from the patient and both parents.

Samples from relatives should be submitted with the patient’s sample. Clinical information must be provided for the patient and any relative who submits a sample.

I understand that GeneDx will use the relative sample(s) when needed for the interpretation of my test results and that my test report may include clinical and genetic information about a relative when it is relevant to the interpretation of the test results. I further understand that relatives will not receive an independent analysis of data nor a separate report.

RISKS AND LIMITATIONS OF GENETIC TESTING

1. In some cases, testing may not identify a genetic variant even though one exists. This may be due to limitations in current medical knowledge or testing technology.
2. Accurate interpretation of test results may require knowing the true biological relationships in a family. I understand that if I fail to accurately state the biological relationships in my family, it could lead to incorrect interpretation of the test results, incorrect diagnoses, and/or inconclusive test results. If genetic testing reveals that the true biological relationships in a family are not as I reported them, including non-paternity (the reported father is not the biological father) and consanguinity (the parents are related by blood), I agree to have these findings reported to the healthcare provider who ordered the test.
3. Although genetic testing is highly accurate, inaccurate results may occur. These reasons include, but are not limited to mislabeled samples, inaccurate reporting of clinical/medical information, rare technical errors, or other reasons.
4. I understand that this test may not detect all of the long-term medical risks that I might experience. The result of this test does not guarantee my health and that additional diagnostic tests may still need to be done.
5. I agree to provide an additional sample if the initial sample is not adequate.

PATIENT CONFIDENTIALITY AND GENETIC COUNSELING

It is recommended that I receive genetic counseling before and after having this genetic test. I can find a genetic counselor in my area at www.nsgc.org. Further testing or additional consultations with a healthcare provider may be necessary.

To maintain confidentiality, test results will only be released to the referring healthcare provider, the ordering laboratory, to me, to other healthcare providers involved in my care, diagnosis and treatment, or to others with my consent or as permitted or required by law. Federal laws prohibit unauthorized disclosure of this information. More information can be found at: www.genome.gov/10002077

SAMPLE RETENTION

After testing is complete, my sample may be de-identified and be used for test development and improvement, internal validation, quality assurance, and training purposes. GeneDx will not return DNA samples to you or to referring healthcare providers, unless specific prior arrangements have been made.

I understand that samples from residents of New York State will not be included in the de-identified research studies described in this authorization and GeneDx will not retain them for more than 60 days after test completion, unless specifically authorized by my selection. The authorization is optional, and testing will be unaffected if I do not check the box for the New York authorization language. GeneDx will not perform any tests on the biological sample other than those specifically authorized.

DATABASE PARTICIPATION

De-identified health history and genetic information can help healthcare providers and scientists understand how genes affect human health. Sharing this de-identified information helps healthcare providers to provide better care for their patients and researchers to make new discoveries. GeneDx shares this type of information with healthcare providers, scientists, and healthcare databases. GeneDx will not share any personally identifying information and will replace the identifying information with a unique code not derived from any personally identifying information. Even with a unique code, there is a risk that I could be identified based on the genetic and health information that is shared. GeneDx believes that this is unlikely, though the risk is greater if I have already shared my genetic or health information with public resources, such as genealogy websites.

EPILEPSY PARTNERSHIP PROGRAM PARTICIPATION

I understand that GeneDx will send de-identified test results data, excluding ACMG secondary findings, to third parties for research or commercial purposes and that GeneDx is compensated for the provision of testing services and for data sharing with third parties that is compliant with applicable law. At no time will GeneDx share any patient personally identifiable information. GeneDx may share contact information for providers listed on the Test Requisition Form with third parties.

| | | |
|------------|-----------|---------------|
| First Name | Last Name | Date of Birth |
|------------|-----------|---------------|

PATIENT RECONTACT FOR RESEARCH PARTICIPATION

GeneDx may collaborate with other scientists, researchers and drug developers to advance knowledge of genetic diseases and to develop new treatments. If there are opportunities to participate in research relevant to the disorder in (my/my child's) family, GeneDx may contact my healthcare provider for research purposes, such as the development of new testing, drug development, or other treatment modalities. In some situations, such as if my healthcare provider is not available, I may be contacted directly. I can opt out of being contacted directly regarding any of the above activities by having my healthcare provider check the box for Patient Research Opt-Out. Any research that results in medical advances, including new products, tests or discoveries, may have potential commercial value and may be developed and owned by GeneDx or the collaborating researchers. If any individuals or corporations benefit financially from these studies, no compensation will be provided to (me/my child) or to (my/my child's) heirs.

EXOME/GENOME SEQUENCING SECONDARY FINDINGS

- Applicable only for full exome sequencing and genome sequencing tests
- Does not pertain to *Xpanded*[®] or Slice tests

As many different genes and conditions are analyzed in an exome or genome sequencing test, these tests may reveal some findings not directly related to the reason for ordering the test. Such findings are called "incidental" or "secondary" and can provide information that was not anticipated.

Secondary findings are variants, identified by an exome or genome sequencing test, in genes that are unrelated to the individual's reported clinical features.

The American College of Medical Genetics and Genomics (ACMG) has recommended that secondary findings identified in a specific subset of medically actionable genes associated with various inherited disorders be reported for all probands undergoing exome or genome sequencing. Please refer to the latest version of the ACMG recommendations for reporting of secondary findings in clinical exome and genome sequencing for complete details of the genes and associated genetic disorders. Reportable secondary findings will be confirmed by an alternate test method when needed.

WHAT WILL BE REPORTED FOR THE PATIENT?

All pathogenic and likely pathogenic variants associated with specific genotypes identified in the genes (for which a minimum of 10X coverage was achieved by exome sequencing or a minimum of 15X coverage was achieved by genome sequencing), as recommended by the ACMG.

WHAT WILL BE REPORTED FOR RELATIVES?

The presence or absence of any secondary finding(s) reported for the proband will be provided for all relatives analyzed by an exome or genome sequencing test.

LIMITATIONS

Pathogenic and/or likely pathogenic variants may be present in a portion of the gene not covered by this test and therefore are not reported. The absence of reportable secondary findings for any particular gene does not mean there are no pathogenic and/or likely pathogenic variants in that gene. Pathogenic variants and/or likely pathogenic variants that may be present in a relative, but are not present in the proband, will not be identified nor reported. Only changes at the sequence level will be reported in the secondary findings report. Larger deletions/duplications, abnormal methylation, triplet repeat or other expansion variants, or other variants not routinely identified by clinical exome and genome sequencing will not be reported.

FINANCIAL AGREEMENT AND GUARANTEE

For insurance billing, I understand and authorize GeneDx to bill my health insurance plan on my behalf, to release any information required for billing, and to be my designated representative for purposes of appealing any denial of benefits. I irrevocably assign to and direct that payment be made directly to GeneDx.

I understand that my out-of-pocket costs may be different than the estimated amount indicated to me by GeneDx as part of a benefit investigation. I agree to be financially responsible for any and all amounts as indicated on the explanation of benefits issued by my health insurance plan. If my insurance provider sends a payment directly to me for services performed by GeneDx on my behalf, I agree to endorse the insurance check and forward it to GeneDx within 30 days of receipt as payment towards GeneDx's claim for services rendered.

By signing this form: (i) I acknowledge that I have read or have had read to me the GeneDx Informed Consent document, and understand the information regarding genetic testing; (ii) I have had the opportunity to ask questions about the testing, the procedure, the risks, and the alternatives; (iii) I authorize GeneDx to perform genetic testing as ordered; (iv) I understand that, for tests that evaluate data from multiple family members concurrently, test results from these family members may be included in a single comprehensive report that will be made available to all tested individuals and their healthcare providers; (v) if at any time I or my provider provide an email address or mobile phone number at which I may be contacted, I consent to receiving email or text messages from GeneDx; and (vi) I understand that this consent applies to all future communications unless I request a change in writing.

- ☐ **Secondary Findings Opt-out.** Check this box if you do not wish to receive ACMG secondary findings (Full Exome Sequencing and Genome Sequencing Tests ONLY; not for *Xpanded*[®] or Slice tests).
- ☐ **New York Retention Opt-in.** By checking this box, I confirm that I am a New York State resident, and I give permission for GeneDx to retain any remaining sample longer than 60 days after the completion of testing, and to be used as a de-identified sample for test development and improvement, internal validation, quality assurance, and training purposes. Otherwise, New York law requires GeneDx to destroy my sample within 60 days, and it cannot be used for test development studies.
- ☐ **Patient Research Opt-out.** Check this box if you wish to opt out of being contacted for research studies.
- ☐ **Health Information Exchange Opt-in.** Check this box if you reside in CA, FL, MA, NV, NY, RI, and VT and wish to opt-in to my health information to be shared for Health Information Exchange participation.
- ☐ **Health Information Exchange Opt-out.** Check this box if you reside in any other US state or territory and wish to opt-out of participation in Health Information Exchange.

| | | |
|--|------------------------------------|------|
| Signature of Patient/Legal Guardian (required) | | Date |
| Signature of Relative A/Legal Guardian | Relative A Relationship to Patient | Date |
| Signature of Relative B/Legal Guardian | Relative B Relationship to Patient | Date |