



# Product Brochure

## Dongguan Tcang Electronics Co., Ltd.


ODM/OEM POS machine hardware manufacturer

### Company Introduction

Founded in 2010, Dongguan Tcang Electronics Co., Ltd. is an enterprise dedicates to research and development, manufacturing of POS machine and provide comprehensive associated technical services for Point of Sale (POS system). As a professional POS manufacturer, Tcang commits itself in the long term to providing its client with security, qualified, good cost performance POS terminal and trying best to meet the customer's request.



## EXHIBITIONS




### Why Choose Us?

- AI Design**
    - Professional design team
    - Rich industry experience
  - Mold Making**
    - Standard operating procedures
    - High-quality supplier resources
  - Product Assembly**
    - 20+ years mold making experience
    - 10+ years experience accumulation
  - Android & Windows product**
    - Integrity, profession, efficiency
    - Fast response time and energetic problem-solving ability
- Highly-efficient execution  
Strict quality control  
Perfect after-sales service  
Quick feedback speed  
Good at non-standard design

### International Certification



### 15 inch Smart POS System TC-TOUCH-A8



- Fashionable design. Light body, save rooms. Aluminum metal housing
- Easy to change customer display without screwdriver.
- Easy to install MSR and other accessories.
- Easy to replace 2.5" hard disk without opening the whole machine.
- High standard of waterproof and dustproof (IP54).
- IO panel is on the top. Stand hide all the cables.



### SYSTEM CONFIGURATION

<b>CPU</b> J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (Support Core i3/ i5/ i7 CPU)	<b>Display</b> 15" Capacitive touch screen LED	<b>Interface</b> J6412:DC(1), RS232(2), USB(6), RJ45(1), VGA(1), RJ11(1), AUDIO(1)
<b>OS OS Support</b> Windows 10/11, Linux	<b>Resolution</b> 1024 x 768	<b>Packing size</b> 42.5*40.5*26 cm
<b>RAM</b> 4G/ 8G	<b>Optional</b> MSR, WIFI, Ibutton, Speaker, Fingerprint reader, RFID (only read/ read+write), 2*20 LCD customer display, 2*20 VFD customer display, 10.1 inch customer display (1280*800)	<b>Weight</b> Net weight:7 kg Volumn weight:12kg
<b>SSD</b> mSATA 128G/ 256G SSD		

### 15 inch Smart POS System TC-TOUCH-A8II



- Fashionable design. Light body, save rooms.
- Aluminum alloy housing and stand
- Easy to install MSR and other accessories.
- High standard of waterproof and dustproof (IP54).
- IO panel is in the bottom. Stand hide all the cables.



### SYSTEM CONFIGURATION

<b>CPU</b> J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (Support Core i3/ i5/ i7 CPU)	<b>Display</b> 15" Capacitive touch screen LED	<b>Interface</b> J6412:DC(1), RS232(2), USB(6), RJ45(1), VGA(1), RJ11(1), AUDIO(1)
<b>OS OS Support</b> Windows 10/11, Linux	<b>Resolution</b> 1024 x 768	<b>Packing size</b> 42.5*40.5*26 cm
<b>RAM</b> 4G/ 8G	<b>Optional</b> MSR, WIFI, Ibutton, Speaker, Fingerprint reader, RFID (only read/ read+write), 2*20 LCD customer display, 2*20 VFD customer display, 10.1 inch customer display (1280*800)	<b>Weight</b> Net weight:7 kg Volumn weight:12kg
<b>SSD</b> mSATA 128G/ 256G SSD		

### 15 inch Smart POS System TC-TOUCH-A8III



- Light design, good heating with plastic body
- Cost-effective model
- Support foldable stand to save packing rooms
- Easy to install MSR and other accessories.
- IO panel is in the bottom. Stand hide all the cables.




### SYSTEM CONFIGURATION

<b>CPU</b> J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (Support Core i3/ i5/ i7 CPU)	<b>Display</b> 15.6" Capacitive touch screen LED TFT	<b>Interface</b> J6412:DC(1), RS232(2), USB(6), RJ45(1), VGA(1), RJ11(1), AUDIO(1)
<b>OS OS Support</b> Windows 10/11, Linux	<b>Resolution</b> 1024 x 768	<b>Packing size</b> 42.5*40.5*26 cm
<b>RAM</b> 4G/ 8G	<b>Optional</b> MSR, WIFI, Ibutton, Speaker, Fingerprint reader, RFID (only read/ read+write), 2*20 LCD customer display, 2*20 VFD customer display, 10.1 inch customer display (1280*800)	<b>Weight</b> Net weight:7 kg Volumn weight:12kg
<b>SSD</b> mSATA 128G/ 256G SSD		

## 15 inch Smart POS System TC-TOUCH-1508H



- Classic design and stable quality
- Special specification with competitive price
- Support foldable stand to save packing rooms
- High standard of waterproof and dustproof
- IO panel is in the bottom. Stand hide all the cables.



Metal Body



MSR



SSD



Hide Wire



### APPLICATION



### Customer display



Single screen



10.1 inch LCD



2\*20 LCD/VFD

### SYSTEM CONFIGURATION

<p><b>CPU</b> J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (support Core i3/ i5/ i7 CPU)</p> <p><b>OS OS Support</b> Windows 10/11, Linux</p> <p><b>RAM</b> 4G/ 8G</p> <p><b>SSD</b> mSATA 128G/ 256G SSD</p>	<p><b>Display</b> 15" Capacitive touch screen LED</p> <p><b>Resolution</b> 1024 x 768</p> <p><b>Optional</b> MSR,WIFI, iButton,Speaker, Fingerprint reader,RFID (only read/ read+write), 2*20 LCD customer display, 2*20 VFD customer display, 10.1 inch customer display (1280*800)</p>	<p><b>Interface</b> J6412: DC(1), RS232(2), USB(6), RJ45(1), VGA(1), RJ11(1), AUDIO(1)</p> <p><b>Packing size</b> 42.5*40.5*26 cm</p> <p><b>Weight</b> Net weight:7 kg Volumn weight:12kg</p>
--	--	---

## 11.6 inch All-in-One POS System TC-TOUCH-D1



- 11.6 inch semi-horizontal design
- High resolution: 1366\*768
- Customer display:2\*20VFD/5 inch display (800\*480)
- Support built-in 5200mAh battery for 4-6 hours
- Optional 58/80mm thermal printer, Scanner,RFID



Thermal printer




Hide Wire



Battery



2nd Screen



MSR



### APPLICATION



### Customer display



Scanner / 2\*20VFD / RFID



5.5 inch LCD

### SYSTEM CONFIGURATION

<p><b>CPU</b> Android: RK3288: Quad core 1.8GB RK3568: Quad core Cortex-A55 up to 2.0GHz Windows: J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (support Core i3/ i5/ i7 CPU)</p> <p><b>OS OS Support</b> Android :RK3288: Android 9.0 RK3568: Android 11 Windows:Windows 7/10/11, Linux</p> <p><b>RAM</b> Android:2G Windows:4G/ 8G</p> <p><b>SSD</b> Android:32G Windows:mSATA 128G/ 256G SSD</p>	<p><b>Display</b> 11.6" Multi-point Capacitive touch screen</p> <p><b>Resolution</b> 1366* 768</p> <p><b>Printer</b> Built-in 58mm or 80mm thermal receipt printer 58mm Printing Speed 70mm/s,80mm Printing Speed 150mm/s Work Life 50 km,Paper Roll: Max Diameter 80mm</p> <p><b>Optional</b> Android:Battery(5200 mAh 12V) MSR, Speaker,RFID (only read/ read+write), 2D barcode scanner,2*20 VFD customer display, 5 inch LCD customer display (800*480) Windows:MSR, Speaker,WIFI module,RFID (only read/ read+write), 2D barcode scanner,2*20 VFD customer display, 5 inch LCD customer display (800*480)</p>	<p><b>Interface</b> Android : RK3568: DC(1), RS232(1), USB(5), RJ45(1), RJ11(1), Audio(1), SIM (1), TF(1) Windows : J6412: DC(1), RS232(2), USB(5), RJ45(1), VGA(1), RJ11(1), AUDIO(1)</p> <p><b>Packing size</b> 39.5*37.5*16cm</p> <p><b>Volumn weight</b> Net weight: 4kg Volumn weight:8.5 kg</p>
---	--	---

## 15.6 inch All-in-One POS System TC-TOUCH-K10



- 15.6 inch capacitive landscape screen
- Built-in quick-speed 1D 2D scanner platform
- Built-in 80mm thermal printer with big paper roll rooms
- Support different size customer display
- Support black and white color housing



2nd Screen



MSR



Scan



Thermal Printer



Hide Wire



### APPLICATION



### Customer display



Single screen



11.6 / 15.6 inch LCD

### Plastic cover with metal structure

Available in three colors



### SYSTEM CONFIGURATION

<p><b>CPU</b> Android: RK3288: Quad core 1.8GB RK3568: Quad core Cortex-A55 up to 2.0GHz Windows: J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (support Core i3/ i5/ i7 CPU)</p> <p><b>OS OS Support</b> Android :RK3288: Android 9.0 RK3568: Android 11 Windows:Windows 10/11, Linux</p> <p><b>RAM</b> Android:2G Windows:4G/ 8G</p> <p><b>SSD</b> Android:32G Windows:mSATA 128G/ 256G SSD</p>	<p><b>Display</b> 15.6" Capacitive touch screen LED</p> <p><b>Resolution</b> 1366* 768 (Option: 1920*1080P)</p> <p><b>Optional</b> Android:MSR,iButton,Speaker,Fingerprint reader, RFID (only read/ read+write), 2*20 VFD customer display, 11.6 inch customer display (no touch, 1366*768), 15.6 inch customer display (with touch, 1366*768) Windows:MSR,WIFI, iButton,Speaker,Fingerprint reader, RFID (only read/ read+write), 2*20 VFD customer display, 11.6 inch customer display (no touch, 1366*768), 15.6 inch customer display (with touch, 1366*768)</p>	<p><b>Printer</b> Built-in 80mm thermal receipt printer Printing Speed: 150mm/s, Work Life: 50 km Paper Roll: Max Diameter 80mm</p> <p><b>Scanner</b> Built-in scanner - support 1D, 2D QR code</p> <p><b>Interface</b> Android : RK3568: DC(1), RS232(1), USB(5), RJ45(1), RJ11(1), Audio(1), SIM (1), TF(1) Windows : J6412: DC(1), RS232(2), USB(5), RJ45(1), VGA(1), RJ11(1), AUDIO(1)</p> <p><b>Packing size</b> 30*45*50 cm</p> <p><b>Weight</b> Net weight: 8.8 kg Volumn weight: 19 kg</p>
---	--	--

## 15.6 inch All-in-One POS System TC-TOUCH-K11



- 15.6 inch capacitive portrait screen
- Built-in quick-speed 1D 2D scanner platform
- Built-in 80mm thermal printer with big paper roll rooms
- 15.6 inch landscape customer display with touch
- Suit for different working environment



2nd Screen



MSR



Scan



Thermal Printer



Hide Wire



### APPLICATION



### Plastic cover with metal structure

Available in three colors



### SYSTEM CONFIGURATION

<p><b>CPU</b> Android: RK3288: Quad core 1.8GB RK3568: Quad core Cortex-A55 up to 2.0GHz Windows: J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (support Core i3/ i5/ i7 CPU)</p> <p><b>OS OS Support</b> Android :RK3288: Android 9.0 RK3568: Android 11 Windows:Windows 10/11, Linux</p> <p><b>RAM</b> Android:2G Windows:4G/ 8G</p> <p><b>SSD</b> Android:32G Windows:mSATA 128G/ 256G SSD</p>	<p><b>Display</b> 15.6" Capacitive touch screen LED</p> <p><b>Resolution</b> 1366* 768 (Option: 1920*1080P)</p> <p><b>Optional</b> Android:MSR,iButton,Speaker,Scanner platform (1D+2D), RFID (only read/ read+write), 2*20 VFD customer display, 11.6 inch customer display (no touch, 1366*768), 15.6 inch customer display (with touch, 1366*768) Windows:MSR,WIFI,Speaker,Scanner platform (1D+2D), RFID (only read/ read+write), 2*20 VFD customer display, 11.6 inch customer display (no touch, 1366*768), 15.6 inch customer display (with touch, 1366*768)</p>	<p><b>Printer</b> Built-in 80mm thermal receipt printer Printing Speed: 150mm/s, Work Life: 50 km Paper Roll: Max Diameter 80mm</p> <p><b>Scanner</b> Built-in scanner - support 1D, 2D QR code</p> <p><b>Interface</b> Android : RK3568: DC(1), RS232(1), USB(5), RJ45(1), RJ11(1), Audio(1), SIM (1), TF(1) Windows : J6412: DC(1), RS232(2), USB(5), RJ45(1), VGA(1), RJ11(1), AUDIO(1)</p> <p><b>Packing size</b> 68*48*38 cm</p> <p><b>Weight</b> Net weight: 10.6 kg Volumn weight: 25 kg</p>
---	---	---

## 15.6 inch All-in-One POS System TC-TOUCH-K12



- 15.6 inch capacitive portrait screen
- Built-in quick-speed 1D 2D scanner platform
- Built-in 80mm thermal printer with big paper roll rooms
- Support wall-mounted stand
- Support customized service in logo



Scan




Thermal Printer



MSR



Hide Wire



### APPLICATION



## 15 inch Smart POS System TC-TOUCH-A8S



- Easy design to detach
- 17mm ultra-thin screen
- High performance processor foldable and rotatable design
- All-aluminum design available in three colors
- Available customer display with just one cable
- Fanless operation with waved back cover design



### APPLICATION



### Customer display



### Aluminum alloy stand

Available in three colors,featuring an all-aluminum design.



### Folding stand

Stand could be foldable to reduce the package size.




## SYSTEM CONFIGURATION

<b>CPU</b> Android: RK3568: Quad-core Cortex-A55 up to 2.0GHz Windows: J6412: Quad core 2.0GHz Intel N95:Quad d core 1.7GHz~3.4GHz (support: i3-12th/i5-12th CPU)	<b>Display</b> 15" Capacitive touch screen LED	<b>Interface</b> Android : RK3568: DC(1), RS232(1), USB(5), RJ45(1), RJ11(1), Audio(1), Type C (1), SIM (1), TF(1) Windows : J6412-DC(1), RS232(2), USB(6), RJ45(1), HDMI(1), RJ11(1), AUDIO(1), Type-C (1)
<b>OS Support</b> Android :RK3568: Android 11 Windows:Windows 10/11, Linux	<b>Resolution</b> 1024*768	<b>Packing size</b> 43*18.5*42 cm
<b>RAM</b> Android:2G Windows:4G/ 8G	<b>Optional</b> Android:MSR,Speaker,2*20 VFD customer display, 11.6 inch customer display (1366*768), Windows:MSR,WiFi, Speaker,2*20 VFD customer display, 11.6 inch customer display (1366*768),	<b>Weight</b> Net weight: 3 kg Volum weight: 3.8 kg
<b>SSD</b> Android:32G Windows:mSATA 128G/ 256G SSD		

## 15.6 inch Smart POS System TC-TOUCH-A9S



- Easy design to detach
- 7mm ultra-thin screen
- High performance processor foldable and rotatable design
- All-aluminum design available in three colors
- Available customer display with just one cable
- Fanless operation with waved back cover design



### APPLICATION



### Customer display



### Aluminum alloy stand

Available in three colors,featuring an all-aluminum design.



### Folding stand

Stand could be foldable to reduce the package size.




## SYSTEM CONFIGURATION

<b>CPU</b> Android: RK3568: Quad-core Cortex-A55 up to 2.0GHz Windows: J6412: Quad core 2.0GHz Intel N95:Quad d core 1.7GHz~3.4GHz (support: i3-12th/i5-12th CPU)	<b>Display</b> 15.6" Capacitive touch screen LED	<b>Interface</b> Android : RK3568: DC(1), RS232(1), USB(5), RJ45(1), RJ11(1), Audio(1), Type C (1), SIM (1), TF(1) Windows : J6412-DC(1), RS232(2), USB(6), RJ45(1), HDMI(1), RJ11(1), AUDIO(1), Type-C (1)
<b>OS Support</b> Android :RK3568: Android 11 Windows:Windows 10/11, Linux	<b>Resolution</b> 1366*768 (Option: 1920*1080P)	<b>Packing size</b> 43*18.5*42 cm
<b>RAM</b> Android:2G Windows:4G/ 8G	<b>Optional</b> Android:MSR,Speaker,2*20 VFD customer display, 11.6 inch customer display (1366*768), Windows:MSR,WiFi, Speaker,2*20 VFD customer display, 11.6 inch customer display (1366*768),	<b>Weight</b> Net weight: 3 kg Volum weight: 3.8 kg
<b>SSD</b> Android:32G Windows:mSATA 128G/ 256G SSD		

## 15.6 inch Smart POS System TC-TOUCH-A9



- Light body, save rooms.
- Easy to install MSR and other accessories.
- Support OS: Windows, Android, Linux
- Stable aluminum stand, stand back cover can hide the wire.
- Suit for different working environment



### APPLICATION




### Customer display



## SYSTEM CONFIGURATION

<b>CPU</b> Android: RK3288: Quad-core 1.8GHz RK3568: Quad-core Cortex-A55 up to 2.0GHz Windows: J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (support Core i3/ i5/ i7 CPU)	<b>Display</b> 15.6" Capacitive touch screen LED	<b>Interface</b> Android : RK3568: DC(1), RS232(1), USB(5), RJ45(1), RJ11(1), Audio(1), SIM (1), TF(1) Windows : J6412: DC(1), RS232(2), USB(5), RJ45(1), VGA(1), RJ11(1), AUDIO(1)
<b>OS Support</b> Android :RK3288: Android 9.0 RK3568: Android 11 Windows:Windows 10/11, Linux	<b>Resolution</b> 1366*768 (Option: 1920*1080P)	<b>Packing size</b> 42.5*40.5*26 cm
<b>RAM</b> Android:2G Windows:4G/ 8G	<b>Optional</b> Android:MSR, iButton,Speaker, Fingerprint reader,RFD (only read/ read+write), 2*20 LCD customer display, 2*20 VFD customer display, 11.6 inch customer display (1366*768) Windows:MSR,WiFi, iButton,Speaker, Fingerprint reader,RFD (only read/ read+write), 2*20 LCD customer display, 2*20 VFD customer display, 11.6 inch customer display (1366*768)	<b>Weight</b> Net weight:7 kg Volum weight:12kg
<b>SSD</b> Android:32G Windows:mSATA 128G/ 256G SSD		

## 15 inch All-in-One POS System TC-TOUCH-A9-P



- Light body, save rooms.
- Easy to install MSR
- Support OS: Windows, Android, Linux
- Stable aluminum stand with built-in thermal printer
- Suit for different working environment



### APPLICATION




### Customer display




## SYSTEM CONFIGURATION

<b>CPU</b> Android: RK3288: Quad-core 1.8GHz RK3568: Quad-core Cortex-A55 up to 2.0GHz Windows: J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (support Core i3/ i5/ i7 CPU)	<b>Display</b> 15.6" Capacitive touch screen LED	<b>Interface</b> Android : RK3568: DC(1), RS232(1), USB(5), RJ45(1), RJ11(1), Audio(1), SIM (1), TF(1) Windows : J6412: DC(1), RS232(2), USB(5), RJ45(1), VGA(1), RJ11(1), AUDIO(1)
<b>OS Support</b> Android :RK3288: Android 9.0 RK3568: Android 11 Windows:Windows 10/11, Linux	<b>Resolution</b> 1024 x 768	<b>Packing size</b> 42.5*40.5*26 cm
<b>RAM</b> Android:2G Windows:4G/ 8G	<b>Optional</b> MSR,WiFi, iButton,Speaker, Fingerprint reader,RFD (only read/ read+write), 2*20 LCD customer display, 2*20 VFD customer display, 10.1 inch customer display (1280*800)	<b>Weight</b> Net weight: 7kg Volum weight:12kg
<b>SSD</b> Android:32G Windows:mSATA 128G/ 256G SSD		

## 15 inch Smart POS System TC-TOUCH-C200



- Aluminum body with classic plastic stand.
- Qualified configuration and competitive price
- Easy to install MSR and other accessories.
- Easy to replace 2.5" hard disk without opening the whole machine.
- IO panel is on the bottom, which is convenient to find the corresponding port.



### APPLICATION



### Customer display



## SYSTEM CONFIGURATION


<b>CPU</b> J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J6412: Quad core 2.0GHz (support Core i3/ i5/ i7 CPU)	<b>Display</b> 15" Capacitive touch screen LED	<b>Interface</b> J6412: DC(1), RS232(2), USB(6), RJ45(1), VGA(1), RJ11(1), AUDIO(1)
<b>OS Support</b> Windows 10/11, Linux	<b>Resolution</b> 1024 x 768	<b>Packing size</b> 42.5*40.5*26 cm
<b>RAM</b> 4G/ 8G	<b>Optional</b> MSR,WiFi, iButton,Speaker, Fingerprint reader,RFD (only read/ read+write), 2*20 LCD customer display, 2*20 VFD customer display, 10.1 inch customer display (1280*800)	<b>Weight</b> Net weight: 7kg Volum weight:12kg
<b>SSD</b> mSATA 128G/ 256G SSD		

## 21.5 inch Self Service Kiosk

### TC-TOUCH-K215



- 21.5 inch capacitive landscape screen
- Built-in quick-speed 1D 2D scanner platform
- Built-in 80mm thermal printer with big paper roll rooms
- Support wall-mounted stand and floor stand
- Support black and white color housing



2nd Screen

MSR

Scan

Thermal Printer

Hide Wire

## APPLICATION



### Customer display



Single screen



15.6 inch LCD

### Aluminum alloy stand

Available in three colors,featuring an all-aluminum design.



## SYSTEM CONFIGURATION


<b>CPU</b> Android: RK3288: Quad core 1.8GB RK3568: Quad core Cortex-A55 up to 2.0GHz Windows: J1900: Quad core 2.0GHz J4125: Quad core 2.0GHz J8412: Quad core 2.0GHz	<b>Display</b> 21.5" Capacitive touch screen LED	<b>Printer</b> Built-in 80mm thermal receipt printer Printing Speed: 150mm/s, Work Life: 50 km Paper Roll: Max Diameter 80mm
<b>OS Support</b> Android RK3288: Android 9.0 RK3568: Android 11 Windows: Windows 10/11, Linux	<b>Resolution</b> 1920*1080P	<b>Interface</b> Android: RK3568: DC(1), RS232(1), USB(5), RJ45(1), RJ11(1), Audio(1), SIM (1), TF(1) Windows: J6412: DC(1), RS232(2), USB(5), RJ45(1), VGA(1), RJ11(1), AUDIO(1)
<b>RAM</b> Android:2G Windows:4G/ 8G	<b>Optional</b> Android:MSR,Speaker,RFID (only read/ read+write), Windows:MSR,WiFi, Speaker,RFID (only read/ read+write).	<b>Packing size</b> 41*31*75.5 cm
<b>SSD</b> Android:32G Windows:mSATA 128G/ 256G SSD	<b>Scanner</b> Built-in scanner - support 1D, 2D QR code	<b>Volume weight</b> Net weight:12.5kg Volume weight: 25 kg

## 5.5 inch handheld POS System

### TC-TOUCH-T1/ T2



- 5.5 inch capacitive screen, suitable for single hand holding
- Built-in 58mm thermal printer
- 1D hard-decoding with quick identification
- Built-in battery 5200mAh work continuously for 25 hours
- Two way to support power charge: docking station or charging by cable directly
- Support OEM service: logo printing , color customized



## APPLICATION



### Available in Variety of Colors



## SYSTEM CONFIGURATION


<b>CPU</b> T113G:MTK MT6580 Quad core Cortex-A7 1.3GHz T214G:MT8765 Quad core Cortex A53 1.5GHz	<b>Touch Panel</b> HD Screen, Highest Resolution 1280 x 720, Touch: G+F Capacitive Multi-Touch	<b>Camera</b> 500W Auto Focus	<b>Bluetooth</b> Bluetooth 4.0
<b>OS Support</b> T113G:Android 8.1 T214G:Android 8.1 / Android 11	<b>Battery</b> 7.4V / 5200mAh / Standby: 20 hours Print length: 700 meters	<b>Network</b> T113G:GSM900/1800 /WCDMA2100 TD-SCDMA: B34 B39/FDD-LTE:B1 B3 TDD-LTE: B38 B39 B40 B41 T214G:GSM: 850/900/1800/1900 / WCDMA: 2100/850/900 TD-SCDMA: B34 B39 / FDD-LTE: B1 B3 B5 B7 B8 B20 TDD-LTE: B38 B39 B40 B41B	<b>Packing size</b> 25*14*9 cm
<b>RAM</b> T113G:1G T214G:2G	<b>Printer</b> 58mm Thermal Receipt Printer, Printing Speed: 70mm/s, / Work Life 50 km, Paper Roll: Max Diameter 42mm	<b>WiFi</b> WiFi 802.11 b,g,n	<b>Weight</b> Net weight: 1kg Volume weight:1 kg
<b>Flash</b> T113G:8G T214G:16G	<b>Scanner</b> Option (1D hard-decoding scanner)		

## 5.5 inch handheld POS System

### TC-TOUCH-T3



- 5.5 inch capacitive screen, suitable for single hand holding
- Supports 58mm thermal printing and supports label printing
- Support 1D and 2D code scanning
- Built-in battery 2200mAh
- Support OEM service: logo printing , color customized
- Supported the card holder is shared with SIM card 2



## APPLICATION



### Available in Variety of Colors



## SYSTEM CONFIGURATION

<b>CPU</b> MT8766 Cortex-A53 4 core, 2.0GHz	<b>Touch Panel</b> 5.5" mipi interface, resolution 720*1280 G+F, supports I2C communication, multi-touch	<b>Camera</b> Rear camera, 5M backward compatible, compatible with AF	<b>Packing size</b> 25*14*9 cm
<b>OS Support</b> Android 11	<b>Battery</b> 7.4V, 2200mAh, removable	<b>Network</b> 4G frequency band:TD-LTE: B38/B39/B40/B41B; FDD-LTE: B1/B3/B5/B7/B8/B20; 3G frequency band:WCDMA:2100/900/850; GSM:850/900/1800/1900	<b>Weight</b> Net weight: 1kg Volume weight:1 kg
<b>RAM</b> 2G	<b>Printer</b> Supports 58mm thermal print head and supports label printing	<b>WiFi</b> Dual-band (2.4GHz/5GHz), Wi-Fi 802.11b/g/n MAC/BF/RF, 802.11g/ti/k compliant	
<b>Flash</b> 32G	<b>Scanner</b> Support 1D and 2D code scanning	<b>Bluetooth</b> Support BT5.0 BLE	

## 15 inch Touch Screen monitor

### TC-1508A



<b>Display</b> 15" Capacitive touch screen	<b>Interface</b> DC(1), USB(2), HDMI(1), VGA(1),
<b>Resolution</b> 1024*768	<b>Color</b> Black
<b>Power supply</b> 12V/3A external adapter	

## APPLICATION



## 15.6 inch Touch Screen monitor

### TC-1506A



<b>Display</b> 15.6" Capacitive touch screen	<b>Interface</b> DC(1), USB(2), HDMI(1), VGA(1),
<b>Resolution</b> 1366*768/1920*1080P	<b>Color</b> Black
<b>Power supply</b> 12V/3A external adapter	

## APPLICATION



## 17 inch Touch Screen monitor

### TC-1708A



<b>Display</b> 17" Capacitive touch screen	<b>Interface</b> DC(1), USB(2), HDMI(1), VGA(1),
<b>Resolution</b> 1024*1280	<b>Color</b> Black
<b>Power supply</b> 12V/3A external adapter	

## APPLICATION



**TCANG**

<https://www.tcang.net/>



Dongguan Tcang Electronics Co., Ltd.  
 No.16, Longshi Road, Shangqiao, Dongcheng Street,Dongguan City,China  
 +86 15989579969 sales003@tcang.net