

# STABILIZER SPV 5

## TECHNICAL DATA SHEET

Date of issue: 16.11.2021

Date of revision: 2.7.2025

### Product characteristics

**CHTX STABILIZER SPV 5** is a stabilizer for peroxide bleaching of textile materials, a of inorganic salts and sulfonic acid salts.

### Use:

**CHTX STABILIZER SPV 5** is a concentrated stabilizer for peroxide bleaching od cullulosic textile materials. This product exhibits excelent sequestration capabilities and is suitable for use with soft, hard and even iron and manganese ion containing waters.

### Product features

**CHTX STABILIZER SPV 5** is a yellow-brown liquid of anionic character, is infinitely miscible with water and temperature stable. It is suitable for use in machines with jet conditions.

**CHTX STABILIZER SPV 5** must comly with these features:

<i>Quality sign</i>	<i>Value</i>
Appearance	yellow-brown
pH while 20 °C	6,5-8
Dry matter content in %	15 to 18

### Product processing

The product is used for bleaching.

### Packaging, storage

**CHTX STABILIZER SPV 5** is supplied in Pe drums of 220 litres, PE cans with the capacity of 50 litres or in other pre-arranged packaging. It is stored in sealed packages, protected from direct weathering. Recomendend storage temperature is +5 to +30 °C, hidden from direct sunlight or near heat sources. Protect from frost!

### Transport

**CHTX STABILIZER SPV 5** is transported by covered means of transport, not a subject to ADR/RID regulations.

### Warranty period

If the product is transported and stored according to the above conditions, its warranty period is 12 months from the date of removal.

### Note

---

Data on the properties of the product and its processing were obtained by laboratory measurements and application tests. This data sheet can only provide legally non-binding advice, the product processing must be adapted to the specific conditions.