



AGROVISION
Precision Agriculture

N-BOOST

HIGH-STRENGTH FOLIAR NITROGEN FERTILISER

BATCH

DATE

Contains amino acids, proteins, carbohydrates, and silicon for enhanced nitrogen uptake and vigorous growth

Nutrient Analysis

Nutrient	% w/w
Nitrogen (N)	22.00%
Phosphorus (P)	1.70%
Potassium (K)	1.20%
Sulphur (S)	1.60%
Magnesium (Mg)	0.12%
Manganese (Mn)	0.44%
Zinc (Zn)	0.37%
Boron (B)	0.09%
Silicon (Si)	0.07%
OC (Organic Carbon)	12%
OM (Organic Matter)	20%

Direction of Use

Application Rate:

50 litres per hectare in a minimum of 200 litres total spray volume per hectare

Mixing Instructions:

Fill spray tank with half the required water
Add N-Boost while agitating
Add remaining water to reach final spray volume
Maintain agitation during application
Apply immediately after mixing

Application Method:

Foliar spray: Apply to actively growing crops for best results
Timing: Early morning or late afternoon when temperatures are below 25°C
Avoid application during heat stress or when rain is forecast within 6 hours

Frequency:

Apply every 4-6 weeks during active growing season, or as needed for rapid nitrogen boost after grazing, cutting, or stress events.

Compatibility:

Compatible with most agricultural products
Conduct a jar test before tank-mixing with other products
Do not mix with highly alkaline products (pH >9)

Crop Focus

Pastures, sugarcane, vegetables, broadacre crops, horticulture, and all crops requiring high nitrogen input

Storage

Store above 10 degrees Celsius. Shake well before using. Store in original container only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products.

Handling

Avoid breathing product mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

Disposal

DO NOT reuse container. Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling or reconditioning.

Safety Directions

Avoid contact with Eyes and Skin. Wear impervious protective clothing, including boots, gloves, lab coat, apron, overalls, as appropriate, to prevent skin contact. Use face shield or goggles, if needed.

First Aid

If in Eyes: Flush with clean water for at least 15 minutes. If irritation persists, get medical attention.

If on Skin: Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists, or if rash develops, get medical attention.

If Swallowed: Do not induce vomiting, seek medical attention. Never induce vomiting or give anything by the mouth to an unconscious person.

If Inhaled: Remove to fresh air. If irritation persists, get medical attention.

Classification

Not classified as Hazardous according to the Globally Harmonised Systems of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Manufactured by
Agrovision Precision Agriculture PTY Ltd
14 Yaralla Avenue
Mackay, QLD, 4740
ABN 56 681 377 720
Email: glauco@agrovisionag.com.au
Phone: 0440 128 000