



ALUMINUM CHLORIDE

Aluminum Chloride Solution



Aluminum Chloride is very effective in drinking water treatment, removal of phosphorus from municipal/industrial wastewater, and as an intermediate chemical in the manufacturing of various products. This product complies with the requirements of NSF/ANSI/CAN 60: Drinking Water Treatment Chemicals - Health Effects at a maximum dosage of 250 mg/L.

Specification	Value
PERCENT AL_2O_3 :	10.7 ± 0.4
PERCENT AL:	5.7 ± 0.2
PRODUCT WEIGHT	~10.68 LBS. PER GALLON
PH (NEAT)	0.5 ± 0.4

Properties	Value
APPEARANCE	COLOR MAY VARY
SPECIFIC GRAVITY AT 60°F	1.27 - 1.29
FREEZING POINT	-30°F

Delivery Options ¹	Pounds	Gallons
RAIL	180,000	16,796
TANK TRUCK ²	45,000	4,199
IBC TOTE	2900	271
DRUM	580	54

¹ Not all options are available at each production location

² Tank Truck capacities can vary depending on configuration

Principal uses

Drinking water/ Wastewater treatment – removal of suspended and dissolved matter such as organics and phosphorus.

Safety/Handling

Observe caution when handling corrosive materials. Please consult the safety data sheet (SDS) for safety and handling precautions.

Production

With 27 manufacturing facilities across the United States, contact us for product availability.

The information presented herein is believed to be accurate and reliable but is given without guarantee or warranty, expressed or implied. The user should not assume that all safety measures are indicated or that other measures may not be required. The user is responsible for assuring that the product and equipment are used in a safe manner that complies with all appropriate legal standards and regulations.



INNOVATION FLOWS HERE

USALCO.COM