



## Paintball

- Material:** · AA6061-T6
- Specification:** · ISO 7866 compliant  
 · TPED Pi / TPE Rho certified  
 · DOT UN ISO 7866 available
- Volume:** · 0.2L-1.5L (125bar/1800psi)  
 · 0.1L-2.1L (207bar/3000psi)
- Diameter:** · 51, 63.5, 81.5, 89mm
- Thread:** · M18x1.5, 5/8-18UNF, 3/4-16UNF
- Finish:** · black spray painting (standard finish)
- Graphic:** · label / silkscreen logo (optional)
- Accessories:** · valve / regulator installed upon request



### CO2 Tank (125bar / 1800psi)

| Model | Work Pressure |       | Test Pressure |       | Water Volume<br>(l) | CO <sub>2</sub> Capacity<br>(oz) | Diameter<br>(mm) | Length<br>(mm) | Weight<br>(kg) |
|-------|---------------|-------|---------------|-------|---------------------|----------------------------------|------------------|----------------|----------------|
|       | (bar)         | (psi) | (bar)         | (psi) |                     |                                  |                  |                |                |
| 9oz   | 125           | 1800  | 188           | 2700  | 0.5                 | 9                                | 63.5             | 193            | 0.40           |
| 12oz  | 125           | 1800  | 188           | 2700  | 3.0                 | 12                               | 63.5             | 240            | 0.43           |
| 16oz  | 125           | 1800  | 188           | 2700  | 6.0                 | 16                               | 81.5             | 200            | 0.61           |
| 20oz  | 125           | 1800  | 188           | 2700  | 8.0                 | 20                               | 81.5             | 246            | 0.78           |
| 24oz  | 125           | 1800  | 188           | 2700  | 10.0                | 24                               | 81.5             | 256            | 0.85           |

Custom dimensions / specifications available upon request

### HPA Tank (207bar / 3000psi)

| Model | Work Pressure |       | Test Pressure |       | Water Volume |         | Diameter<br>(mm) | Length<br>(mm) | Weight<br>(kg) |
|-------|---------------|-------|---------------|-------|--------------|---------|------------------|----------------|----------------|
|       | (psi)         | (bar) | (bar)         | (psi) | (l)          | (cu in) |                  |                |                |
| 10ci  | 3000          | 207   | 311           | 4500  | 0.16         | 10      | 51               | 150            | 0.27           |
| 13ci  | 3000          | 207   | 311           | 4500  | 0.21         | 13      | 51               | 190            | 0.33           |
| 22ci  | 3000          | 207   | 311           | 4500  | 0.35         | 21      | 51               | 285            | 0.48           |
| 26ci  | 3000          | 207   | 311           | 4500  | 0.42         | 26      | 89               | 148            | 0.79           |
| 30ci  | 3000          | 207   | 311           | 4500  | 0.50         | 31      | 89               | 174            | 0.91           |
| 48ci  | 3000          | 207   | 311           | 4500  | 0.79         | 48      | 89               | 230            | 1.13           |
| 62ci  | 3000          | 207   | 311           | 4500  | 1.00         | 62      | 89               | 280            | 1.42           |

Custom dimensions / specifications available upon request