


CQ6/CQ7 + INVERTER COMPATIBILITY LIST



CQ-M(BMS + Battery)

-
- Max 14
- units in series
-



CQ-S(Battery)

Base

- Foolproof plug-and-play connection, system setup in 30 minutes.
- IP65 rating for outdoor use, resistant to harsh weather.
- Built-in fire protection module, ensuring safety and reliability
- Built-in heating function for reliable winter operation.
- Modular design for flexible capacity expansion.
- Compatible with all FOX inverters, from residential to commercial use.
- Premium LiFePO₄ cells and full aluminum die-cast housing for superior safety and reliability.

Series	CQ6/CQ7 (Battery Qty Min.-Max.)	Inverter	
Single Phase System	[1CQ-M+1CQ-S] - [1CQ-M+6CQ-S]	H1	
	[1CQ-M+1CQ-S] - [1CQ-M+6CQ-S]	KH	
Three Phase System	[1CQ-M+1CQ-S] - [1CQ-M+11CQ-S]	H3 SMART H3-M	P3-S
	[1CQ-M+3CQ-S] - [2CQ-M+22CQ-S]	H3 PRO	P3 PRO
	[1CQ-M+3CQ-S] - [3CQ-M+39CQ-S]	H3 Plus	P3 Plus


* H3 SMART/H3 PRO/H3 Plus version is applicable to: Australia | Austria | Germany | Italy | Switzerland | UK

* P3-S/P3 PRO/P3 Plus version is applicable to: Some other markets not covered by H3 SMART/H3 PRO/H3 Plus

* CQ7 sells globally, CQ6 sells in Australia.


CQ6/CQ7 + SINGLE PHASE SYSTEM

H1(3~6kW)




CQ6/CQ7 + SINGLE PHASE SYSTEM

KH(7~10.5kW)



CQ6/CQ7 + THREE PHASE SYSTEM

H3 SMART(5~15kW) / H3-M(5~15kW)
P3-S(5~15KW)



CQ6/CQ7 + THREE PHASE SYSTEM

H3 PRO(15~30kW)

P3 PRO(15~30kW)

Battery connection method 2
 H3 Pro / P3 Pro has 2 independent battery inputs.

