

SANDKAT



2026 CATALOGUE

TABLE OF CONTENTS

ABOUT US	4
BAIC	5
BJ40 PLUS - 2019 ONWARDS	5
GREAT WALL	6
H3 - 2006 TO 2010/H5 -2010 ONWARDS	6
H9 - 2014 ONWARDS	7
WINGLE 3/5	8
GREAT WALL PAO - 2019 ONWARDS	9
TANK 300 - 2020 ONWARDS	10
FORD	11
EVEREST - 2016 TO 2018	11
EVEREST - 2018 TO 2021	12
EVEREST - NEW GEN 2022 ONWARDS	13
COURIER 4WD - 1986 TO 2006	14
RANGER PJ TO PK 4WD -2006 TO 2011	15
RANGER PX 4WD - 2011 TO 2018	16
RANGER PIII (T8) - 2018 TO 2021	17
RANGER NEW GEN - 2022 ONWARDS	18
RANGER NEW GEN - 2022 ONWARDS (CHINA VERSION)	19
ISUZU	20
RODEO (KB TO TF) - 1981 TO 2002	20
D-MAX - 2002 TO 2011	21
D-MAX - 2012 TO 2020	22
D-MAX - 2021 ONWARDS	23
MU-7 - 2004 TO 2012	24
MU-X - 2013 ONWARDS	25
JEEP	26
CHEROKEE XJ SPORT (Exclude Grand)	26
WRANGLER JK - 2007 ONWARDS	27
LAND ROVER	28
DISCOVERY 1 - 1989 TO 1998	28
DISCOVERY 2 - 1999 TO 2004	29
DEFENDER 90	30
DEFENDER 110 - 2009 ONWARDS	31
MAZDA	32
BIANCA - 1986 TO 2000	32
BT50 - 2006 TO 2015	33
BT50 SPORTS - 2009 TO 2015	34
BT50 SPORTS - 2015 ONWARDS	35
TRITON 4WD ME MF MG MH MJ MK - 1986 TO 2006	36
TRITON 4WD ML MN - 2006 TO 2015	37
TRITON 4WD MQ MR - 2015 TO 2023	38
TRITON 4WD MV - 2024 ONWARDS	39
NISSAN	40
PATROL GQ- Y60 / GU-Y61 LWB WAGON	41
PATROL GQ-Y60 / GU-Y61 LWB 3-4" LIFT	41
PALADIN, NAVARA D21 - 1986 TO 1997 / D22 - 1997 TO 2006	42
NAVARA D40 - 2006 TO 2015	43
NAVARA NP300 LEAF SPRING MODEL - 2015 ONWARDS	44
NAVARA NP300 COIL SPRING REAR - 2015 ONWARDS	45
PATHFINDER R51 - 2005 ONWARDS	46
TERRA - 2018 ONWARDS	47
	48

SUZUKI	49
VITARA 2 DOOR SWB (1988 - 1998) / 4 DOOR LWB (1991 – 1998)	49
GRAND VITARA - 1998 TO 2005	50
GRAND VITARA JB627 LWB - 2005 TO 2008	51
SIERRA SJ/LJ WAGON AND TRAYBACK - PRIOR TO 1998	52
JIMNY - 1998 TO 2018	53
JIMNY - 2019 ONWARDS	54
TOYOTA	55
LANDCRUISER FJ/BJ 40 - 1969 TO 1980	55
LANDCRUISER FJ/BJ 40 - 1980 TO 1986	56
LANDCRUISER FJ/HJ 45 - 1969 TO 1980	57
LANDCRUISER FJ/HJ 45 47 - 1980 TO 1986	58
LANDCRUISER FJ/HJ 60 - 1980 TO 1989	59
TOYOTA LC 75 SERIES EARLY CAB/CHASSIS - 1985 TO 1995	60
LANDCRUISER VDJ 76 WAGON - 2007 ONWARDS	61
LANDCRUISER HZJ/VDJ 78/79 SERIES	62
LANDCRUISER FJ/HJ 80, 105 SERIES	63
LANDCRUISER FJ/HJ 80, 105 SERIES 3-4" LIFT	65
LANDCRUISER 100 SERIES I.F.S.	66
LANDCRUISER 200 SERIES	67
HILUX IFS/LEAF SINGLE DUAL AND EXTRA CAB - 1988 TO 2005	68
HILUX KUN 3.0L VIGO	69
HILUX GUN 3.0L REVO - 2015 ONWARDS	70
LANDCRUISER II (STATION WAGON)	72
LANDCRUISER PRADO 95 VZJ/KZJ	73
LANDCRUISER PRADO 120 SERIES	74
LANDCRUISER PRADO 150 SERIES	75
FJ CRUISER - 2011 ONWARDS	76
FORTUNER - 2015 ONWARDS	77
VOLKSWAGEN	78
AMAROK	78
Kalahari tech specifications	79
Coil spring specifications	80
Nitrogas shocks chart	82
Adjustable shocks chart	84
Steering damper chart	85
Leaf Spring Specifications	86
Leaf spring bush kits	88
U-Bolt Dimensions	89
UCA Specifications	90
Packaging materials	92
Point of sales materials	94
Suspension installation form	96
Warranty assessment form	97
Sandkat4wd worldwide offices	98

(v.2026.v.1.0)

ABOUT US

THRILL AND GENUINE PASSION FOR 4X4

We bring nearly a century of experience in 4x4 suspension design, manufacturing and product development. Our history dates back to 1924 when our original founders opened their first spring production facility in Australia.

Today our suspension products are used regularly in Asia, Oceania and Europe. We have warehouses located on three continents, production facilities in Asia and Australia and our R&D center is located in Western Australia, the world leader in 4x4 experiences and product development.



GLOBAL SALES MISSION

With such a long history in this industry, we genuinely understand the expectations and needs of the end customer. Our team are all 4x4 enthusiasts themselves and have a long history of working in and enjoying this industry. The result shows in the high quality of our products.

Unlike other brands, our vision is more about the end customer. We aim to offer the best prices in the market to ensure that the joy of 4x4 is available to everyone, and not just an elite few with substantial resources. We manufacture most of our products so this helps us to pass on more savings to our end customers. What's more, manufacturing ourselves ensures that the products will be produced with the same passion you yourself have for their use.

We are looking to build a global network of distributors of our products. We believe in honest, long-term relationships with our distributors. In return, we will support your team through regular technical exchanges and product improvements. If you have a passion for 4x4 and the associated lifestyle, why not send us an email to discuss how you can become an exclusive distributor for your market?

BAIC

BJ40 PLUS - 2019 ONWARDS

FRONT SUSPENSION

Coil spring	CG000001	1 pair	Up to 50kg extra load constant spring, 50 mm lift
Shock absorber	SRA03K027 ¹	2 units	Adjustable shock (Kalahari series)
Strut cap	SP00010	2 units	Replacement strut top cap
Upper control arms (UCA)	UC00005	1 pair	Aluminum billet UCA

REAR SUSPENSION

Coil spring	CG000002	1 pair	Up to 100 kg extra load constant spring, 50 mm lift
Shock absorber	SRA02K083	2 units	Adjustable shock (Kalahari series)
Panhard Rod	PD00013	1 unit	Adjustable panhard rod

REMARKS:

1. if installed with OE Coil, each SRA03K027 Must pair up, OE front strut dust boot, plus SS00003 x 2 units and SS00008 x 1 unit

GREAT WALL

H3 - 2006 TO 2010 / H5 - 2010 ONWARDS

FRONT SUSPENSION

Torsion bar	TR00012	1 pair	30 mm bar diameter x 1142 mm
Shock absorber	SR004K011	2 units	Big bore gas charged shock
Upper control arms (UCA)	UC00006	1 pair	Aluminum billet UCA

REAR SUSPENSION

Coil spring	CGK00010	1 pair	100 kg extra load constant spring, 30 mm lift
	CGK05010	1 pair	100 kg extra load constant spring, 50 mm lift
Shock absorber	SR004K043H	2 units	Big bore gas charged shock

GREAT WALL

H9 - 2014 ONWARDS

FRONT SUSPENSION

Coil spring	CGM00205	1 pair	Up to 55 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K007	2 units	Gas charged strut
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Strut cap	SP00001	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGM00206	1 pair	Up to 100 kg extra load constant spring, 50 mm lift
	CGM05206	1 pair	Up to 250 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K068	2 units	Gas charged shock

GREAT WALL

WINGLE 3 / 5

FRONT SUSPENSION

Torsion bar	TR00012	1 pair	30 mm bar diameter x 1142mm
Shock absorber	SR002K060	2 units	Gas charged shock.

REAR SUSPENSION

Leaf spring	LGE00002 LGE01002	2 units 2 units	6 (4+2) constant leaf spring extra load 300 kgs 7 (5+2) constant leaf spring extra load 500 kgs
Shock absorber	SR004K012	2 units	Big bore gas charged shock
Bush kit	BTC016	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01006 SE04006	2 units 2 units	Greasable shackle Extended greasable shackle
U-bolt	UT00014	4 units	Round top u-bolt

GREAT WALL

GREAT WALL PAO - 2019 ONWARDS

FRONT SUSPENSION

Coil spring	CGP00001	1 pair	Up to 55 kg extra load constant spring (Flat coil design)
Shock absorber	SRA03K028	2 units	Adjustable shock (kalahari series)
Replacement upper mount kit	SOK8U18	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Strut cap	SP00011	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Leaf spring	LGI00002	2 units	6 (4+2) constant leaf spring extra load 300 kgs
Shock absorber	SRA02K020	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U03 SOK8U04	1 2 2 sets 2 sets	Full set Full set
Replacement lower mount kit	SOK0048 SOK0049	1 2 2 sets 2 sets	Rubber bush Rubber bush
Bush kit	BTC047	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01009	2 units	Greasable shackle
U-bolt	UT00014	4 units	Round top U-bolt

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after

GREAT WALL

TANK 300 - 2020 ONWARDS

FRONT SUSPENSION

Coil spring	CGP00001	1 pair	Up to 50 kg extra load constant spring, 50 mm lift (Flat coil design)
Shock absorber	SRA03K028 1	2 units	Adjustable shock (kalahari series)
Replacement upper mount kit	SOK8U18	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Strut cap	SP00011	2 units	Replacement strut top cap
Upper control arms (UCA)	UC00001	1 pair	Anodized aluminum billet
Adjustable sway bar link	SBL00003F	1 set	Heavy duty adjustable

REAR SUSPENSION

Coil spring	CGP00002 CGP10002	1 pair 1 pair	Up to 50 kg extra load constant spring, 50 mm lift Up to 100 kg extra load constant spring, 50mm lift
Shock absorber	SRA02K084	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK2A13	2 sets	Full set
Replacement lower mount kit	SOK0036	2 sets	Full set
Adjustable sway bar link	SBL00003R	1 set	Heavy duty adjustable
Panhard Rod	PD00012	1 unit	Adjustable panhard rod
Trailing arms	TA00001	1 set	High-strength aluminum trailing arms

REMARKS:

1. if installed with OE coil, each SRA03K028 must pair up with SS00003 x 2 units and SS00004 x 1 unit

FORD

EVEREST - 2016 TO 2018

FRONT SUSPENSION

Coil spring	CGI83001 1 CGI08001 CGI00001 CGI05001	1 pair 1 pair 1 pair 1 pair	Up to 20 kg extra load constant spring, 20 mm lift Up to 50 kg extra load constant spring, 30 mm lift 50-100 kg extra load constant spring, 50 mm lift 100-150 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K021 SRA03K021	2 units 2 units	Gas charged strut Adjustable shock (kalahari series)
Replacement upper mount kit	SOK8U02 2 3	2 sets	Full set
Replacement lower mount kit	SOK0012 2 SOK0033 3	2 sets 2 sets	Steel rubber bush Steel rubber bush
Strut cap	SP00003	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00002	1 pair	Aluminum billet UCA

REAR SUSPENSION

Coil spring	CGC00001 CGC05001	1 pair 1 pair	Constant spring 100 kg extra load, 30 mm lift Constant spring 100 kg extra load, 50 mm lift
Shock absorber	SR002K070 SRA02K070	2 units 2 units	Gas charged shock Adjustable shock (kalahari series)

REMARKS:

1. Increase the strut assembly height by 10 mm. over the Original Equipment (OE) dimension. This adjustment ensures the coil springs remain properly seated and secured when the suspension is at full extension
2. Applicable to batch 20200803(included) or before
3. Applicable to batch 20201001(included) or after

FRONT SUSPENSION

Coil spring	CGC00003	1 pair	Up to 70 kg extra load constant spring, 50 mm lift
	CGC05003	1 pair	70 kg - 120 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K022	2 units	Gas charged strut
	SRA03K022	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK2C11	2 sets	Full kit
Replacement lower mount kit	SOK0034	2 sets	Steel bush kit
Strut cap	SP00008	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00002	1 pair	Aluminum billet UCA

REAR SUSPENSION

Coil spring	CGC00001	1 pair	Constant spring 100 kg extra load, 30 mm lift
	CGC05001	1 pair	Constant spring 100 kg extra load, 50 mm lift
Shock absorber	SR002K070	2 units	Gas charged shock
	SRA02K070	2 units	Adjustable shock (Kalahari series)

FRONT SUSPENSION

Coil spring	CGC03004	1 pair	Up to 30 kg constant spring, 50 mm lift
	CGC00004	1 pair	Up to 60 kg constant spring, 50 mm lift
	CGC05004	1 pair	Up to 100 kg constant spring, 50 mm lift
Shock absorber	SRA03K029	2 units	Adjustable shock (Kalahari series)
Strut cap	SP00012	2 units	Replacement strut top cap
Upper control arms (UCA)	UC00007	1 pair	Aluminum billet UCA
Adjustable sway bar link	SBL00005	1 set	Heavy duty adjustable

REAR SUSPENSION

Coil spring	CGC00001	1 pair	Constant spring 100 kg extra load, 30 mm lift
	CGC05001	1 pair	Constant spring 100 kg extra load, 50 mm lift
Shock absorber	SR002K070	2 units	Gas charged shock
	SRA02K070	2 units	Adjustable shock (Kalahari series)

FRONT SUSPENSION

Torsion bar	TR00009	1 pair	26 mm diameter x 927 mm
Shock absorber	SR002K026	2 units	Gas charged shock

REAR SUSPENSION

Leaf spring	LGI00001	2 units	7 (5+2) Constant leaf spring extra load 250 kgs
	LGI01001	2 units	8 (6+2) Constant leaf spring extra load 450 kgs
Shock absorber	SR002K020	2 units	Gas charged shock
Replacement upper mount kit	SOK8U03	1 2 sets	Full set
	SOK8U04	2 2 sets	Full set
Replacement lower mount kit	SOK0048	1 2 sets	Rubber bush
	SOK0049	2 2 sets	Rubber bush
Bush kit	BTC024	1 kit	Urethane bush kit
Fixed pin	FN10012	2 units	Greasable pin
Shackle	SE01005	2 units	Greasable shackle
U-bolt	UT00001	4 units	Round top U-bolt

REMARKS:

1. Applicable to 20200803(Included) or before
2. Applicable to 20201001(included) or after

FRONT SUSPENSION

Torsion bar	TR00013	1 pair	27 mm diameter x 1024 mm
Shock absorber	SR002K026	2 units	Gas charged shock

REAR SUSPENSION

Leaf spring	LGI00002	2 units	6 (4+2) Constant Leaf spring extra load 300 kgs
	LGI01002	2 units	7 (5+2) Constant Leaf spring extra load 500 kgs
Shock absorber	SR002K020	2 units	Gas charged shock
Replacement upper mount kit	SOK8U03	1 2 sets	Full set
	SOK8U04	2 2 sets	Full set
Replacement lower mount kit	SOK0048	1 2 sets	Rubber bush
	SOK0049	2 2 sets	Rubber bush
Bush kit	BTC030	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01005	2 units	Greasable shackle
U-bolt	UT00014	4 units	Round top U-bolt

REMARKS:

1. Applicable to 20200803(Included) or before
2. Applicable to 20201001(included) or after

FRONT SUSPENSION

Coil spring	CGI08001	1 pair	Up to 70 kg extra load constant spring, 30 mm lift
	CGI00001	1 pair	Up to 70 kg extra load constant spring, 50 mm lift
	CGI05001	1 pair	70-120 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K021	2 units	Gas charged strut Adjustable shock (Kalahari series)
	SRA03K021	2 units	
Sway bar relocation kit	RT00008	1 set	Installed if more space is required between sway bar and front strut
Replacement upper mount kit	SOK8U02	1 2 2 sets	Full set
Replacement lower mount kit	SOK0012	1 2 sets	Steel rubber bush
	SOK0033	2 2 sets	Steel rubber bush
Strut cap	SP00003	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00002	1 pair	Aluminum billet UCA
Adjustable sway bar link	SBL00013	1 set	Heavy duty adjustable

REAR SUSPENSION

Leaf spring	LGI00003	2 units	6 (4+2) Constant leaf spring extra load 300 kgs
	LGI01003	2 units	7 (5+2) Constant leaf spring extra load 500 kgs
Add a leaf	AF00001	1 set	Increase lift and payload
Shock absorber	SR002K020	2 units	Gas charged shock Adjustable shock (Kalahari series)
	SRA02K020	2 units	
Replacement upper mount kit	SOK8U03	1 2 sets	Full set
	SOK8U04	2 2 sets	Full set
Replacement lower mount kit	SOK0048	1 2 sets	Rubber bush
	SOK0049	2 2 sets	Rubber bush
Bush kit	BTC031	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01009	2 units	Greasable shackle
U-bolt	UT00014	4 units	Round top U-bolt

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after

FRONT SUSPENSION

Coil Spring	CGC00003	1 pair	Up to 70 kg constant spring,50 mm lift 70-120 kg constant spring, 50 mm lift
	CGC05003	1 pair	
Shock absorber	SR003K022	2 units	Gas Charged strut Adjustable shock (Kalahari series)
	SRA03K022	2 units	
Replacement upper Mount Kit	SOK2C11	2 sets	Full set
Replacement Lower Mount Kit	SOK0034	2 sets	Steel rubber bush
Strut Cap	SP00008	2 units	Replacement strut top cap
Strut Spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00002	1 pair	Aluminum billet UCA

REAR SUSPENSION

Leaf spring	LGI00003	2 units	6 (4+2) Constant leaf spring extra load 300 kg 7 (5+2) Constant leaf spring extra load 500 kg
	LGI01003	2 units	
Add a leaf	AF00001	1 set	Increase lift and payload
Shock absorber	SR002K020	2 units	Gas charged shock Adjustable shock (Kalahari series)
	SRA02K020	2 units	
Replacement upper mount kit	SOK8U03	1 2 sets	Full set
	SOK8U04	2 2 sets	Full set
Replacement lower mount kit	SOK0048	1 2 sets	Rubber bush
	SOK0049	2 2 sets	Rubber bush
Bush kit	BTC031	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01009	2 units	Greasable shackle
U-bolt	UT00014	4 units	Round top U-bolt

REMARKS:

1. Applicable to 20200803(Included) or before
2. Applicable to 20201001(included) or after

FRONT SUSPENSION

Coil spring	CGC03004	1 pair	Up to 30 kg constant spring, 50 mm lift
	CGC00004	1 pair	Up to 60 kg constant spring, 50 mm lift
	CGC05004	1 pair	Up to 100 kg constant spring, 50 mm lift
Shock absorber	SRA03K029	2 units	Adjustable shock (Kalahari series)
Strut cap	SP00012	2 units	Replacement strut top cap
Upper control arms (UCA)	UC00007	1 pair	Aluminum billet UCA
Adjustable sway bar link	SBL00005	1 set	Heavy duty adjustable

REAR SUSPENSION

Leaf spring	LGI00004	2 units	Constant leaf spring extra load 300 kg
	LGI03004	2 units	Constant leaf spring extra load 400 kg
	LGI01004	2 units	Constant leaf spring extra load 500 kg
Shock absorber	SRA02K093	2 units	Adjustable shock (Kalahari series)
Bush kit	BTC031	1 kit	Urethane bush kit
Shackle	SE01009	2 units	Greasable shackle
Fixed pins	FN00007	2 units	14 mm pin
U-bolt	UT02005	4 units	Square top U-bolts - LGI00004/LGI03004
	UT00005	4 units	Square top U-bolts - LGI01004

FRONT SUSPENSION

Coil spring	CGC08003	1 pair	Up to 20 kg constant spring, 30 mm lift
Shock absorber	SRA03K030	2 units	Adjustable shock (Kalahari series)
Strut cap	SP00008	2 units	Replacement strut top cap

REAR SUSPENSION

Leaf spring	LGI00003	2 units	6 (4 +2) Constant Leaf spring extra load 200kg , 50 mm lift
Shock absorber	SRA02K093	2 units	Adjustable shock (Kalahari series)
Bush kit	BTC031	1 kit	Urethane bush kit
Shackle	SE01009	2 units	Greasable shackle
Fixed pins	FN00007	2 units	14 mm pin
U-bolt	UT00005	4 units	Square top U-bolt

FRONT SUSPENSION

Torsion bar	TR00009	1 pair	26 mm diameter x 927mm - 1983 - 7/1988 models
Shock absorber	SR002K026	2 units	Gas charged shock

REAR SUSPENSION

Leaf spring	LGE00001	2 units	7 (5+2) Constant leaf spring extra load 250 kgs
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC016	1 kit	Urethane bush kit (8/1988 Model onwards)
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01006 SE04006	2 units 2 units	Greasable shackle Extended greasable shackle
U-bolt	UT00001	4 units	Round top U-bolt

FRONT SUSPENSION

Torsion bar	TR00012	1 pair	30 mm diameter x 1142 mm
Shock absorber	SR002K060	2 units	Gas charged shock

REAR SUSPENSION

Leaf spring	LGE00002 LGE01002	2 units 2 units	6 (4+2) Constant leaf spring extra load 300 kgs 7 (5+2) Constant leaf spring extra load 500 kgs
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC016	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01006 SE04006	2 units 2 units	Greasable shackle Extended greasable shackle
U-bolt	UT00014	4 units	Round top U-bolt

FRONT SUSPENSION

Coil spring	CGM00205 CGM05205	1 pair 1 pair	Up to 60 kg extra load constant spring, 50 mm lift 60 to 90 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K023	2 units	Gas charged strut
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Strut cap	SP00004	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Leaf spring	LGE00003 LGE01003	2 units 2 units	6 (4+2) Constant leaf spring extra load 300 kgs 7 (5+2) Constant leaf spring extra load 500 kgs
Add a leaf	AF00001	1 set	Increase lift and payload
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Replacement Bushes	SOK0023	2 units	Rubber Bushes - modified to be SR002K037/SR002K019
Bush kit	BTC034	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01010	2 units	Greasable shackle
U-bolt	UT02005	4 units	Square top U-bolts

FRONT SUSPENSION

Coil spring	CGM05202 CGM00205 CGM05205	1 pair 1 pair 1 pair	Up to 20kg extra constant spring, 30 mm lift Up to 40 kg extra constant spring, 50 mm lift 60-90 kg extra constant spring, 50 mm lift
Shock absorber	SR003K025 SRA03K025	2 units 2 units	Gas charged strut Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Strut cap	SP00004	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Adjustable sway bar link	SBL00002	1 set	Heavy duty adjustable

REAR SUSPENSION

Leaf spring	LGF00001 LGF03001	2 units 2 units	4(3+1) Constant leaf spring extra load 250 kg 5(4+1) Constant leaf spring extra load 350 kg
Add a leaf	AF00001	1 set	Increase lift and payload
Shock absorber	SR002K038 SRA02K038 SRA04K038	2 units 2 units 2 units	Gas charged shock Adjustable shock (Kalahari series) Adjustable big bore shocks
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Replacement Bushes	SOK0023	2 units	Rubber Bushes - modified to be SR002K037/SR002K019
Bush kit	BTC046	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01012	2 units	Greasable shackle
U-bolt	UT02005	4 units	Round top U-bolt

FRONT SUSPENSION

Torsion bar	TR00012	1 pair	30 mm diameter x 1142 mm
Shock absorber	SR002K060	2 units	Gas charged shock

REAR SUSPENSION

Leaf spring	LGE00002 LGE01002	2 units 2 units	6 (4+2) Constant leaf spring extra load 300 kgs 7 (5+2) Constant leaf spring extra load 500 kgs
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC016	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01006 SE04006	2 units 2 units	Greasable shackle Extended greasable shackle
U-bolt	UT00014	4 units	Round top U-bolt

FRONT SUSPENSION

Coil spring	CGM00205 CGM05205	1 pair 1 pair	Up to 60 kg extra load constant spring, 50 mm lift 60 to 90 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K023 SRA03K025	2 units 2 units	Gas charged strut Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Strut cap	SP00004	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGE00001 CGE05001	1 pair 1 pair	Up to 100 kg extra load constant spring, 30 mm lift Up to 100 kg extra load, constant spring, 50 mm lift
Shock absorber	SR002K065 SRA02K065	2 units 2 units	Gas charged shock Adjustable shock (Kalahari series)

FRONT SUSPENSION

Coil spring	CGG00001A 1	1 pair	Up to 45kg constant spring, 50 mm lift
Shock absorber	SR002K006	2 pcs	Gas charged shock

REAR SUSPENSION

Leaf spring	LGG00001x1(PS) LGG00002x1(DS)	2 pcs	5 leaf springs
Shock absorber	SR002K005	2 pcs	Gas charged shock
Bush kit	BTC025	1 set	Urethane bush kit
U-bolt	UT00022	2 pairs	Round top U-bolt

REMARKS:

1. Consisted of CGG00001 & CGG00002, details refer to the specifications

FRONT SUSPENSION

Coil spring	CGG00017	1 pair	Up to 45 kg load constant spring (Petrol engine), 50 mm lift
	CGG00018	1 pair	Up to 45 kg load constant spring (Diesel engine), 50 mm lift
Shock absorber	SR002K010	2 units	Gas charged shock

REAR SUSPENSION

Coil spring	CGG00019	1 pair	SWB up to 100 kg constant extra load, 50 mm lift
	CGG00020	1 pair	LWB up to 100 kg constant extra load, 50 mm lift
Shock absorber	SR002K011	2 units	Gas charged shock

LAND ROVER

DISCOVERY 1 - 1989 TO 1998

FRONT SUSPENSION

Coil spring	CGH00004A	1	1 pair	Up to 45 kg extra load constant spring, 50 mm lift
	CGH05004A	2	1 pair	Up to 80 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K052		2 units	Gas charged shock

REAR SUSPENSION

Coil spring	CGH00010A	3	1 pair	100 kg extra load constant spring, 50 mm lift
	CGH05010A	4	1 pair	250 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K053		2 units	Gas charged shock
Replacement upper mount kit	SOK2G07	5	2 sets	Full set
	SOK2G06	6	2 sets	Full set
Replacement lower mount kit	SOK8L06		2 sets	Full set

REMARKS:

1. Consisted of CGH00004 & CGH00005, details refer to the specifications
2. Consisted of CGH05004 & CGH05005, details refer to the specifications
3. Consisted of CGH00010 & CGH00011, details refer to the specifications
4. Consisted of CGH05010 & CGH05011, details refer to the specifications
5. Applicable to 20200803(Included) or before
6. Applicable to 20201001(included) or after

LAND ROVER

DISCOVERY 2 - 1999 TO 2004

FRONT SUSPENSION

Coil spring	CGH00006A	1	1 pair	Up to 45 kg load constant spring (petrol engine), 50 mm lift
Shock absorber	SR002K056		2 units	Gas charged shock
Steering damper	SG00005		1 unit	Eye-to-Eye

REAR SUSPENSION

Coil spring	CGH00010A	2	1 pair	100 kg extra load constant spring, 50 mm lift
	CGH05010A	3	1 pair	250 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K057		2 units	Gas charged shock

REMARKS:

1. Consisted of CGH00006 & CGH00007, details refer to the specifications
2. Consisted of CGH00010 & CGH00011, details refer to the specifications
3. Consisted of CGH05010 & CGH05011, details refer to the specifications

LAND ROVER

DEFENDER 90

FRONT SUSPENSION

Coil spring	CGH00004A	1	1 pair	Up to 45 kg extra load constant spring, 50 mm lift
	CGH05004A	2	1 pair	Up to 80 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K052		2 units	Gas charged shock

REAR SUSPENSION

Coil spring	CGH00010A	3	1 pair	200 kg extra load constant spring, 50 mm lift
	CGH05010A	4	1 pair	350 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K053		2 units	Gas charged shock
Replacement upper mount kit	SOK2G07	5	2 sets	Full set
	SOK2G06	6	2 sets	Full set
Replacement lower mount kit	SOK8L06		2 sets	Full set

REMARKS:

1. Consisted of CGH00004 & CGH00005, details refer to the specifications
2. Consisted of CGH05004 & CGH05005, details refer to the specifications
3. Consisted of CGH00010 & CGH00011, details refer to the specifications
4. Consisted of CGH05010 & CGH05011, details refer to the specifications
5. Applicable to 20200803(Included) or before
6. Applicable to 20201001(included) or after

LAND ROVER

DEFENDER 110 - 2009 ONWARDS

FRONT SUSPENSION

Coil spring	CGH00004A	1	1 pair	Up to 45 kg extra load constant spring, 50 mm lift
	CGH05004A	2	1 pair	Up to 80 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K052		2 units	Gas charged shock

REAR SUSPENSION

Coil spring	CGH00001		1 pair	200 kg extra load constant spring, 50 mm lift
	CGH05001		1 pair	350 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K053		2 units	Gas charged shock
Replacement upper mount kit	SOK2G07	3	2 sets	Full set
	SOK2G06	4	2 sets	Full set
Replacement lower mount kit	SOK8L06		2 sets	Full set
Rear shock pin conversion bracket	RT00016		1 sets	Changed from Eye-to-Pin to Pin-to-Pin

REMARKS:

1. Consisted of CGH00004 & CGH00005, details refer to the specifications
2. Consisted of CGH05004 & CGH05005, details refer to the specifications
3. Applicable to 20200803(Included) or before
4. Applicable to 20201001(included) or after

MITSUBUSHI

PAJERO NA - NG (PRE 1991) SWB & LWB / NH - NJ
(1991 ONWARDS) LEAF REAR

FRONT SUSPENSION

Torsion bar	TR00002	1 pair	26 mm diameter x 1280 mm, 50 mm lift
	TR00004	1 pair	27.5 mm diameter x 1307 mm, 50 mm lift
Shock absorber	SR002K092	2 units	Gas charged shock - 1991 or before version (LO version)
	SR002K026	2 units	Gas charged shock - 1991 onward version

REAR SUSPENSION

Leaf spring	LGJ00001	2 units	5 (4+1) load up to 150kgs, SWB NA-NG/NH-NJ
	LGJ00002	2 units	5 (4+1) load up to 150kgs, LWB NA-NG
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC010	1 kit	Urethane bush kit
Shackle	SE01016	2 units	Greasable shackle
U-bolt	UT00008	4 units	Round top U-bolt

MITSUBUSHI

PAJERO NA - NG (1988-1991) SWB & LWB / NH- NL
(1991 -2000) COIL REAR

FRONT SUSPENSION

Torsion bar	TR00002	1 pair	26 mm diameter x 1280 mm 50 mm lift (1996 or before)
	TR00004	1 pair	27.5 mm diameter x 1307 mm 50 mm lift (1996 or after)
Shock absorber	SR002K092	2 units	Gas charged shock - 1991 or before version (LO version)
	SR002K026	2 units	Gas charged shock - 1991 onward Version

REAR SUSPENSION

Coil spring	CGJ00004A	1	1 pair	SWB Constant spring 100 kg extra load, 50 mm lift
	CGJ00002A	2	1 pair	LWB Constant spring 100 kg, extra load, 50 mm lift
	CGJ05002A	3	1 pair	LWB Constant spring 200kg, extra load, 50 mm lift
Shock absorber	SR002K055	2 units	2 units	Gas charged shock - 1991 or before version
	SR002K047	2 units	2 units	Gas charged shock - 1991 onward version

REMARKS:

1. Consisted of CGJ00004 & CGJ00005, details refer to the specifications
2. Consisted of CGJ00002 & CGJ00003, details refer to the specifications
3. Consisted of CGJ05002 & CGJ05003, details refer to the specifications

FRONT SUSPENSION

Coil spring	CGJ00001	1 pair	65 kg extra load constant spring (Petrol Engine), 50 mm lift 60-90 kg extra load constant spring (Diesel Engine), 50 mm lift
	CGJ05001	1 pair	
Shock absorber	SR003K001	2units	Gas charged strut Adjustable shock (Kalahari series)
	SRA03K001	2units	
Strut cap	SP00006	2units	Replacement strut top cap
Strut spacer	SS00002	2units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGJ03006	1 pair	100 kg extra load LWB constant spring , 50mm lift 150 kg extra load SWB constant spring, 50 mm lift 150 kg extra load LWB constant spring, 50 mm lift
	CGJ00010A	1 pair	
	CGJ00006A	1 pair	
Shock absorber	SR002K048	2 units	Gas charged shock Adjustable shock (Kalahari series)
	SRA02K048	2 units	

REMARKS:

1. Consisted of CGJ00010 & CGJ00011, details refer to the specifications
2. Consisted of CGJ00006 & CGJ00007, details refer to the specifications

FRONT SUSPENSION

Coil spring	CGJ03012	1 pair	Up to 50kg extra load contact spring, 25mm lift Up to 70 kg extra load constant spring, 50 mm lift 70 to 100 kg extra load constant spring, 50 mm lift	
	CGJ00012	1 pair		
	CGJ04012	1 pair		
Shock absorber	SR003K008	2 units	Gas charged strut Adjustable shock (Kalahari series)	
	SRA03K008	2 units		
Replacement upper mount kit	SOK8U07	1	2 sets	Full set
		2		
Replacement lower mount kit	SOK0005 SOK0032	1	2 sets	Steel rubber bush Steel rubber bush
		2		
Strut cap	SP00005	2 units	Replacement strut top cap	
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle	

REAR SUSPENSION

Coil spring	CGJ00004A	3	1 pair	100kg extra load constant spring, 35mm lift 200kg extra load constant spring, 50mm lift
	CGJ00002A	4		
Shock absorber	SR002K076	2 units	2 units	Gas charged shock Adjustable shock (Kalahari series)
	SRA02K076	2 units		
Replacement upper mount kit	SOK2F07	2 sets	2 sets	Full set
Replacement lower mount kit	SOK2F02	2 sets	2 sets	Full set
Panhard Rod	PD00017	1 unit	1 unit	Adjustable panhard rod

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after
3. Consisted of CGJ00004 & CGJ00005, details refer to the specifications
4. Consisted of CGJ00002 & CGJ00003, details refer to the specifications

FRONT SUSPENSION

Coil spring	CGJ03012	1 pair	Up to 50kg extra load contact spring, 25mm lift
	CGJ00012	1 pair	Up to 70 kg extra load constant spring, 50 mm lift
	CGJ04012	1 pair	70 to 100 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K008	2 units	Gas charged strut
	SRA03K008	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U07	1	2 sets Full set
		2	
Replacement lower mount kit	SOK0005	1	2 sets Steel rubber bush
		SOK0032	
Strut cap	SP00005	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGJ00004A	3	1 pair 100kg extra load constant spring, 35mm lift
	CGJ00002A	4	
Shock absorber	SR002K076	2 units	Gas charged shock
	SRA02K076	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK2F07	2 sets	Full set
Replacement lower mount kit	SOK2F02	2 sets	Full set
Panhard Rod	PD00017	1 unit	Adjustable panhard rod

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after
3. Consisted of CGJ00004 & CGJ00005, details refer to the specifications
4. Consisted of CGJ00002 & CGJ00003, details refer to the specifications

FRONT SUSPENSION

Torsion bar	TR00002	1 pair	26 mm diameter x 1280 mm ME - MH, 1985-92, 50 mm lift
	TR00003	1 pair	26 mm diameter x 1370 mm MJ, 1993-97, 50 mm lift
	TR00005	1 pair	27.5 mm diameter x 1370 mm, MK 1997 onwards, 50 mm lift
Shock absorber	SR002K026	2 units	Gas charged shock

REAR SUSPENSION

Leaf spring	LGJ00003	2 units	5 (4+1) Constant Leaf spring extra load 250 kgs
Shock absorber	SR002K021	2 units	Gas charged shock
Bush kit	BTC003	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01006	2 units	Greasable shackle
U-bolt	UT00008	4 units	Round top U-bolt

FRONT SUSPENSION

Coil spring	CGJ03012	1 pair	Up to 50kg extra load contact spring, 25mm lift
	CGJ00012	1 pair	Up to 70 kg extra load constant spring, 50 mm lift
	CGJ04012	1 pair	70 to 100 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K008	2 units	Gas charged strut
	SRA03K008	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U07	1	2 sets Full set
		2	
Replacement lower mount kit	SOK0005	1	2 sets Steel rubber bush
	SOK0032	2	
Strut cap	SP00005	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Leaf spring	LGJ00004	2 units	7 (5+2) Constant Leaf spring extra load 300 kgs
	LGJ01004	2 units	8 (6+2) Constant Leaf spring extra load 450 kgs
Shock absorber	SR002K038	2 units	Gas charged shock
	SRA02K038	2 units	Adjustable shock (Kalahari series)
	SRA04K038	2 units	Adjustable big bore shocks
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC026	1 kit	Urethane bush kit
Fixed pins	FN00007	2units	14 mm pin
Shackle	SE01016	2 units	Greasable shackle
U-bolt	UT00015	4 units	12 mm Square Head U-bolt ML MN
	UT00011	4 units	14 mm Square Head U-bolt MN 2012 onwards

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after

FRONT SUSPENSION

Coil spring	CGJ03012	1 pair	Up to 50kg extra load contact spring, 25mm lift
	CGJ00012	1 pair	Up to 70 kg extra load constant spring,50 mm lift
	CGJ04012	1 pair	70 to 100 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K008	2 units	Gas charged strut
	SRA03K008	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U07	1	2 sets Full set
		2	
Replacement lower mount kit	SOK0005	1	2 sets Steel rubber bush
	SOK0032	2	
Strut cap	SP00005	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Leaf spring	LGJ00005	2 units	7 (5+2) Constant leaf spring extra load 250 kgs
	LGJ01005	2 units	8 (6+2) Constant leaf spring extra load 400 kgs
Shock absorber	SR002K087	2 units	Gas charged shock
	SR002K038	2 units	Gas charged shock (Extended length version)
	SRA02K087	2 units	Adjustable shock (Kalahari series)
	SRA02K038	2 units	Adjustable shock (Kalahari series) (Extended length version)
	SRA04K038	2 units	Adjustable big bore shocks
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC027	1 kit	Urethane bush kit
Fixed pins	FN00007	2units	14 mm pin
Shackle	SE01018	2 units	Greasable shackle
U-bolt	UT02005	4 units	14 mm Square head U-bolt
	UT00005	4 units	Used with LGJ01005

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after

MITSUBISHI

TRITON 4WD MV 2024 ONWARDS

FRONT SUSPENSION

Coil spring	CGJ04012 CGJ05012	1 pair 1 pair	Up to 70 kg, extra load constant spring, 50mm lift Up to 70 -100 kg, extra load constant spring, 50mm lift
Shock absorber	SRA03K033	2 units	Adjustable shock (Kalahari series)
Strut cap	SP00013	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Leaf spring	LGJ00006 LGJ01006	2 units 2 units	7 (5+2) Constant leaf spring extra load 250 kgs 8 (6+2) Constant leaf spring extra load 400 kgs
Shock absorber	SRA02K097	2 units	Adjustable shock (Kalahari series)
Bush kit	BTC027	1 kit	Urethane bush kit
Fixed pins	FN00007	2units	14 mm pin
Shackle	SE01019	2 units	Greasable shackle
U-bolt	UT02005 UT00005	4 units 4 units	14 mm Square head U-bolt Used with LGJ01006

NISSAN

PATROL GQ-Y60/GU-Y61 LWB WAGON

FRONT SUSPENSION

Coil spring	CGK00003A CGK05003A	1 2	1 pair 1 pair	Up to 45 kg constant spring extra load, 50 mm lift Up to 100 kg constant spring extra load, 50 mm lift
Coil spacer	CP00002 CP00001	2 units 2 units	2 units 2 units	15 mm Spacer for raising or trimming vehicle 30 mm spacer for raising or trimming vehicle
Shock absorber	SR002K030 SR101K003	2 units 2 units	2 units 2 units	Gas charged shock Heavy duty hydraulic shock
Steering damper	SG00004 SG00017	1 Unit 1 Unit	1 Unit 1 Unit	Up to 01/2000 (pin - pin) 02/2000 Onwards (Eye-to-Eye)
Castor Bush kit	CT00002	1 set	1 set	2 degree castor correction

REAR SUSPENSION

Coil spring	CGK00006A CGK05013A CGK09008A	3 4 5	1 pair 1 pair 1 pair	100 kg extra load progressive spring 200 kg extra load constant spring 250 kg extra load progressive spring
Coil spacer	CP00003 CP00004	2 units 2 units	2 units 2 units	15 mm Spacer for raising or trimming vehicle 30 mm spacer for raising or trimming vehicle
Shock absorber	SR002K031 SR101K004	2 units 2 units	2 units 2 units	Gas charged shock Heavy duty hydraulic shock

REMARKS:

1. Consisted of CGK00003 & CGK00004, details refer to the specifications
2. Consisted of CGK05003 & CGK05004, details refer to the specifications
3. Consisted of CGK00006 & CGK00007, details refer to the specifications
4. Consisted of CGK05013 & CGK05014, details refer to the specifications
5. Consisted of CGK09008 & CGK09009, details refer to the specifications

FRONT SUSPENSION

Coil spring	CGK10003A	1	1 pair	Up to 50 kg extra load constant spring, 75 mm lift
	CGK11003A	2	1 pair	Up to 50 kg extra load constant spring, 100 mm lift
Coil spacer	CP00002		2 units	15 mm Spacer for raising or trimming vehicle
	CP00001		2 units	30 mm spacer for raising or trimming vehicle
Shock absorber	SR004K002		2 units	Big bore gas charged shock
Castor Bush kit	CT00002		1 set	2 Degree castor correction
Panhard Rod	PD00002		1 unit	All models to 04/2000
	PD00004		1 unit	GU series 2 - 04/2000 on (large spherical bush one end)
Extended brake hose	ES00003		1 set	Non ABS and single brake hose

REAR SUSPENSION

Coil spring	CGK10013A	3	1 pair	Up to 150 kg Extra load constant spring, 75 mm lift
	CGK11013A	4	1 pair	Up to 150kg extra load constant spring, 100mm lift
Coil spacer	CP00003		2 units	15 mm Spacer for raising or trimming vehicle
	CP00004		2 units	30 mm spacer for raising or trimming vehicle
Shock absorber	SR004K003		2 units	Big bore gas charged shock
Replacement upper mount kit	SOK0026	5	2 sets	Rubber bush
	SOK0036	6	2 sets	Rubber bush
Replacement lower mount kit	SOK0026	5	2 sets	Rubber bush
	SOK0036	6	2 sets	Rubber bush
Panhard Rod (adj)	PD00003		1 unit	All models to 04/2000
	PD00005		1 unit	GU series 2 - 04/ 2000 on (large spherical bush one end)
Extended brake hose	ES00004		1 set	Non ABS and single brake hose

REMARKS:

1. Consisted of CGK10003 & CGK10004, details refer to the specifications
2. Consisted of CGK11003 & CGK11004, details refer to the specifications
3. Consisted of CGK10013 & CGK10014, details refer to the specifications
4. Consisted of CGK11013 & CGK11014, details refer to the specifications
5. Applicable to 20200803(Included) or before
6. Applicable to 20201001(included) or after

FRONT SUSPENSION

Torsion bar	TR00007		1 pair	26 mm diameter x 1202 mm, D21 model
	TR00006		1 pair	26 mm diameter x 890 mm, D22 model
	TR00019		1 pair	Applicable on China version of Paladin.
Shock absorber	SR002K026		2 units	Gas charged shock, D21 model
	SR002K007		2 units	Gas charged shock, D22 model

REAR SUSPENSION

Leaf spring	LGK00008		2 units	5 (3+2) Constant Leaf spring extra load 150 kgs
Shock absorber	SR002K038		2 units	Gas charged shock
Replacement upper mount kit	SOK8U06		2 sets	Full set
Replacement lower mount kit	SOK8U06		2 sets	Full set
Bush kit	BTC004		1 kit	Urethane bush kit
Fixed pin	FN10013		2 units	Greasable pin
Shackle	SE01014		2 units	Greasable shackle
U-bolt	UT00020		4 units	Square top U-bolts

FRONT SUSPENSION

Coil spring	CGK00018	1 pair	Up to 40 kg extra load constant spring, 50 mm lift
	CGK05018	1 pair	Up to 70 kg extra load constant spring, 50 mm lift
	CGK06018	1 pair	Used with 3L Diesel version, 50 mm lift
Shock absorber	SR003K009	2 units	Gas charged strut
Replacement upper mount kit	SOK8U08	1	2 sets Full set
		2	
		3	
Replacement lower mount kit	SOK0004	1	2 sets Steel rubber bush
	SOK1004	2	
		3	
Strut cap	SP00007	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Leaf spring	LGK00009	2 units	6 (4+2) Constant Leaf spring extra load 300 kgs
	LGK01009	2 units	7 (5+2) Constant Leaf spring extra load 500 kgs
Shock absorber	SR002K023	2 units	Gas charged shock
Replacement upper mount kit	SOK0050	1	2 sets Rubber bush
	SOK2F50	2	
	SOK0027	3	
Replacement lower mount kit	SOK0051	1	2 sets Rubber bush
	SOK0052	2	
		3	
Bush kit	BTC029	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01008	2 units	Greasable shackle
U-bolt	UT02005	4 units	Square top U-bolts

REMARKS:

1. Applicable to batch 20200803(included) or before.
2. Applicable to batch 20210301; 20210521 ; 20210801.
3. Applicable to batch 20230401 (included) or after.

FRONT SUSPENSION

Coil spring	CGK05018	1 pair	Up to 40 kg extra load constant spring, 50 mm lift
	CGK06018	1 pair	Up to 70 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K009	2 units	Gas charged strut
Replacement upper mount kit	SOK8U08	1	2 sets Full set
		2	
Replacement lower mount kit	SOK0004	1	2 sets Steel rubber bush
		SOK1004	
Strut cap	SP00007	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00011	1 pair	Aluminum billet UCA

REAR SUSPENSION

Leaf spring	LGK00011	2 units	6 (4+2) Constant Leaf spring extra load 300 kgs
Add a leaf	AF00001	1 set	Increase lift and payload
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC029	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01014	2 units	Greasable shackle
U-bolt	UT00001	4 units	Round top U-bolt

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after

FRONT SUSPENSION

Coil spring	CGK05018 CGK06018	1 pair 1 pair	Up to 40 kg extra load constant spring, 50 mm lift Up to 70 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K009	2 units	Gas charged strut
Replacement upper mount kit	SOK8U08	1 2 3 2 sets	Full set
Replacement lower mount kit	SOK0004 SOK1004	1 2 sets 2 2 sets 3	Steel rubber bush Steel rubber bush
Strut cap	SP00007	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00011	1 pair	Aluminum billet UCA

REAR SUSPENSION

Coil spring	CGK00020 CGK05020	1 pair 1 pair	150 kg extra load progressive spring, 50 mm lift 250 kg extra load progressive spring, 50 mm lift
Shock absorber	SR002K023	2 units	Gas charged shock
Replacement upper mount kit	SOK0050 SOK2F50 SOK0027	1 2 sets 2 2 sets 3 2 sets	Rubber bush Rubber bush Rubber bush
Replacement lower mount kit	SOK0051 SOK0052	1 2 sets 2 2 sets 3	Rubber bush Rubber bush
Panhard Rod	PD00011	4 1 unit	Installed for lifted springs
Replacement Bushes	PH00011 PH00003	1 set 1 set	Rubber bushes and steel tube - PD00011 Rubber bushes and steel tube - PD00011
Adjustable sway bar link	SBL00006	4 1 set	Heavy duty adjustable

REMARKS:

1. Applicable to batch 20200803(included) or before.
2. Applicable to batch 20210301; 20210521 ; 20210801.
3. Applicable to batch 20230401 (included) or after.
- 4 Highly recommended for 2 inches or above lift

FRONT SUSPENSION

Coil spring	CGK00018 CGK05018	1 pair 1 pair	Up to 45 kg extra load constant spring, 50 mm lift 45 to 70 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K009	2 units	Gas charged strut
Replacement upper mount kit	SOK8U08	1 2 2 sets	Full set
Replacement lower mount kit	SOK0004 SOK1004	1 2 sets 2 2 sets	Steel rubber bush Steel rubber bush
Strut cap	SP00007	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGK00019	1 pair	150 kgs extra load constant spring, 50 mm lift
Shock absorber	SR002K024	2 units	Gas charged shock

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after

NISSAN

TERRA - 2018 ONWARDS

FRONT SUSPENSION

Coil spring	CGK05018	1 pair	40 kg extra load constant spring, 50 mm lift
	CGK06018	1 pair	70 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K009	2 units	Gas charged strut
Replacement upper mount kit	SOK8U08	1	Full set
		2	
Replacement lower mount kit	SOK0004	1	Steel-rubber bush
	SOK1004	2	Steel-rubber bush
Strut cap	SP00007	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00011	1 pair	Aluminum billet UCA

REAR SUSPENSION

Coil spring	CGK00020	1 pair	150 kg extra load progressive spring, 50 mm lift
	CGK05020	1 pair	250 kg extra load progressive spring, 50 mm lift
Shock absorber	SR002K076	2 units	Gas charged shock
Replacement upper mount kit	SOK2F07	2 sets	Full set
Replacement lower mount kit	SOK2F02	2 sets	Full set

REMARKS:

1. Applicable to batch 20200803(included) or before
2. Applicable to batch 20201001(included) or after

SUZUKI

VITARA 2 DOOR SWB (1988- 1998)/ 4 DOOR LWB (1991 - 1998)

FRONT SUSPENSION

Coil spring	CGL00001	1 pair	40kg Extra load contact spring, 25mm lift (SWB 1.6L)
	CGL00002	1 pair	40kg Extra load contact spring, 25mm lift (SWB 2L or LWB)
	CGL00003	1 pair	40kg Extra load contact spring, 25mm lift (LWB v6)
Shock absorber	SR003K002	1 unit	Gas charged strut (LHS)
	SR003K003	1 unit	Gas charged strut (RHS)
Strut spacer	SS00002	1 pair	Trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGL00008	1 pair	100kg Extra load constant spring, 25mm lift (SWB)
	CGL00009	1 pair	100kg Extra load constant spring, 25mm lift (LWB)
Shock absorber	SR002K017	2 units	Gas charged shock

FRONT SUSPENSION

Coil spring	CGL00014	1 pair	40 kg extra load constant spring, 30 mm lift (4CYL)
	CGL00005	1 pair	40kg extra load constant spring, 30 mm lift (V6CYL)
Shock absorber	SR003K002	1 unit	Gas charged strut (LHS)
	SR003K003	1 unit	Gas charged strut (RHS)
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGL00011	1 pair	80 kg extra load constant spring, 30 mm lift
Shock absorber	SR002K017	2 units	Gas charged shock

FRONT SUSPENSION

Coil spring	CGL00015	1 pair	40 kg extra load constant spring, 30 mm lift
Shock absorber	SR003K018	1 unit	Gas charged strut (RHS)
	SR003K019	1 unit	Gas charged strut (LHS)
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGL00016	1 pair	80 kg extra load constant spring, 30 mm lift
Shock absorber	SR002K018	2 units	Gas charged shock

FRONT SUSPENSION

Leaf spring	LGL00001	1 unit	4 leafs 40 kg extra load constant leaf spring (Passenger's side) - 50 mm. lift
	LGL00003	1 unit	4 leafs 40kg extra load constant leaf spring(Driver's side) - 50 mm. lift
	LGL00005	1 unit	4 leafs 40kg extra load constant leaf spring (Passenger's side) - 30mm lift
	LGL00006	1 unit	4 leafs 40kg extra load constant leaf spring (Driver's side) - 30mm lift
Shock absorber	SR002K015	2 units	Gas charged shock
	SRA02K015	2 units	Adjustable shock (Kalahari series)
Steering damper	SG00010	1 unit	Eye-to-Eye
	SG00020	1 unit	Pin-to-Pin
Steering damper mount kit	RT00014	1 kit	Paired up with SG00020
Bush kit	BTC019	1 kit	Urethane bush kit
Fixed pin	FN00010	2 units	Fixed pin
Shackle	SE00011	2 units	Shackle kit
U-bolt	UT00016	2 units	Round top U-bolt - drivers side
	UT00017	2 units	Round top U-bolt - passenger side
Sway bar Link Drop kit	RT00012	1 sets	Recommended to install with 2 inches lift

REAR SUSPENSION

Leaf spring	LGL00002	2 units	5 (3+2) 80 kg extra load constant leaf spring (Comfort) 50 mm lift
	LGL00004	2 units	5 (4+1) 80 kg extra load constant leaf spring (Medium duty) 50 mm lift
Shock absorber	SR002K016	2 units	Gas charged shock
	SRA02K087	2 units	Adjustable shock (Kalahari series)
Bush kit	BTC019	1 kit	Urethane bush kit
Fixed pin	FN00010	2 units	Fixed pin
Shackle	SE00011	2 units	Shackle kit
U-bolt	UT00017	4 units	Round top U-bolt

FRONT SUSPENSION

Coil spring	CGL00006	1 pair	45 kg extra load constant spring, 30 mm lift
	CGL04006	1 pair	45 kg extra load constant spring, 50 mm lift
	CGL10006	1 pair	45 kg extra load constant spring, 75 mm lift
Shock absorber	SR002K013	2 units	Gas charged shock
	SR002K313	2 units	Gas charged shock (extended length) - applicable for 75mm lift
Replacement upper mount kit	SOK8U09	2 sets	Full set
Replacement lower mount kit	SOK8L02	2 sets	Full set
Castor Bush kit	CT01003	1 set	2 degree castor correction

REAR SUSPENSION

Coil spring	CGL00012A	1	1 pair	80 kg extra load constant spring, 30 mm lift
	CGL04012A	2	1 pair	80 kg extra load constant spring, 50 mm lift
	CGL10012A	3	1 pair	80 kg extra load constant spring, 75 mm lift
Shock absorber	SR002K014	2 units	Gas charged shock	
	SR002K314	2 units	Gas charged shock (extended length) - applicable for 75mm lift	
Replacement upper mount kit	SOK8U10	2 sets	Full set	
Replacement lower mount kit	SOK8L03	2 sets	Full set	

REMARKS:

1. Consisted of CGL00012 & CGL00013, details refer to the specifications
2. Consisted of CGL04012 & CGL04013, details refer to the specifications
3. Consisted of CGL10012 & CGL00013, details refer to the specifications

FRONT SUSPENSION

Coil spring	CGL00019	1 pair	Up to 45 kg extra load constant spring, 50 mm lift
Shock absorber	SRA02K078 SRA02K378	2 units 2 units	Adjustable shock (Kalahari series) Adjustable shock (Kalahari series) - designed for 75mm lift
Replacement upper mount kit	SOK8U19	2 sets	Full set
Replacement lower mount kit	SOK2F06	2 sets	Full set
Castor Bush kit	CT00003	1 set	2 degree castor correction kit
Panhard Rod	PD00014	1 unit	Adjustable panhard rod
Cross Member Drop kit	RT00013	1 set	Recommended to install with lift up coil

REAR SUSPENSION

Coil spring	CGL00017A 1	1 pair	Up to 80 kg extra load constant spring, 50 mm lift
Shock absorber	SRA02K079 SRA02K379	2 units 2 units	Adjustable shock (Kalahari series) Adjustable shock (Kalahari series) - designed for 75mm lift
Replacement upper mount kit	SOK2F06	2 sets	Full set
Replacement lower mount kit	SOK2F06	2 sets	Full set
Extended headlight sensor bracket	RT00005 2	1 set	Extended length
Brake lane extension rear kit	RT00006 3	1 set	Installed if more space is needed between coil and shocks or brakelane
Panhard Rod	PD00015	1 unit	Adjustable panhard Rod

REMARKS:

1. Consisted of CGL00017 & CGL00018, details refer to the specifications
2. Mandatory after lift
3. Optional

FRONT SUSPENSION

Leaf spring	LGM00101	2 units	8 leaves 80 kgs extra load constant leaf spring
Shock absorber	SR002K036	2 units	Gas charged shock
Bush kit	BTC008	1 kit	Urethane bush kit
Fixed pin	FN10001	2 units	Greasable pin
Shackle	SE01001	2 units	Greasable shackle
U-bolt	UT00001	4 units	Round top U-bolt

REAR SUSPENSION

Leaf spring	LGM00102	2 units	7 leaves, 80 kgs extra load constant leaf spring
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full kit
Replacement lower mount kit	SOK8U06	2 sets	Full kit
Bush kit	BTC008	1 kit	Urethane bush kit
Fixed pin	FN10001	2 units	Greasable pin
Shackle	SE01001	2 units	Greasable Anti Inversion Shackle
U-bolt	UT00001	4 units	Round top U-bolt

FRONT SUSPENSION

Leaf spring	LGM00104	2 units	8 leafs 80 kgs extra load constant leaf spring
Shock absorber	SR002K036	2 units	Gas charged shock
Bush kit	BTC012	1 kit	Urethane bush kit
Fixed pin	FN10003	2 units	Greasable pin
Shackle	SE01002	2 units	Greasable shackle
U-bolt	UT00007 UT00001	1 unit 3 units	Driver's side inner square top U-bolt Round top U-bolt

REAR SUSPENSION

Leaf spring	LGM04104	2 units	7 leafs 100 kgs extra load constant leaf spring
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC012	1 kit	Urethane bush kit
Fixed pin	FN10003	2 units	Greasable pin
Shackle	SE01002	2 units	Greasable Anti Inversion Shackle
U-bolt	UT00001	4 units	Round top U-bolt

FRONT SUSPENSION

Leaf spring	LGM00101	2 units	8 leaf 80 kgs extra load constant leaf spring
Shock absorber	SR002K036	2 units	Gas charged shock
Bush kit	BTC008	1 kit	Urethane bush kit
Fixed pin	FN10001	2 units	Greasable pin
Shackle	SE01001	2 units	Greasable shackle
U-bolt	UT00001	4 units	Round top U-bolt

REAR SUSPENSION

Leaf spring	LGM00103	2 units	7 leaf, 100 kgs extra load constant leaf spring
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC009	1 kit	Urethane bush kit
Fixed pin	FN10002	2 units	Greasable pin
Shackle	SE02002 SE03002	1 unit 1 unit	Greasable shackle (Left) Greasable shackle (Right)
U-bolt	UT00002	4 units	Round top U-bolt

FRONT SUSPENSION

Leaf spring	LGM00104	2 units	8 leafs 80 kgs extra load constant leaf spring
Shock absorber	SR002K036	2 units	Gas charged shock
Bush kit	BTC012	1 kit	Urethane bush kit
Fixed pin	FN10003	2 units	Greasable pin
Shackle	SE01002	2 units	Greasable shackle
U-bolt	UT00007 UT00001	1 unit 3 units	Driver's side inner square top U-bolt Round top U-bolt

REAR SUSPENSION

Leaf spring	LGM00105	2 units	7 leafs 100 kgs extra load constant leaf spring
Shock absorber	SR002K038	2 units	Gas charged shock
Replacement upper mount kit	SOK8U06	2 sets	Full set
Replacement lower mount kit	SOK8U06	2 sets	Full set
Bush kit	BTC012	1 kit	Urethane bush kit
Fixed pin	FN10003	2 units	Greasable pin
Shackle	SE02002 SE03002	1 unit 1 unit	Greasable shackle (Left) Greasable shackle (Right)
U-bolt	UT00002	4 units	Round top U-bolt

FRONT SUSPENSION

Leaf spring	LGM00106	2 units	6 leafs 60 kgs extra load constant leaf spring
Shock absorber	SR002K039	2 units	Gas charged strut
Steering damper	SG00015	2 units	Eye-to-Eye
Bush kit	BTC012	1 kit	Urethane bush kit
Fixed pin	FN10003	2 units	Greasable pin
Shackle	SE01002	2 units	Greasable shackle
U-bolt	UT00004	4 units	Square top U-bolt

REAR SUSPENSION

Leaf spring	LGM00108 LGM00107	1 unit 1 unit	7 (6+1) leafs driver's side 300kg constant 7 (6+1) leafs passenger side 300kg constant
Shock absorber	SR002K038 SR004K005	2 units 2 units	Gas charged shock (To 11/1985) Gas charged shock (11/1985 onwards)
Bush kit	BTC012	1 kit	Urethane bush kit
Fixed pin	FN10003	2 units	Greasable pin
Shackle	SE02002 SE03002	1 unit 1 unit	Greasable Anti Inversion Shackle Greasable Anti Inversion Shackle
U-bolt	UT00001	4 units	Round top U-bolt

FRONT SUSPENSION

Leaf spring	LGM00109	2 pcs	7 Constant leaf spring extra 100 kg
Shock	SR002K043	2 pcs	Gas charged strut
Steering damper	SG00015	1pc	Hydraulic
Bushes	BTC012	1set	Urethane bush kit
Fixed pins	FN10003	2 pcs	Greasable pin
Shackle	SE01002	1 pair	Greasable shackle
U-bolt	UT00004 UT01004	1 pair 1pair	Square top U-bolt 16 mm square top U-bolt (require plate drilling)

REAR SUSPENSION

Leaf spring	LGM00112	2 pcs	10(8+2) constant leaf spring extra 400kg
Shock absorber	SR002K019	2 pcs	Gas charged shock
Bush kit	BTC013	1 set	Urethane bush kit
Replacement upper mount kit	SOK0045	2 sets	Rubber bush
Replacement lower mount kit	SOK0045	2 sets	Rubber bush
Fixed pins	FN10004	2 pcs	Greasable pin
Shackle	SE01002	1 pair	Greasable shackle
U-bolt	UT00001 UT00002 UT01002	1pair 1pair 1pair	Round top U-bolt 210 mm (long) Round top U-bolt 230 mm(long) 16 mm Round top U-bolt (require plate drilling)

FRONT SUSPENSION

Coil spring	CGM00107 CGM00104 CGM05104	1 pair 1 pair 1 pair	50 kg extra load constant spring, 30 mm lift 100 kg extra load constant spring, 50 mm lift 100 to 130 kg extra load constant spring, 50 mm lift
Coil spacer	CP00011	2 units	10 mm Spacer for raising or trimming vehicle
Shock absorber	SR002K030 SR101K003	2 units 2 units	Gas charged shock Heavy duty shock
Steering Damper	SG00018	1 unit	Eye-to-Eye
Castor Bush kit	CT00001	1set	2 Degree castor correction

REAR SUSPENSION

Leaf spring	LGM00117 LGM01117	2 units 2 units	6 (4+2) Constant leaf spring extra load 250 kgs 7 (5+2) Constant leaf spring extra load 350 kgs
Shock absorber	SR002K031 SR101K004	2 units 2 units	Gas charged shock Heavy duty shock
Bush kit	BTC020 BTC021	1 kit 1 kit	Urethane bush kit using OE 14 mm pin Urethane bush kit using sandkat parts
Fixed pin	FN10005	2 units	Greasable pin
Shackle	SE01003 SE04003	2 units 2 units	Greasable shackle 45 mm extended Shackle
U-bolt	UT00002 UT01002	4 units 4 units	Round top U-bolt 16 mm Round top U-bolt (requires plate drilling)

FRONT SUSPENSION

Coil spring	CGM00107	1 pair	50 kg extra load constant spring, 30 mm lift
	CGM00104	1 pair	100 kg extra load constant spring, 50 mm lift
	CGM05104	1 pair	100 to 130 kg extra load constant spring, 50 mm lift
Coil spacer	CP00011	2 units	10 mm Spacer for raising or trimming vehicle
Shock absorber	SR002K030	2 units	Gas charged shock
	SR101K003	2 units	Heavy duty shock
Castor Bush kit	CT00001	1set	2 Degree castor correction

REAR SUSPENSION

Leaf spring	LGM00114	2 units	9 (7+2) constant leaf spring extra load 200 kgs
	LGM00115	2 units	10 (8+2) constant leaf spring extra load 300 kgs
	LGM00116	2 units	11 (9+2) constant leaf spring extra load 500 kgs
	LGM01114	2 units	10 (8+2) constant leaf spring extra load 600 kgs
Shock absorber	SR002K031	2 units	Gas charged shock
	SR101K004	2 units	Heavy duty shock
Bush kit	BTC020	1 kit	Urethane bush kit using OE 14 mm pin
	BTC021	1 kit	Urethane bush kit using sandkat parts
Fixed pin	FN10005	2 units	Greasable pin
Shackle	SE01003	2 units	Greasable shackle
	SE04003	2 units	45 mm extended Shackle
U-bolt	UT00002	4 units	Round top U-bolt
	UT01002	4 units	16 mm Round top U-bolt (requires plate drilling)

FRONT SUSPENSION

Coil spring	CGM00108A	1 1 pair	45 kg extra load constant spring, 30 mm lift
	CGM00105A	2 1 pair	60 kg extra load constant spring, 50 mm lift
	CGM05105A	3 1 pair	60 to 90 kg extra load constant spring, 50 mm lift
Coil spacer	CP00005	2 units	10 mm Spacer for raising or trimming vehicle
	CP00006	2 units	20 mm Spacer for raising or trimming vehicle
	CP00007	2 units	30 mm spacer for raising or trimming vehicle
Shock absorber	SR002K029	2 units	Gas charged shock
Replacement upper mount kit	SOK8U14	2 sets	Full set
Replacement lower mount kit	SOK8U14	2 sets	Full set
Steering damper	SG00015	1unit	Eye-to-Eye
Castor Bush kit	CT00001	1set	2 Degree castor correction
Radius arms front bushes	AT01003	1set	Urethane bush -OE specs
Radius arms rear bushes	AT00001	1set	Urethane bush

REMARKS:

1. Consisted of CGM00108 & CGM00109, details refer to the specifications
2. Consisted of CGM00105 & CGM00106, details refer to the specifications
3. Consisted of CGM05105 & CGM05106, details refer to the specifications

REAR SUSPENSION

Coil spring	CGM00117A	1	1 pair	80 kg extra load constant spring, 30 mm lift
	CGM00115A	2	1 pair	100 kg extra load constant spring, 50 mm lift
	CGM00110A	3	1 pair	250 kg extra load progressive spring, 50 mm lift
	CGM05114A	4	1 pair	350 kg extra load constant spring, 50 mm lift
Coil spacer	CP00008		2 units	10 mm Spacer for raising or trimming vehicle
	CP00009		2 units	15 mm Spacer for raising or trimming vehicle
	CP00010		2 units	30 mm spacer for raising or trimming vehicle
Shock absorber	SR002K032		2 units	Gas charged shock
Replacement upper mount kit	SOK8U15		2 sets	Full set
Replacement lower mount kit	SOK2F21	5	2 sets	Full set
	SOK2F47	6	2 sets	Full set
Rear Trailing arms (Short) Bushes	TG01001		1 set	Urethane bush -OE specs
Rear Trailing arms (Long) Bushes	TG01002		1 set	Urethane bush -OE specs

REMARKS:

1. Consisted of CGM00117 & CGM00118, details refer to the specifications
2. Consisted of CGM00115 & CGM00116, details refer to the specifications
3. Consisted of CGM00110 & CGM00111, details refer to the specifications
4. Consisted of CGM05114 & CGM05115, details refer to the specifications
5. Applicable to 20200803(Included) or before
6. Applicable to 20201001(included) or after

FRONT SUSPENSION

Coil spring	CGM10102A	1	1 pair	50 kg Extra load constant spring, 75 mm lift
	CGM11102A	2	1 pair	50 kg Extra load constant spring, 100mm lift
Coil spacer	CP00005		2 units	10 mm Spacer for raising or trimming vehicle
	CP00006		2 units	20 mm Spacer for raising or trimming vehicle
	CP00007		2 units	30 mm spacer for raising or trimming vehicle
Shock absorber	SR004K001		2 units	Big bore gas charged shock
Replacement upper mount kit	SOK8U12		2 sets	Full set
Replacement lower mount kit	SOK8U12		2 sets	Full set
Steering damper	SG00015		1 unit	Eye-to-Eye
Castor Bush kit	CT00001		1 kit	2 degree castor correction
Extended brake hose	ES00001		1 unit	Stainless steel non-ABS single brake hose
Panhard Rod	PD00006L		1 unit	Adjustable panhard rod (Left wheel Drive)
	PD00006R		1 unit	Adjustable panhard rod (Right Wheel Drive)
Replacement Panhard (Front) Rod Bush kit	PH00006		2 sets	Replacement kit (Full set)

REAR SUSPENSION

Coil spring	CGM10113A	3	1 pair	150 kg Extra load constant spring, 75 mm lift
	CGM11113A	4	1 pair	150 kg Extra load constant spring, 100 mm lift
Coil spacer	CP00008		2 units	10 mm Spacer for raising or trimming vehicle
	CP00009		2 units	15 mm Spacer for raising or trimming vehicle
	CP00010		2 units	30 mm Spacer for raising or trimming vehicle
Shock absorber	SR004K004		2 units	Big bore gas charged shock
Replacement upper mount kit	SOK8U12	5 6	2 sets	Full set
Replacement lower mount kit	SOK0026	5	2 sets	Steel rubber bush
	SOK0036	6	2 sets	Steel rubber bush
Extended brake hose	ES00002		1 unit	Stainless steel non-ABS single brake hose
Panhard Rod	PD00007		1 unit	Adjustable panhard rod
Replacement panhard (Rear) rod bush kit	PH00007		2 sets	Replacement kit (Full set)

REMARKS:

1. Consisted of CGM10102 & CGM10103, details refer to the specification
2. Consisted of CGM11102 & CGM11103, details refer to the specifications
3. Consisted of CGM10113 & CGM10114 , details refer to the specifications
4. Consisted of CGM11113 & CGM11114, details refer to the specifications
5. Applicable to batch 20200803(included) or before
6. Applicable to batch 20201001(included) or after

FRONT SUSPENSION

Torsion bar	TR00016	1 pair	32 mm Bar diameter x 1160 mm, Petrol and lexus
	TR00017	1 pair	32 mm Bar diameter x 1210 mm, Turbo and dlesel
Shock absorber	SR002K033	2 units	Gas charged shock
Reinforcing Bracket	RT00001	1 kit	Installed with replacement torsion bars

REAR SUSPENSION

Coil spring	CGM00115A	1 1 pair	Up to 200kg extra load constant spring, 50 mm lift
	CGM00110A	2 1 pair	Up to 200-250kg extra load progressive spring, 50 mm lift
	CGM05114A	3 1 pair	Up to 300kg extra load constant spring, 50 mm lift
Coil spacer	CP00008	2 units	10 mm Spacer for raising or trimming vehicle
	CP00009	2 units	15 mm Spacer for raising or trimming vehicle
	CP00010	2 units	30 mm spacer for raising or trimming vehicle
Shock absorber	SR004K005	2 units	Big bore gas charged shock

REMARKS:

1. Consisted of CGM00115 & CGM00116, details refer to the specifications
2. Consisted of CGM00110 & CGM00111, details refer to the specifications
3. Consisted of CGM05114 & CGM05115, details refer to the specifications

FRONT SUSPENSION

Coil spring	CGM00119	1 pair	Up to 60 kg extra load constant spring, 50 mm lift
	CGM05119	1 pair	70 kg to 120 kg extra load constant spring, 50 mm lift
Strut cap	SP00002	2 units	Replacement strut top cap
Strut spacer	SS00001	2 units	10 mm thick for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGM00120A	1 1 pair	100 kg extra load constant spring, 50 mm lift
	CGM05120A	2 1 pair	250 kg extra load constant spring, 50 mm lift
	CGM06120A	3 1 pair	400 kg extra load constant spring, 50 mm lift

REMARKS:

1. Consisted of CGM00120 & CGM00121, details refer to the specifications
2. Consisted of CGM05120 & CGM05121, details refer to the specifications
3. Consisted of CGM06120 & CGM06121, details refer to the specifications

TOYOTA

HILUX IFS/LEAF SINGLE DUAL AND EXTRA CAB 1988- 2005

FRONT SUSPENSION

Torsion bar	TR00018	1 pair	26 mm Diameter x 1065 mm
Shock absorber	SR002K091 SRA02K091	2 units 2 units	Gas charged shock Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U13	2 sets	Full set
Replacement lower mount kit	SOK2F19	2 sets	Rubber bush
Steering damper	SG00011	1 unit	Petrol and non turbo diesel models, eye-eye/pin

REAR SUSPENSION

Leaf spring	LGM00004	2 units	7(5+2) Constant Leaf spring extra load 250 kgs
Shock absorber	SR002K019 SRA02K019	2 units 2 units	Gas charged shock Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK0045	2 sets	Rubber bush
Replacement lower mount kit	SOK0045	2 sets	Rubber bush
Bush kit	BTC023	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01005	2 units	Greasable shackle
U-bolt	UT02005	4 units	Square top U-bolts

TOYOTA

HILUX KUN 3.0L VIGO

FRONT SUSPENSION

Coil spring	CGM09205 CGM05202 CGM00205 CGM05205	1 pair 1 pair 1 pair 1 pair	Up to 30kg Extra load constant spring, 25 mm lift Up to 40 kg extra load constant spring, 35 mm lift Up to 60 kg extra load constant spring, 50 mm lift 70 to 100 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K007 SRA03K007	2 units 2 units	Gas charged strut Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Sway bar relocation kit	RT00009	1 1 set	Installed if more space is required between sway bar and front strut
Sway bar mount Bush kit	CZ00001	1 set	one set of 2 pieces (Polyurethane Bushes)
Strut cap	SP00001	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00003	1 pair	Aluminum billet UCA
Adjustable sway bar link	SBL00002	1 set	Heavy duty adjustable

REAR SUSPENSION

Leaf spring	LGM00005 LGM01005	2 units 2 units	6 (4+2) Constant leaf spring extra load 300 kgs 7 (5+2) Constant leaf spring extra load 500 kgs
Add a leaf	AF00001	1 set	Increase lift and payload
Shock absorber	SR002K037 SR002K019 SRA02K019 SRA04K019	2 units 2 units 2 units 2 units	Gas charged shock Gas charged shock, used with LGM01005 Adjustable shock (Kalahari series) Adjustable big bore shocks
Replacement upper mount kit	SOK0045	2 sets	Rubber bush
Replacement lower mount kit	SOK0045	2 sets	Rubber bush
Bush kit	BTC028	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01007	2 units	Greasable shackle
U-bolt	UT02005	4 units	Square headed U-bolts

REMARKS:

1. Highly recommended if installed with SRA03K007

FRONT SUSPENSION

Coil spring	CGM09205	1 pair	Up to 20kg Extra load constant spring, 10 mm lift
	CGM05202	1 pair	Up to 30kg Extra load constant spring, 25 mm lift
	CGM00205	1 pair	Up to 40 kg extra load constant spring, 35 mm lift
	CGM05205	1 pair	Up to 60 kg extra load constant spring, 50 mm lift
	CGM06205	1 pair	70 to 100 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K007	2 units	Gas charged strut
	SRA03K007	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel-rubber bush
Sway bar relocation kit	RT00007	1 1 set	Installed if more space is required between sway bar and front strut
Sway bar mount Bush kit	CZ00002	1 set	One set of 2 pieces (Polyurethane Bushes)
Strut cap	SP00001	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Thick for trimming or raising vehicle
Upper control arms (UCA)	UC00003	1 pair	Aluminum billet UCA
Adjustable sway bar link	SBL00002	1 set	Heavy duty adjustable

REMARKS:

1. Highly recommended if installed with SRA03K007

REAR SUSPENSION

Leaf spring	LGM00006	2 units	6 (4+2) Constant leaf spring extra load 250 kgs
	LGM00006P	2 units	Parabolic leaf 50mm lift
	LGM01006	2 units	7 (5+2) Constant leaf spring extra load 400 kgs
	LGM03006	2 units	8 (6+2) Constant leaf spring extra load 500 kgs
Add a leaf	AF00001	1 set	Increase lift and payload
Shock absorber	SR002K019	2 units	Gas charged shock
	SRA02K019	2 units	Adjustable shock (Kalahari series)
	SRA04K019	2 units	Adjustable big bore shocks
Replacement upper mount kit	SOK0045	2 sets	Rubber bush
Replacement lower mount kit	SOK0045	2 sets	Rubber bush
Bush kit	BTC028	1 kit	Urethane bush kit
Fixed pin	FN00007	2 units	14 mm pin
Shackle	SE01011	2 units	Greasable shackle
U-bolt	UT02005	4 units	Square headed U-bolts
	UT00005	4 units	Square headed U-bolts use with LGM03006
Spacer kit	GR00002	1 set	Centre bearing spacer kit

FRONT SUSPENSION

Coil springs	CGM00207	1 pair	Up to 60 kg extra load constant spring, 50 mm lift
Coil spacer	CP00012	2 units	30 mm spacer for raising or trimming vehicle
Shock absorber	SR002K080	2 units	Gas charged strut
Replacement upper mount kit	SOK8U17	2 sets	Full set
Replacement lower mount kit	SOK8L06	2 sets	Full set
Castor Bush kit	CT00001	1 set	2 Degree castor correction
Radius arms front bushes	AT01003	1 set	Urethane bush -OE specs
Radius arms rear bushes	AT01004	1 set	Urethane bush
Sway Bar Bushes (Outer)	CZ00003	1 set	Polyurethane Bushes
Sway Bar Bushes (Inner)	CZ00004	1 set	Polyurethane Bushes

REAR SUSPENSION

Coil spring	CGM03108A	1 1 pair	100 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K053	2 units	Gas charged shock
Replacement upper mount kit	SOK2G07	2 2 sets	Full set
	SOK2G06	3 2 sets	Full set
Replacement lower mount kit	SOK8L06	2 sets	Full set
Sway Bar Bushes	CZ00005	1 set	Polyurethane Bushes

REMARKS:

1. Consisted of CGM03108 & CGM03109, details refer to the specifications
2. Applicable to 20200803(Included) or before
3. Applicable to 20201001(included) or after

FRONT SUSPENSION

Coil spring	CGM00202	1 pair	Up to 55 kg extra load constant spring, 30 mm lift
	CGM05202	1 pair	Up to 85 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K005	2 units	Gas charged strut
	SRA03K005	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Full set
Strut cap	SP00004	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Strut spacer for trimming or raising vehicle

REAR SUSPENSION

Coil spring	CGM00203A	1 1 pair	100 kg extra load constant spring, 50 mm lift
	CGM05203	1 pair	250 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K049	2 units	Gas charged shock
	SRA02K049	2 units	Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U16	2 sets	Full set
Replacement lower mount kit	SOK8L05	2 2 sets	Full set
	SOK8L04	3 2 sets	Full set
Panhard Rod	PD00020	1 unit	Adjustable panhard rod

REMARKS:

1. Consisted of CGM00203 & CGM00204, details refer to the specifications
2. Applicable to 20200803(Included) or before
3. Applicable to 20201001(included) or after

FRONT SUSPENSION

Coil spring	CGM00205 CGM05205	1 pair 1 pair	Up to 55 kg extra load constant spring, 50 mm lift 55 kg to 85 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K006 SRA03K006	2 units 2 units	Gas charged strut Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Sway bar Forward relocation Bracket	RT00017	1 set	Installed if more space is required between sway bar and front strut.
Strut cap	SP00001	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Strut spacer for trimming or raising vehicle
Upper control arms (UCA)	UC00003	1 pair	Aluminum billet UCA
Adjustable sway bar link	SBL00002	1 set	Heavy duty adjustable

REAR SUSPENSION

Coil spring	CGM00206 CGM05206	1 pair 1 pair	100 kg extra load constant spring, 50 mm lift 250 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K050 SRA02K050F 3	2 units 2 units	Gas charged shock Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U11	1 2 2 sets	Full set
Replacement lower mount kit	SOK0026 SOK0036	1 2 2 sets 2 sets	Steel rubber bush Steel rubber bush
Adjustable sway bar link	SBL00004R	1 set	Heavy duty adjustable

REMARKS:

1. Applicable to batch 20200803(include) or before
2. Applicable to batch 20201001(include) or after
3. Must Pair up with SOK8U11 as top mount of the shock

FRONT SUSPENSION

Coil spring	CGM05205 CGM06205	1 pair 1 pair	Up to 55 kg extra load constant spring, 50 mm lift 55 kg to 85 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K006 SRA03K006	2 units 2 units	Gas charged strut Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Sway bar relocation kit	RT00011	1 set	Installed if more space is required between sway bar and front strut
Strut cap	SP00001	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Strut spacer for trimming or raising vehicle
Upper control arms (UCA)	UC00003	1 pair	Aluminum billet UCA
Adjustable sway bar link	SBL00002	1 set	Heavy duty adjustable

REAR SUSPENSION

Coil spring	CGM00206 CGM05206	1 pair 1 pair	100 kg extra load constant spring, 50 mm lift 250 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K050 SRA02K050F 3	2 units 2 units	Gas charged shock Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U11	1 2 2 sets	Full set
Replacement lower mount kit	SOK0026 SOK0036	1 2 2 sets 2 sets	Steel rubber bush Steel rubber bush
Panhard Rod	PD00016	1 unit	Adjustable panhard rod (without KDSS)
Adjustable sway bar link	SBL00004R	1 set	Heavy duty adjustable

REMARKS:

1. Applicable to batch 20200803(include) or before.
2. Applicable to batch 20201001(include) or after.
3. Must Pair up with SOK8U11 as top mount of the shock.

FRONT SUSPENSION

Coil spring	CGM00205 CGM05205	1 pair 1 pair	Up to 55 kg extra load constant spring, 50 mm lift 55 to 85 kg extra load constant spring, 50 mm lift
Shock absorber	SR003K006 SRA03K006	2 units 2 units	Gas charged strut Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Sway bar relocation kit	RT00011	1 set	Installed if more space is required between sway bar and front strut
Strut cap	SP00001	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Strut spacer for trimming or raising vehicle
Upper control arms (UCA)	UC00003	1 pair	Aluminum billet UCA
Adjustable sway bar link	SBL00002	1 set	Heavy duty adjustable

REAR SUSPENSION

Coil spring	CGM00206 CGM05206	1 pair 1 pair	100 kg extra load constant spring, 50 mm lift 250 kg extra load constant spring, 50 mm lift
Shock absorber	SR002K050 SRA02K050F 3	2 units 2 units	Gas charged shock Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U11	1 2 2 sets	Full set
Replacement lower mount kit	SOK0026 SOK0036	1 2 sets 2 2 sets	Steel rubber bush Steel rubber bush

REMARKS:

1. Applicable to batch 20200803(include) or before.
2. Applicable to batch 20201001(include) or after.
3. Must Pair up with SOK8U11 as top mount of the shock.

FRONT SUSPENSION

Coil spring	CGM09205	1 pair	PETROL Engine Up to 20kg Extra load constant spring, 50 mm lift
	CGM09205	1 pair	DIESEL Engine Up to 20kg Extra load constant spring, 40 mm lift
Shock absorber	SR003K007 SRA03K007	2 units 2 units	Gas charged strut Adjustable shock (Kalahari series)
Sway bar relocation kit	RT00007	1 set	Installed if more space is required between sway bar and front strut
Replacement upper mount kit	SOK8U01	2 sets	Full set
Replacement lower mount kit	SOK0016	2 sets	Steel rubber bush
Strut cap	SP00001	2 units	Replacement strut top cap
Strut spacer	SS00002	2 units	6 mm Strut spacer for trimming or raising vehicle
Upper control arms (UCA)	UC00003	1 pair	Aluminum billet UCA

REAR SUSPENSION

Coil spring	CGM03301 CGM00301 CGM05301	1 pair 1 pair 1 pair	Constant spring 20 mm lift 100 kg extra load progressive spring, 50 mm lift 250 kg extra load progressive spring, 50 mm lift
Shock absorber	SR002K050F SRA02K050F	2 units 2 units	Gas charged shock Adjustable shock (Kalahari series)
Replacement upper mount kit	SOK8U05	1 2 2 sets	Full set
Replacement lower mount kit	SOK0026 SOK0036	1 2 sets 2 2 sets	Steel rubber bush Steel rubber bush
Spacer kit	GR00002	1 set	Centre bearing spacer kit

REMARKS:

1. Applicable to batch 20200803(include) or before
2. Applicable to batch 20201001(include) or after

FRONT SUSPENSION

Coil spring	CGN00001	1 pair	Up to 60 kg extra load constant spring, 50 mm lift (4CYL version)
	CGN05001	1 pair	Up to 100 kg extra load constant spring, 50 mm lift (4CYL/V6*)
	CGN06001	1 pair	Up to 100 kg extra load constant spring, 50 mm lift (V6)
Shock absorber	SR003K026	2 units	Gas charged strut
Strut cap	SP00009	2 units	Replacement strut top cap

REAR SUSPENSION

Leaf spring	LGN00001	2 units	6(4+2) Constant leaf spring extra load 250 kgs
Shock absorber	SR002K042	2 units	Gas charged shock
Bush kit	BTC032	1 kit	Urethane bush kit
U-bolt	UT00001	4 units	Round top U-bolt

Manufacturers	Car Model	Part No.	OEM spring seat height
BAIC	BJ40 Plus	SRA03K027	175 mm
Ford	Ranger T6/7	SRA03K021	190 mm
Ford	Ranger T8	SRA03K022	166 mm
Ford	Ranger New Gen	SRA03K029	193 mm
Ford	Ranger New Gen (China Version)	SRA03K030	183 mm
Isuzu	D-Max 2012 - 2020	SRA03K025	190 mm
Isuzu	D-Max 2020 onwards	SRA03K025	195 mm
Mazda	BT50	SRA03K021	190 mm
Toyota	Hilux Vigo /Fortuner 2005 - 2014	SRA03K007	229 mm
Toyota	Hilux Revo/Fortuner 2015+	SRA03K007	224 mm
Toyota	FJ Cruiser	SRA03K006	214 mm
Toyota	Prado 95	SRA03K005	156 mm
Toyota	Prado 120 / 150	SRA03K006	214 mm
Mitsubishi	Triton MR MQ	SRA03K008	210 mm
Mitsubishi	Pajero NM NP NS NT NW	SRA03K001	242 mm
Mitsubishi	Pajero Sport	SRA03K008	210 mm
GWM	Tank 300	SRA03K028	230 mm

The Adjustable shock (Kalahari series) struts boast a threaded body mechanism, the feature that empowers the seamless fine-tuning of ride heights. To skillfully adjust these height adjustments, it's recommended to employ the specialized Sandkat's wrench, purposefully crafted for this task. An essential consideration is the potential necessity of relieving the spring tension prior to embarking on any transformative modifications

When setting up the desired ride height, the shock absorber provided by the original equipment manufacturer (OEM) can serve as a reliable reference to ascertain the spring seat's elevation. Supplied table above is served for guidance and direction.



COIL SPRING SPECIFICATIONS

SDK Part Number	SDK Part number (N/S&D/S)	Wire diameter (mm)	Free Length (mm)	
			Passenger's	Driver's
CGC00001	CGC00001	18	470	470
CGC00003	CGC00003	18	370	370
CGC00004	CGC00004	18	430	430
CGC03004	CGC03004	18	420	420
CGC05001	CGC05001	18.5	470	470
CGC05003	CGC05003	18.5	375	375
CGC05004	CGC05004	19	430	430
CGE00001	CGE00001	16	445	445
CGE05001	CGE05001	17	445	445
CGG00001A	CGG00001/002	15	445	455
CGG00017	CGG00017	14.5	460	460
CGG00018	CGG00018	15	465	465
CGG00019	CGG00019	14	400	400
CGG00020	CGG00020	14.5	400	400
CGH00001	CGH00001	21	410	410
CGH00004A	CGH00004/005	16	375	385
CGH00006A	CGH00006/007	15	390	410
CGH00010A	CGH00010/011	17	420	430
CGH05001	CGH05001	22	410	410
CGH05004A	CGH05004/005	17	390	400
CGH05010A	CGH05010/011	18	415	425
CGI00001	CGI00001	18	360	360
CGI05001	CGI05001	18.5	365	365
CGI08001	CGI08001	18	340	340
CGI83001	CGI83001	18	320	320
CGJ00001	CGJ00001	18	325	325
CGJ00002A	CGJ00002/003	17	390	400
CGJ00004A	CGJ00004/005	16	390	400
CGJ00006A	CGJ00006/007	21	340	350
CGJ00010A	CGJ00010/011	21	325	335
CGJ00012	CGJ00012	18	320	320
CGJ03012	CGJ03012	17	328	328
CGJ03006	CGJ03006	19.5	375	375
CGJ04012	CGJ04012	18	330	330
CGJ05012	CGJ05012	19	320	320
CGJ05001	CGJ05001	19	320	320
CGJ05002A	CGJ05002/003	18	390	400
CGJ05012	CGJ05012	19	320	320
CGJ08006	CGJ08006	19.5	400	400
CGK00001A	CGK00001/002	16	400	415

SDK Part Number	SDK Part number (N/S&D/S)	Wire diameter (mm)	Free Length (mm)	
			Passenger's	Driver's
CGK00003A	CGK00003/004	17	390	405
CGK00006A	CGK00006/007	19	450	465
CGK00008A	CGK00008/009	21	455	485
CGK00010	CGK00010	14	430	430
CGK00011A	CGK00011/012	17	480	490
CGK00013A	CGK00013/014	18	460	470
CGK00018	CGK00018	17	375	375
CGK00019	CGK00019	19	445	445
CGK00020	CGK00020	16	450	450
CGK05003A	CGK05003/004	18	390	405
CGK05010	CGK05010	14.5	450	450
CGK05013A	CGK05013/014	20	460	470
CGK05018	CGK05018	17	360	360
CGK05020	CGK05020	17	450	450
CGK06018	CGK06018	17	375	375
CGK07013A	CGK07013/014	22	460	470
CGK09008A	CGK09008/009	21	455	470
CGK10003A	CGK10003/004	18	450	460
CGK10013A	CGK10013/014	20	495	510
CGK11003A	CGK11003/004	18	475	485
CGK11013A	CGK11013/014	20	520	535
CGKA5018	CGKA5018	16.5	360	360
CGL00001	CGL00001	15	290	290
CGL00002	CGL00002	16	285	285
CGL00003	CGL00003	16	295	295
CGL00005	CGL00005	16	335	335
CGL00006	CGL00006	11.5	350	350
CGL00008	CGL00008	11.5	345	345
CGL00009	CGL00009	12.5	335	335
CGL00011	CGL00011	12.5	360	360
CGL00012A	CGL00012/013	12	305	325
CGL00014	CGL00014	16	331	331
CGL00015	CGL00015	15	380	380
CGL00016	CGL00016	17	350	350
CGL00017A	CGL00017/018	10.8	345	355
CGL00019	CGL00019	12	375	375
CGL04006	CGL04006	11.5	375	375
CGL04012A	CGL04012/013	12	335	350
CGL10006	CGL10006	11	430	430
CGL10012A	CGL10012/013	12	364	380

COIL SPRING SPECIFICATIONS

SDK Part Number	SDK Part number (N/S&D/S)	Wire diameter (mm)	Free Length (mm)	
			Passenger's	Driver's
CGM00104	CGM00104	17	460	460
CGM00105A	CGM00105/106	17	485	475
CGM00107	CGM00107	16	440	440
CGM00108A	CGM00108/109	17	470	460
CGM00110A	CGM00110/111	19	470	460
CGM00115A	CGM00115/116	18	470	460
CGM00117A	CGM00117/118	18	445	455
CGM00119	CGM00119	18	430	430
CGM00120A	CGM00120/121	18	430	450
CGM00202	CGM00202	17	350	350
CGM00203A	CGM00203/204	17	380	390
CGM00205	CGM00205	17	375	375
CGM00206	CGM00206	17	390	390
CGM00207	CGM00207	14.5	427	427
CGM00301	CGM00301	16	465	465
CGM03301	CGM03301	14.5	485	485
CGM05015A	CGM05105/106	18	470	460
CGM05104	CGM05104	18	460	460
CGM05114A	CGM05114/115	20	470	460
CGM05119	CGM05119	18.5	425	425
CGM05120A	CGM05120/121	19	430	450
CGM05202	CGM05202	17	365	365
CGM05203	CGM05203	18	380	380
CGM05205	CGM05205	18	370	370
CGM05206	CGM05206	18	390	390
CGM05301	CGM05301	16	480	480
CGM06120A	CGM06120/121	20	430	450
CGM06205	CGM06205	18	390	390
CGM09205	CGM09205	16.5	380	380
CGM10102A	CGM10102/103	19	525	515
CGM10113A	CGM10113/114	20	490	480
CGM11102A	CGM11102/103	19	550	540
CGM11113A	CGM11113/114	20	515	505
CGMA0205	CGMA0205	17	375	375
CGN00001	CGN00001	18	305	305
CGN05001	CGN05001	18	315	315
CGN06001	CGN06001	18	325	325
CGO00001	CGO00001	17	410	410
CGO00002	CGO00002	17	324	324
CGP00001	CGP00001	16.5	393	393
CGP00002	CGP00002	16	387	387
CGP10002	CGP10002	16	417	417

NITROGAS SHOCKS CHART

Part Number	upper mount	lower mount	Open (mm)	Close (mm)
SR002K005	BARPIN	EB1-16x36	565	349
SR002K006	PIN10	BARPIN	560	337
SR002K007	PIN10	CR1-12x32	315	228
SR002K010	PIN12	EB1-16x36	581	351
SR002K011	BARPIN	CR4-12x40	650	393
SR002K013	PIN10	EB1-16x36	457	288
SR002K014	EB1-16x36	EB1-16x36	514	322
SR002K015	PIN10	EB1-16x36	509	314
SR002K016	EB1-16 x 36	EB1-16 x 36	494	312
SR002K017	PIN10	CR3-12x38	505	310
SR002K018	CR3-12x38	CR3-12x38	531	332
SR002K019	EB1-19x42	EB1-19x42	631	384
SR002K020	CR2-20ID & 23.5ID x 43	CR1-12x40	634	387
SR002K021	EB1-16x44	EB1-16x44	631	384
SR002K023	EB1 - 16 x 36	CR3-14.5x42	597	370
SR002K024	CR1-14x48	CR1-14x48	391	274
SR002K026	PIN10	CR1-12x32	380	249
SR002K029	PIN14 (M12)	PIN14 (M12)	616	376
SR002K030	PIN14 (M12)	PIN14 (M12)	518	317
SR002K031	EB1-19x42	EB1-19x42	667	405
SR002K032	Pin16	EB2-18x44	625	404
SR002K033	Pin16	CR5-14x39	447	300
SR002K036	EB1-16x36	EB1-16x36	522	331
SR002K037	EB1-19x42	EB1-19x42	594	368
SR002K038	EB1-16x36	EB1-16x36	595	363
SR002K039	Please consult	sales team		
SR002K042	CR4- 12x40	CR4- 12x40	594	368
SR002K043	PIN10	EB1-19x42	620	370
SR002K047	PIN10	CR1-16x40	486	306
SR002K048	PIN10	CR1-14x48	591	357
SR002K049	PIN10	CR4-19x38	527	333
SR002K050	PIN12	CR3-19x45	592	357
SR002K050F	PIN12	CR3-19x45	592	357
SR002K052	PIN14 (M12)	PIN14 (M12)	572	347
SR002K053	CR3-19x40	PIN14 (M12)	550	338
SR002K055	EB1-16x30	CR1-16x38	550	340
SR002K056	CR1-12x44	BARPIN	582	376
SR002K057	CR1-12x44	CR1-12x44	582	376
SR002K060	PIN10	CR1-12x32	412	266
SR002K065	PIN10	CR4-14x38	620	370
SR002K068	PIN12	CR3-19x45	562	342
SR002K070	PIN12	CR1-14x62	578	356
SR002K073	PIN10	CR1-12x32	519	314
SR002K074	CR1-12x32	CR1-12x32	550	334
SR002K076	EB1-16x38	CR1-16x38	526	330
SR002K080	CR1-16x66	PIN14(M12)	550	338
SR002K087	EB1-16x36	EB1-16x36	561	344
SR002K091	PIN9.5	CR1-16x38	383	253
SR002K092	PIN10	BARPIN	355	232
SR002K313	PIN10	EB1-16x36	515	317



NITROGAS SHOCKS CHART

Part Number	upper mount	lower mount	Open (mm)	Close (mm)
SR002K314	EB1-16x36	EB1-16x36	547	339
SR003K001	PIN10	CR5-14.1x50	472	344
SR003K002	PIN17	STRUT MOUNT	470	340
SR003K003	PIN17	STRUT MOUNT	465	295
SR003K004	PIN17 (M14)	CR3-16.2x39.5	616	436
SR003K005	PIN12	CR5-14.1x40	457	353
SR003K006	PIN12	CR5-14.1x40	542	417
SR003K007	PIN12	CR5-14.1x40	570	420
SR003K008	PIN10	CR5-14x50	431	313
SR003K009	PIN12	CR5-14x42	386	288
SR003K018	PIN14	STRUT MOUNT	578	385
SR003K019	PIN14	STRUT MOUNT	578	385
SR003K021	PIN12	CR5-16x38	507	384
SR003K022	PIN12	CR3-20x50	491	373
SR003K023	PIN12	CR5-14.1x40	499	355
SR003K025	PIN12	CR5-14.1x40	520	365
SR003K026	PIN12	BARPIN	545	378
SR004K001	PIN14 (M12)	PIN14 (M12)	634	377
SR004K002	PIN14 (M 12)	PIN14 (M 12)	534	326
SR004K003	CR3-19x45	CR3-19x45	688	423
SR004K004	PIN14 (M12)	CR3-19x45	635	388
SR004K005	PIN17 (M14)	CR3-19x45	616	411
SR004K011	PIN12	CR1-12x32	387	267
SR004K012	CR1-16x38	CR1-16x38	631	396
SR004K043H	PIN12	CR1-16x38	545	340
SR101K003	PIN14 (M12)	PIN14 (M12)	518	318
SR101K004	EB1-19x42	EB1-19x42	669	409

ADJUSTABLE SHOCKS CHART

Part Number	upper mount	lower mount	Open (mm)	Close (mm)
SRA02K015	PIN10	EB1-16x36	510	315
SRA02K019	EB1-19x42	EB1-19x42	631	398
SRA02K020	CR2-20ID & 23.5IDx43	CR1-12x40	634	396
SRA02K038	EB1-16x36	EB1-16x36	595	375
SRA02K048	PIN10	CR3-14x48	592	370
SRA02K049	PIN10	CR4-19x38	527	333
SRA02K050	PIN12	CR3-19x45	592	370
SRA02K050F	PIN12	CR3-19x45	592	370
SRA02K065	PIN10	CR1-14x38	620	382
SRA02K070	PIN12	CR1-14x62	578	368
SRA02K076	EB1-16x38	CR1-16x38	526	344
SRA02K078	PIN10	CR1-12x32	440	295
SRA02K079	CR1-12x32	CR1-12x32	514	331
SRA02K082	BARPIN	CR3-19x45	560	362
SRA02K083	PIN14	CR5-14.1x40	564	386
SRA02K084	BARPIN	CR3-19x44	660	411
SRA02K085	PIN12	CR1-12x32	300	219
SRA02K086	CR3-16.1x38	CR3-16.1x38	560	360
SRA02K087	EB1-16x36	EB1-16x36	561	345
SRA02K091	PIN9.5	CR1-16x38	383	257

Part Number	upper mount	lower mount	Open (mm)	Close (mm)
SRA02K093	CR3-12x40	CR3-12x40	660	402
SRA02K097	EB1-19x42	CR5-12x38	620	381
SRA02K378	PIN10	CR1-12x32	515	315
SRA02K379	CR1-12x32	CR1-12x32	547	340
SRA03K001	PIN10	CR5-14.1x50	485	345
SRA03K005	PIN12	CR5-14.1x40	457	353
SRA03K006	PIN12	CR5-14.1x40	555	415
SRA03K007	PIN12	CR5-14.1x40	583	413
SRA03K008	PIN10	CR5-14x50	431	311
SRA03K021	PIN12	CR5-16x38	507	387
SRA03K022	PIN12	CR3-20x50	491	371
SRA03K023	PIN12	CR5-14.1x40	499	355
SRA03K025	PIN12	CR5-14x40	520	365
SRA03K026	PIN12	CR3-14.5x40	566	423
SRA03K027	PIN12	Fork	552	387
SRA03K028	PIN12	CR5-14.1x40	550	421
SRA03K029	PIN12	BARPIN	545	378
SRA03K030	PIN12	BARPIN	522	367
SRA03K033	PIN10	CR5-14x50	480	340
SRA04K019	EB1-19x42	EB1-19x42	631	395
SRA04K038	EB1-16x36	EB1-16x36	634	401



STEERING DAMPER CHART

Part Number	Type	upper mount	lower mount	Open (mm)	Closed (mm)
SG00004	D	PIN10	PIN10	528	313
SG00005	B	EB1-16x37	EB1-16x37	655	395
SG00010	A	CR1-12x32	CR1-12x32	448	295
SG00011	B	CR1-10x24	EB1-16x36	616	366
SG00015	A	EB1-16x36	EB1-16x36	662	419
SG00017	A	EB1-16x37	EB1-16x37	535	335
SG00018	A	EB1-16x36	EB1-16x36	753	449
SG00020	D	Pin9.53	Pin9.53	510	308

TYPE A



TYPE B



TYPE C



TYPE D



TYPE E



TYPE F




LEAF SPRING SPECIFICATIONS


Part Number	Type	No. of Leaves	Material		Main Leaf Dim.		spring Camber (mm)
			Primary Pack	Secondary Pack	A (mm)	B (mm)	
AF00001	N/A	1	60x9	N/A	270	270	50
LGE00001	B	5+2	60x7	60x13	550	650	1200
LGE00002	B	4+2	60x8	60x13	600	600	165
LGE00003	B	4+2	60x8	60x13	610	750	165
LGE01002	B	5+2	60x8	60x13	600	600	165
LGE01003	B	5+2	60x8	60x13	610	750	165
LGF00001	B	(2+1)+1	60x10&8	60x18	610	750	150
LGF02002	B	2+1	60x23	60x12	610	750	1360
LGF03001	B	4+1	60x10&8	60x18	610	750	1360
LGG00001	A	5	65x7	N/A	585	725	170
LGG00002	A	5	65x7	N/A	585	725	185
LGI00001	B	5+2	60x7	60x11	530	675	125
LGI00002	B	4+2	60x8	60x12	585	740	115
LGI00003	B	(1+3)+2	60x10&8	60x13	585	745	120
LGI00003P	B	2+1	60x13	60x16	585	745	120
LGI00004	B	4+1	60 x 8	60 x 16	580	740	120
LGI01001	B	6+2	60x7	60x11	530	675	125
LGI01002	B	5+2	60x8	60x12	585	740	115
LGI01003	B	(1+4)+2	60x10&8	60x13	585	745	120
LGI01004	B	6+1	60 x 8	60 x 16	580	740	120
LGI03004	B	5+1	60 x 8	60 x 16	580	740	120
LGJ00001	B	4+1	70x7	70x13	520	685	145
LGJ00002	B	4+1	70x7	70x13	520	685	165
LGJ00003	B	4+1	70x7	70x13	520	685	165
LGJ00004	B	5+2	70x7	70x11	520	685	120
LGJ00005	B	5+2	60x8	60x13	550	775	120
LGJ00006	B	3+2	60x9	60x13	595	745	110
LGJ01004	B	6+2	70x7	70x11	520	685	120
LGJ01005	B	6+2	60x8	60x13	550	775	120
LGJ01006	B	4+2	60x9	60x13	595	745	100
LGK00001	A	7	60x8	N/A	610	830	225
LGK00002	A	7	60x8	N/A	610	830	265
LGK00003	A	7	60x7	N/A	550	550	170
LGK00005	A	7	70x7	N/A	550	550	150
LGK00006	B	7+2	70x7	70x13	590	830	170
LGK00007	B	7+2	70x7	70x13	590	830	180
LGK00008	B	3+2	60x8	60x12	565	635	130
LGK00009	B	4+2	60x8	60x12	665	735	160
LGK00011	B	4+2	60x8	60x12	665	600	190
LGK01009	B	5+2	60x8	60x12	665	735	160
LGL00001	A	4	50x7	N/A	470	470	105
LGL00002	B	3+2	50x7	50x7	505	505	135
LGL00003	A	4	50x7	N/A	475	475	125
LGL00004	B	4+1	50x7	50x10	505	535	155

LEAF SPRING SPECIFICATIONS

Part Number	Type	No. of Leaves	Material		Main Leaf Dim.		spring Camber (mm)
			Primary Pack	Secondary Pack	A (mm)	B (mm)	
LGL00005	A	4	50x7	N/A	470	470	940
LGL00006	A	4	50x7	N/A	470	470	940
LGM00004	B	5+2	70x7	70x11	560	740	1300
LGM00005	B	4+2	60x8	60x13	610	690	145
LGM00006	B	4+2	60x8	60x13	700	690	160
LGM00006P	B	2+1	60x12	60x18	700	690	1390
LGM00101	A	8	70x7	N/A	500	605	152
LGM00102	A	7	70x7	N/A	500	630	200
LGM00103	B	7+3	70x7	70x11	660	660	230
LGM00104	A	8	70x7	N/A	500	605	155
LGM00105	B	7+3	70x7	70x11	655	675	230
LGM00106	A	6	70x7	N/A	550	550	190
LGM00107	B	6+1	70x7	70x13	565	645	205
LGM00108	B	6+1	70x7	70x13	565	645	220
LGM00109	A	7	70x7	N/A	550	590	180
LGM00112	B	8+2	70x7	70x13	605	720	220
LGM00114	B	7+2	70x7	70x13	690	810	235
LGM00115	B	8+2	70x7	70x13	690	810	235
LGM00116	B	9+2	70x7	70x13	690	810	235
LGM00117	B	(2+2)+2	70x10&7	70x13	600	790	210
LGM01005	B	5+2	60x8	60x13	610	690	145
LGM01006	B	5+2	60x8	60x13	700	690	160
LGM01114	B	(2+6)+2	70x10&7	70x13	690	810	230
LGM01117	B	(2+3)+2	70x10&7	70x13	690	790	210
LGM03006	B	6+2	60x8	60x13	700	690	130
LGM04104	A	7	70x7	N/A	500	630	200
LGN00001	B	(1+3)+2	70x10&8	70x13	745	745	180



TYPE A
(Single Stage Spring)




TYPE B
(Two Stage Spring)

LEAF SPRING BUSH KIT

SDK Part Number	Details				
BTC003	U674 x 4	U675 x 4	U677 x 4	T141980 x 2	Grease x 1
BTC004	U424 x 4	U426 x 8			Grease x 1
BTC008	U113 x 12				Grease x 1
BTC009	U114 x 12				Grease x 1
BTC010	U675 x 4	U676 x 4	U677 x 4		Grease x 1
BTC011	U419 x 8	U420 x 4			Grease x 1
BTC012	U419 x 12				Grease x 1
BTC013	U420 x 12				Grease x 1
BTC016	U728 x 4	U433 x 8		T141869 x 2	Grease x 1
BTC019	U435 x 4	U434 x 8		T172270 x 2	Grease x 1
BTC020	U417 x 8	U418 x 4		EBT141886 x 4	Grease x 1
BTC021	U417 x 8	U418 x 4			Grease x 1
BTC024	U754 x 4	U753 x 4	U680 x 4	T172270 x 2	Grease x 1
BTC025	U761 x 4	U762 x 4	U765 x 4	T141980 x 2 T141970 x 4	Grease x 1
BTC026	U775 x 4	U675 x 4	U677 x 4	T141980 x 2	Grease x 1
BTC027	U677 x 4	U790 x 4	U791 x 4	T141979 x 2	Grease x 1
BTC028	U766 x 4	U767 x 4	U768 x 4	T141972 x 2	Grease x 1
BTC029	U728 x 4	U426 x 4	U427 x 4	T141869 x 2	Grease x 1
BTC030	U766 x 4	U753 x 4	U680 x 4	T141972 x 2	Grease x 1
BTC031	U683 x 4	U681 x 4	U682 x 4	T141972 x 2	Grease x 1
BTC032	U780 x 4	U781 x 4	U782 x 4	T122490 x 2 T122480 x 2 T1222134 x 2	Grease x 1
BTC034	U766 x 4	U433 x 4	U432 x 4	T141972 x 2	Grease x 1
BTC046	U766 x 2	U433 x 4	U792 x 4	T141972 x 2	Grease x 1
BTC047	U728T X 2	U681 X 4	U682 X 4		Grease x 1

U-BOLT DIMENSIONS

Part Number	Type	Material	Inside Width	Inside Length
UT00001	A	Ø14	83	210
UT00002	A	Ø14	83	230
UT00005	B	Ø14	62	210
UT00004	B	Ø14	72	210
UT00007	B	Ø14	85	230
UT00008	A	Ø12	75	190
UT00011	B	Ø14	72	170
UT00014	A	Ø14	90	200
UT00015	B	Ø12	72	170
UT00016	A	Ø12	81	159.5
UT00017	A	Ø12	71	139.5
UT00020	B	Ø12	62	180
UT00022	A	Ø12	70	170
UT01002	A	Ø16	83	230
UT01004	B	Ø16	72	210
UT02005	B	Ø14	62	190



UCA SPECIFICATIONS

UCA Part No.	UCA Replacement Parts	
	UCA Bushes Part No.	UCA Ball Joint Part No.
UC00001	SOKUB01	SOKUJ01
UC00002	SOKUB02	SOKUJ02
UC00003	SOKUB03	SOKUJ03
UC00005	SOKUB05	SOKUJ05


THIS IS BLANK PAGE

PACKAGING MATERIALS



Part Number	Type	Height A (mm)	Width B (mm)	Depth C (mm)
CEB00002	Shocks box	600	80	80
CEB00003	Shocks Box	600	150	150
CEB00011	UCA Box	140	500	380
CEB00012	PD Universal Box	650	1,150	950



Shocks Box
Part no. CEB00002



Shocks Box
Part no. CEB00003




UCA Box
Part no. CEB00011



PD Universal
Part no. CEB00012


PACKAGING MATERIALS

Part Number	Type	Height A (mm)	Width B (mm)	Depth C (mm)
CEA00003	Big Accessories Bag	250	210	60
CEA00004	Small Accessories Bag	120	160	N/A
CEB00001	Coil Box	510	370	190
CEB00004	Shackle Box	120	160	160
CEB00005	Coil Box	400	370	190
CEB00009	Insert for Coil Box	750	170	N/A



Accessories Bag (Small)

Part no. CEA00004




Accessories Bag (Big)

Part no. CEA00003



Coil Box

Part no. CEB00001
CEB00005



Shackle Box

Part no. CEB00004

POINT OF SALES MATERIALS



Tailgate Sticker

Part no. CES12010 (200 x 50 mm.)
CES22010 (270 x 70 mm.)



Outdoor Flag set

Part no. MP00006
MP00013



SANDKAT Carpet

Brushed Jet Print Version
Part no. MP00010 (1300 x 800 mm.)

POINT OF SALES MATERIALS



T-Shirt Cotton

Part no. CET00002



Polo Cotton

Part no. CET00003



Polo Microfiber

Part no. CET00004

SUSPENSION INSTALLATION FORM

Date:

Customer Details

Contact Name Telephone

Address

Suburb / Town Postcode State

Vehicle Model Month / Year Built Speedo

Rego No Chassis No Rated GVM

Distributor Name

Address

Suburb / Town Postcode State

Telephone Facsimile

Contact Person

New Steering Damper Fitted Poly Bushes Fitted—Front Poly Bushes Fitted—Rear

New U-Bolts Fitted Front Rear


Free height / camber of springs to be fitted

DSF DSR NSF NSR

Place an "X" in the appropriate box to show if accessories are fitted and the position of the accessories

Bull Bar: Alloy Steel Winch Side Bars Power Steering Air Conditioning

Driver Side Front		Driver Side Rear		Rim Size <input type="checkbox"/> 15 inch <input type="checkbox"/> 16 inch <input type="checkbox"/> Other
Shock Part No:	Ride Height Before:	Shock Part No:	Ride Height Before:	
Spring Part No:	Ride Height After:	Spring Part No:	Ride Height After:	



Near Side Front		Near Side Rear	
Shock Part No:	Ride Height Before:	Shock Part No:	Ride Height Before:
Spring Part No:	Ride Height After:	Spring Part No:	Ride Height After:

Torsion Bars Front <input type="checkbox"/> Original Equipment <input type="checkbox"/> After Market	Sway Bar Front <input type="checkbox"/> Original Equipment <input type="checkbox"/> After Market	Sway Bar Rear <input type="checkbox"/> Original Equipment <input type="checkbox"/> After Market	New Spring/Shackles <input type="checkbox"/> Standard <input type="checkbox"/> Greasable
--	--	---	--

- Polyair Bags
- Canopy if Ute
- Towbar
- Roof Rack
- Alloy
- Steel
- Tyre Carrier
- Position
- D/S
- CTR
- P/S

WARRANTY ASSESSMENT FORM

Date:

Distributor / Reseller Details

Company Telephone

Contact Name Facsimile

Address

Suburb / Town Postcode State

Warranty Details

Part Number Batch Code

Vehicle Model Year

Fitted / Sold Date Failure Date KMs since fitted

Installed by

Invoice No Invoice date Installation Form No

Accessories fitted to Vehicle e.g. Bullbar, winch, etc.

.....

Vehicle Owner Details

Name

Address

Suburb / Town Postcode State

Reason for goods being returned		Please tick the appropriate defect		
<input type="checkbox"/> Noise	<input type="checkbox"/> Oil Leak	<input type="checkbox"/> Control	<input type="checkbox"/> Broken/Worn	<input type="checkbox"/> Broken Coil/Leaf
<input type="checkbox"/> Rattle	<input type="checkbox"/> Seal-Top	<input type="checkbox"/> Stiff/Hard	<input type="checkbox"/> Top Mount Broken	<input type="checkbox"/> Coil
<input type="checkbox"/> Knock/Thump	<input type="checkbox"/> Top Seam Weld	<input type="checkbox"/> Seized	<input type="checkbox"/> Bottom Mount Broken	<input type="checkbox"/> Leaf - Main Wrap
<input type="checkbox"/> Swish	<input type="checkbox"/> Bottom Seam Weld	<input type="checkbox"/> Binding	<input type="checkbox"/> Top Rubber Worn	<input type="checkbox"/> Fold Over
<input type="checkbox"/> Squeak	<input type="checkbox"/> Arc Weld	<input type="checkbox"/> Weak	<input type="checkbox"/> Bottom Rubber Worn	<input type="checkbox"/> Bolt Clip
	<input type="checkbox"/> Split Tube	<input type="checkbox"/> No Gas Pressure	<input type="checkbox"/> Loose Shroud	

Vehicle Heights Heights must be taken on a flat level surface.

Leaf Springs —Measure from top of spring to underside of chassis. Coil Springs —Measure the height of the coil in the vehicle.

Please mark the location of the defective part/s on the drawing below with an "X" and mark parts with location.

Before	After

Office Use Only

Date rec'd Rec'd by Claim Accepted / Denied Approval No.

Comments

.....



GLOBAL PROCUREMENT CENTER

47 Floor -Suite 38
Hong Kong New World Tower
300 HuaiHai Middle Road, Shanghai, China
200021
Tel +86 21 5116 2821
Fax +86 21 5116 7116
Email : contact@sandkat4wd.com

EUROPEAN WAREHOUSE & SALES OFFICE

Mas Neuf
Avenue de l'Agau
34970 Lattes, France
Tel +33 6 13 93 31 11
Email : contact@sandkat4wd.com

CHINA WAREHOUSE & FACTORY

10 Shengdi Road
Yuhang District, Hangzhou, China
311121
Tel +86 571 8791 5129

SALES OFFICE AND WAREHOUSE IN MALAYSIA

Sandkat Sdn. Bhd.
LOT 4888, JALAN BANDAR LAMA,
42500 TELOK PANGLIMA GARANG, SELANGOR,
Malaysia

SALES OFFICE IN THAILAND

Sandkat (Thailand) Co Ltd
126/21-23, Park Avenue Home Office, Floor. 6-7, Mash Room 11,
Soi Sukhumvit 63 (Ekkamai),
North Khlongton, Wattana, Bangkok 10110

AUSTRALIAN ENGINEERING, SALES & WAREHOUSE

West Coast Suspension / Jenkins springs
188 Railway Parade
Bassendean WA 6054

WWW.SANDKAT4WD.COM