BAHADIR

Sterilization Container Systems

Surgical Trays & Wire Baskets



40th Year Anniversary

Product Catalog

CT20-0324



Applied Standards

EN ISO 11607-1 & 2
Packaging for terminally sterilized medical devices.

ISO 17664-2
Processing of health care products

ISO 17665-1
Sterilization of health care products.

EN 868-8
Packaging for terminally sterilized medical devices.

EN 285
Sterilization.
Steam sterilizers.
Large sterilizers.

DIN 58952-3
Sterilization
Transport baskets for sterile barrier systems

DIN 58953-9
Use of sterilization container

European Regulation (EU) 2017/745
Medical Devices

EN ISO 13485
Medical devices.
Quality management systems.
Requirements for regulatory.

TABLE OF CONTENTS



04–23 Introduction

24–75 Sterilization Containers

24-33 M Series Container Systems

34-51 W Series Container Systems

52-63 S Series Container Systems

64-71 A Series Container Systems

72-75 Specific Containers

76–95 Perforated Trays & Wire Baskets

76-81 Perforated Trays

82-87 Hybrid Baskets

88-95 Wire Baskets

96–105 Components

107–116 Index

1950 — Metalworking in the city of Trabzon

1980 — Studying the market in Türkiye and Europe

1983 — Bahadır Medical Devices LLC was established

BAHADIR

The lion head logo, designed in 1983, symbolized BAHADIR's ambition to lead their industry

1992 — Bahadır Medical Devices LLC moved to Samsun Industrial Zone

1995 — Had the first ISO 9001 certificate in the Black Sea Region

BAHADIR®

The modern Bahadır logo, designed by family members in 1989, incorporates the letter 'B' from the family name, overlapping to form an interlocking shape that symbolizes family unity and strong bonds

1998 — Bahadır Medical Devices INC was established

2005 — Bahadır USA LLC was established, had FDA 510(k) clearance for sterilization containers

2006 — ISO 13485 Clearance

2008 — Bahadır Health INC was established and moved to Samsun Free Zone

2010 — Awarded for the best exporters of 2010 from the Chamber of Commerce and Industry

2019 — SAP was implemented and other significant projects started

BAHADIR

In 2015, as part of the Corporate Development Project, the logo was updated with softer shapes, creating a brand identity that symbolizes the innovative changes

2020 — Engineering studies initiated for MDR compliance





40th Year Anniversary

Four Decades of Excellence in Medical Technologies

In 1983, Bahadır emerged as a family business that would go on to redefine the medical devices sector in Türkiye and beyond. Drawing on decades of professional experience in metalworking, Bahadır became the leader in Türkiye, laying the foundations for surgical instrument production. This groundbreaking move not only initiated the surgical instrument sector in Türkiye but also birthed and developed numerous companies in the industry through consultancy and technological support.

Our collaboration and interaction with the industry led the city of Samsun to become a prominent global hub for surgical instruments

From our early beginnings to our present-day status as an industry leader, our commitment to innovation, quality, and the highest standards of sterilization has remained unwavering. The trust and confidence of our valued customers, the dedication of our team, and our relentless pursuit of excellence have brought us to this remarkable juncture.


In closing, we extend our heartfelt gratitude to our customers, team members, and partners who have been integral to our success. The next 40 years promise new challenges and opportunities. We are poised to lead, innovate, and continue making a significant impact on sterilization technology.



Cleaning & Disinfection

Place the containers to the WD* in an open position and separated from their components

Prefer low alkaline cleaning agents, optimally neutral (7-10.5 pH) which is compatible with anodized aluminum and plastics



Perform the final rinsing with demineralized water

* Validated washer-disinfector according to EN ISO 15883

Sterilization

3x Pre-Vacuum Steam Sterilization




Ensure the proper loading weight* to prevent excess condensation, and leave space between packed items and the container filter

Reduce plastic packaging for less residual moisture

Position the heavy containers at the bottom

Stack the containers up to a max. height of 45 cm to ensure effective air release and steam** penetration



After the process, allow the containers to cool down to room temperature

Test the dryness and verify the thermal measurements***

* According to EN 868:8
** 100% saturated steam quality
*** According to EN ISO 17665



soft packaging?

Blue wrapping is a risky method due to its disadvantages, especially hole permeability which may compromise sterility. Even double wrapping fails to reduce the risk of contamination and instead raises costs and waste generation.



Sustainable Reprocessing

Sterilization containers present a sustainable alternative to traditional single-use (blue) wraps in healthcare settings. Research shows that they significantly reduce carbon emissions, producing less polypropylene woven plastic waste compared to blue wraps.

From an eco-cost perspective, these containers have a lower environmental impact, promoting a more sustainable approach to sterilization. Beyond the environmental benefits, sterilization containers improve infection control by eliminating the contamination risks due to soft packaging. In essence, sterilization containers are an optimal choice for healthcare facilities aiming to adopt a sustainable and efficient sterilization method.

Cost Effective

Low Waste

Less Carbon Footprint

Care & Maintenance

Replace silicone gaskets after 500 cycles.

Apply lubricant to metal sliding surfaces, moving parts, and joints.

Inspect gaskets for cracks and tears.

Check the seal in the retaining groove before each use; apply a leak test if required

Storage

Temperature: 15-26°C
Humidity: 30 – 50%
Air Pressure: 500-1060 hPa

The containers maintain sterility for 12 months under appropriate storage conditions*

* Tested in accordance with EN ISO 11607-1

sterile up to 12 month

Sterilization Container Production Process

Throughout the entire journey from production to distribution, Bahadır Sterilization Container Systems are meticulously manufactured through several processes, resulting in durable and long-lasting products

Production

Following the completion of forging, pressing, polishing, and anodizing processes, the container parts proceed to the assembly lines

Assembly

Parts are assembled according to the model, with intermediate quality checks performed on the lines

Quality

The containers are subjected to function tests and inspections against possible quality defects

Packaging

The containers are securely packaged to prevent damage during transport

Sterilization Expert



Enhanced Coating Better Protection

Anodization not only makes the aluminum corrosion-resistant and durable but also optimizes its thermal conductivity, ensuring that heat is evenly distributed during sterilization cycles which accelerates the evaporation of moisture, ensuring that the instruments and contents inside the container are thoroughly dried.

Surface Detail

Smoother surfaces enhance the contact between the aluminum and the surrounding environment, improving heat transfer. This is particularly important during the sterilization and drying phases, where efficient heat transfer is essential.

Protection Against Corrosion

This protection ensures that the oxide layer remains intact, preserving the improved thermal conductivity over time. It also prevents the formation of corrosion by-products that could hinder heat transfer.



Rigidity

Robust construction with 2 mm sheet thickness.

Benefits

Durability & Longevity
Consistent Performance
Reliable Sterilization Process



Optimal Compatibility

Combining Bahadır products, such as trays and components, ensures reliable handling and ventilation of instruments during the sterilization process. They are optimally designed to complete each other, ensuring optimal compatibility.

Type and Size Variations

Bahadır Sterilization Containers are manufactured in a range of sizes, offering specific solutions to meet the requirements of healthcare professionals.

Designed with user-friendly features that improve convenience in packaging and storage processes, optimizing workflow efficiency for CSSD.



Standard Height Sizes

(mm)

100	130	150	200	260

There are 5 different height options available in standard container types

Specific Needs Particular Solutions

Bahadır Sterilization Containers are typically available in three standard sizes: full (1/1), medium (3/4), and half (1/2) which meet flexibility and compatibility with a wide range of surgical instrument sets and medical equipment. Additionally, to meet specific needs, we offer various types of containers, providing particular solutions.

XXL Size
770x315 mm

Full Size
1/1
585x280 mm

Middle Size
3/4
465x280 mm

Half Size
1/2
295x280 mm



Long Body
710x280 mm

Wide Body
600x400 mm

Maintain Integrity With Safety Lids

The safety lids offered by Bahadır Container Systems serve multiple functions, providing impact protection and safeguarding against contamination during both storage and transport. These features are essential for maintaining the integrity of the filters while not compromising air circulation.

Bahadır Container Systems offers two distinct types of safety lids, one of which is designed for easy disassembly and reassembly. The lock button, conveniently located on the top of the lid, facilitates effortless handling.



Lock Button

Only available for W and S series with disposable filters

Optimal Choices

Bahadır Sterilization Containers are versatile and suitable for a variety of sterilization needs. Users can choose between a perforated lid with a non-perforated base for pre-vacuum and post-vacuum cycles or a perforated base for gravity cycles.



Sterilization Methods

Container Types	Pre-Vacuum	Gravity	Fractional Vacuum	Fractional Flow	Steam Injection
Perforated Perforated	✓	✓	✓	✓	✓
Perforated Non-perforated	✓	–	✓	✓	✓
Non-perforated Perforated	✓	–	✓	✓	✓
Barrier Systems	✓	–	✓	✓	✓
Non-perforated Non-perforated	–	–	–	–	–

According to DIN EN 868-8

Space Saving

Bahadır Sterilization Containers can be efficiently used in environments with limited space due to their stackable feature. The bases and lids of the containers are designed to be compatible with each other, allowing them to be stacked on top of one another. This feature enables users to maximize storage and transportation space.

The stackability feature ensures that the containers can be stored in an orderly and organized manner, enabling users to utilize their space more efficiently.



Disposable Filters

The filter holders, which are securely fastened to the lid with a quick click, provide a leakproof seal with a perimeter gasket and ensure the secure placement of the filter. Users can choose between single-use paper filters or 1200-cycle reusable PTFE filters to prevent the entry of microorganisms during the sterilization process. This allows our products to offer maximum protection. Our filter holders are made of high-quality stainless steel, and a silicone seal on the filter holder ensures a secure and leakproof seal.

Silicone Gasket

Easily removable for self maintenance



Type I

Single-use paper filter

Type II

PTFE filters up to 1500 cycles

Effortlessly Practical: Reusable Barrier Systems

Bahadır Reusable Barrier Systems offer a cost-effective and eco-friendly solution compared to disposable filters, especially for long-term applications.

These systems feature innovative engineering that enables multiple uses without frequent filter replacements and supplies, making them a cost-effective choice for healthcare facilities with continuous operational demands. Moreover, they have the advantage of allowing users to carry out their operations with minimal effort.



The Key Features

Durable high-quality materials, ensuring longevity and resistance to wear and tear.
Ease of sterilization and cleaning, essential for maintaining aseptic conditions
Significantly reducing waste generation for more sustainable and eco-friendly processes.

What is the Bio-Barrier?

The Bahadır Bio-Barrier filter, inspired by Pasteur's swan-neck flask concept, is designed to effectively capture and contain microorganisms. One of its key advantages is its long lifespan, as it doesn't require frequent filter replacements, making it a cost-effective and user-friendly solution.



Filter Detail

High quality anodized aluminum

The specific design of the system creates varying airflow velocities, effectively causing the separation of airflow and microorganisms. This barrier effectively prevents microbes from passing through, ensuring that only clean and filtered air enters the container. Simultaneously, it contains the microorganisms within low-flow areas of the labyrinth, maintaining a controlled and sterile environment inside the container.

Valve System

The Bahadır Valve System features aluminum plates positioned between the upper and lower parts of the barrier. During a sterilization cycle, which involve both negative and positive pressure conditions, the upper small aluminum plate in the system serves as a check valve. This mechanism regulates the flow of steam in and out of the container. When there is no external force, such as vacuum or steam, acting on the flow control valve, the entire system remains sealed.



Label Holder

The label holder is an ideal option for customizing our sterilization containers. It can be easily attached to your products, securely holding labels in place for accurate identification and quick access.



Indicator

Indicator is an important component of the sterilization process in terms of validation and safety. It demonstrates the successful completion of sterilization through color change. Due to the specially designed placement area on the front panel of the container, the indicator can be easily positioned and is easily visible to users.



Ergonomic Locking System

The ergonomic locking system in our products is made of high-quality stainless steel, offering maximum convenience, security, and durability. It enables quick and secure locking and unlocking of containers, due to its easy-to-grasp grip surface. With its stainless steel construction, the system exhibits resistance to wear, easy cleaning, and reliable performance in sterile environments.

Security Seals and Sterility

Security seals ensure the protection of sterile containers against contamination and indicate the sterility of the contents. These seals are used to secure the container and prevent unauthorized access. When the seal is broken, it visually indicates that the container may have been compromised, thereby preventing contamination risks.



Security Seal



Security Seal
(Service)



Security seals are offered
in two color options, blue and red.

High-Temperature Resistant

Security seals are resistant to negative/positive steam pressure at 134°C, ensuring the prevention of contamination during transportation and storage after sterilization while maintaining container integrity.

Colorful Options With M Series

The front panels of the M Series are creatively designed to provide users with a variety of color options, enabling the organized and easy management of the sterilization process.

Colors

The M Series offers seven different color choices



Easily Identify With Lids

The W, S, and A Series feature color-coded lids, offering a quick and suitable method for categorization by color, which is easy to identify.

Colors

The W / S / A Series offers six different color choices





M SERIES
CONTAINER SYSTEMS

Full Size (1/1)	26-27
Middle Size (3/4)	28-29
Half Size (1/2)	30-31
XXL Size	32-33



Lid & Base Closed



Lid Closed / Base Perforated

Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
	Y112.10M	Y112.13M	Y112.15M	Y112.20M	Y112.26M
	Y122.10M	Y122.13M	Y122.15M	Y122.20M	Y122.26M
	Y132.10M	Y132.13M	Y132.15M	Y132.20M	Y132.26M
	Y142.10M	Y142.13M	Y142.15M	Y142.20M	Y142.26M
	Y152.10M	Y152.13M	Y152.15M	Y152.20M	Y152.26M
	Y162.10M	Y162.13M	Y162.15M	Y162.20M	Y162.26M
	Y172.10M	Y172.13M	Y172.15M	Y172.20M	Y172.26M



Lid Closed
Base Perforated

	585x280x105 550x260x75	585x280x135 550x260x105	585x280x155 550x260x125	585x280x205 550x260x175	585x280x265 550x260x235
	Y113.10M	Y113.13M	Y113.15M	Y113.20M	Y113.26M
	Y123.10M	Y123.13M	Y123.15M	Y123.20M	Y123.26M
	Y133.10M	Y133.13M	Y133.15M	Y133.20M	Y133.26M
	Y143.10M	Y143.13M	Y143.15M	Y143.20M	Y143.26M
	Y153.10M	Y153.13M	Y153.15M	Y153.20M	Y153.26M
	Y163.10M	Y163.13M	Y163.15M	Y163.20M	Y163.26M
	Y173.10M	Y173.13M	Y173.15M	Y173.20M	Y173.26M



M SERIES

Full Size (1/1)

Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

	585x280x90 550x260x85	585x280x120 550x260x115	585x280x140 550x260x135	585x280x190 550x260x185	585x280x250 550x260x245
	Y105.10M1	Y105.13M1	Y105.15M1	Y105.20M1	Y105.26M1
	Y105.10M2	Y105.13M2	Y105.15M2	Y105.20M2	Y105.26M2
	Y105.10M3	Y105.13M3	Y105.15M3	Y105.20M3	Y105.26M3
	Y105.10M4	Y105.13M4	Y105.15M4	Y105.20M4	Y105.26M4
	Y105.10M5	Y105.13M5	Y105.15M5	Y105.20M5	Y105.26M5
	Y105.10M6	Y105.13M6	Y105.15M6	Y105.20M6	Y105.26M6
	Y105.10M7	Y105.13M7	Y105.15M7	Y105.20M7	Y105.26M7



Base
Perforated *

	585x280x90 550x260x75	585x280x120 550x260x105	585x280x140 550x260x125	585x280x190 550x260x175	585x280x250 550x260x235
	Y106.10M1	Y106.13M1	Y106.15M1	Y106.20M1	Y106.26M1
	Y106.10M2	Y106.13M2	Y106.15M2	Y106.20M2	Y106.26M2
	Y106.10M3	Y106.13M3	Y106.15M3	Y106.20M3	Y106.26M3
	Y106.10M4	Y106.13M4	Y106.15M4	Y106.20M4	Y106.26M4
	Y106.10M5	Y106.13M5	Y106.15M5	Y106.20M5	Y106.26M5
	Y106.10M6	Y106.13M6	Y106.15M6	Y106.20M6	Y106.26M6
	Y106.10M7	Y106.13M7	Y106.15M7	Y106.20M7	Y106.26M7



Lid

	585x280
	Y103.07M

* Product code does not include the filters,
for visual purposes only.

Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
	Y212.10M	Y212.13M	Y212.15M	Y212.20M
	Y222.10M	Y222.13M	Y222.15M	Y222.20M
	Y232.10M	Y232.13M	Y232.15M	Y232.20M
	Y242.10M	Y242.13M	Y242.15M	Y242.20M
	Y252.10M	Y252.13M	Y252.15M	Y252.20M
	Y262.10M	Y262.13M	Y262.15M	Y262.20M
	Y272.10M	Y272.13M	Y272.15M	Y272.20M



Lid Closed
Base Perforated

	465x280x105 430x260x75	465x280x135 430x260x105	465x280x155 430x260x125	465x280x205 430x260x175
	Y213.10M	Y213.13M	Y213.15M	Y213.20M
	Y223.10M	Y223.13M	Y223.15M	Y223.20M
	Y233.10M	Y233.13M	Y233.15M	Y233.20M
	Y243.10M	Y243.13M	Y243.15M	Y243.20M
	Y253.10M	Y253.13M	Y253.15M	Y253.20M
	Y263.10M	Y263.13M	Y263.15M	Y263.20M
	Y273.10M	Y273.13M	Y273.15M	Y273.20M



M SERIES

Middle Size (3/4)

Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

	465x280x90 430x260x85	465x280x120 430x260x115	465x280x140 430x260x135	465x280x190 430x260x185
	Y205.10M1	Y205.13M1	Y205.15M1	Y205.20M1
	Y205.10M2	Y205.13M2	Y205.15M2	Y205.20M2
	Y205.10M3	Y205.13M3	Y205.15M3	Y205.20M3
	Y205.10M4	Y205.13M4	Y205.15M4	Y205.20M4
	Y205.10M5	Y205.13M5	Y205.15M5	Y205.20M5
	Y205.10M6	Y205.13M6	Y205.15M6	Y205.20M6
	Y205.10M7	Y205.13M7	Y205.15M7	Y205.20M7



Base
Perforated *

	465x280x90 430x260x75	465x280x120 430x260x105	465x280x140 430x260x125	465x280x190 430x260x175
	Y206.10M1	Y206.13M1	Y206.15M1	Y206.20M1
	Y206.10M2	Y206.13M2	Y206.15M2	Y206.20M2
	Y206.10M3	Y206.13M3	Y206.15M3	Y206.20M3
	Y206.10M4	Y206.13M4	Y206.15M4	Y206.20M4
	Y206.10M5	Y206.13M5	Y206.15M5	Y206.20M5
	Y206.10M6	Y206.13M6	Y206.15M6	Y206.20M6
	Y206.10M7	Y206.13M7	Y206.15M7	Y206.20M7



Lid

	465x280
	Y203.07M

* Product code does not include the filters,
for visual purposes only.

Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
	Y312.10M	Y312.13M	Y312.15M	Y312.20M	Y312.26M
	Y322.10M	Y322.13M	Y322.15M	Y322.20M	Y322.26M
	Y332.10M	Y332.13M	Y332.15M	Y332.20M	Y332.26M
	Y342.10M	Y342.13M	Y342.15M	Y342.20M	Y342.26M
	Y352.10M	Y352.13M	Y352.15M	Y352.20M	Y352.26M
	Y362.10M	Y362.13M	Y362.15M	Y362.20M	Y362.26M
	Y372.10M	Y372.13M	Y372.15M	Y372.20M	Y372.26M



Lid Closed
Base Perforated

	295x280x105 260x260x75	295x280x135 260x260x105	295x280x155 260x260x125	295x280x205 260x260x175	295x280x265 260x260x235
	Y313.10M	Y313.13M	Y313.15M	Y313.20M	Y313.26M
	Y323.10M	Y323.13M	Y323.15M	Y323.20M	Y323.26M
	Y333.10M	Y333.13M	Y333.15M	Y333.20M	Y333.26M
	Y343.10M	Y343.13M	Y343.15M	Y343.20M	Y343.26M
	Y353.10M	Y353.13M	Y353.15M	Y353.20M	Y353.26M
	Y363.10M	Y363.13M	Y363.15M	Y363.20M	Y363.26M
	Y373.10M	Y373.13M	Y373.15M	Y373.20M	Y373.26M



M SERIES

Half Size (1/2)

Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

	295x280x90 260x260x85	295x280x120 260x260x115	295x280x140 260x260x135	295x280x190 260x260x185	295x280x250 260x260x245
	Y305.10M1	Y305.13M1	Y305.15M1	Y305.20M1	Y305.26M1
	Y305.10M2	Y305.13M2	Y305.15M2	Y305.20M2	Y305.26M2
	Y305.10M3	Y305.13M3	Y305.15M3	Y305.20M3	Y305.26M3
	Y305.10M4	Y305.13M4	Y305.15M4	Y305.20M4	Y305.26M4
	Y305.10M5	Y305.13M5	Y305.15M5	Y305.20M5	Y305.26M5
	Y305.10M6	Y305.13M6	Y305.15M6	Y305.20M6	Y305.26M6
	Y305.10M7	Y305.13M7	Y305.15M7	Y305.20M7	Y305.26M7



Base
Perforated *

	295x280x90 260x260x75	295x280x120 260x260x105	295x280x140 260x260x125	295x280x190 260x260x175	295x280x250 260x260x235
	Y306.10M1	Y306.13M1	Y306.15M1	Y306.20M1	Y306.26M1
	Y306.10M2	Y306.13M2	Y306.15M2	Y306.20M2	Y306.26M2
	Y306.10M3	Y306.13M3	Y306.15M3	Y306.20M3	Y306.26M3
	Y306.10M4	Y306.13M4	Y306.15M4	Y306.20M4	Y306.26M4
	Y306.10M5	Y306.13M5	Y306.15M5	Y306.20M5	Y306.26M5
	Y306.10M6	Y306.13M6	Y306.15M6	Y306.20M6	Y306.26M6
	Y306.10M7	Y306.13M7	Y306.15M7	Y306.20M7	Y306.26M7



Lid

	295x280
	Y303.07M

* Product code does not include the filters,
for visual purposes only.

Types	Outside Dimensions (mm)
	770x315x190
 Lid Closed Base Perforated	Y111.92M
	Y121.92M
	Y131.92M
	Y141.92M
	Y151.92M
	Y161.92M
	Y171.92M



M SERIES

XXL Size

Outside Dimensions (mm)



Base
Perforated *

770x315x170

- Y106.92M1
- Y106.92M2
- Y106.92M3
- Y106.92M4
- Y106.92M5
- Y106.92M6
- Y106.92M7



Lid

770x315

- Y100.97M

* Product code does not include the filters,
for visual purposes only.



W SERIES
CONTAINER SYSTEMS

Standard 36-41

Full Size (1/1), Middle Size (3/4)
Half Size (1/2)

Reusable Systems 42-47

Full Size (1/1), Middle Size (3/4)
Half Size (1/2)

Long Body 48

Wide Body 49

Removal 50-51

Full Size (1/1), Middle Size (3/4)


Lid Perforated / Base Closed


Lid Safety Lid / Base Perforated


Lid & Base Perforated


Lid Safety Lid / Base Closed


Lid & Base Closed

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Perforated Base Closed



	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
	Y110.10W	Y110.13W	Y110.15W	Y110.20W	Y110.26W
	Y120.10W	Y120.13W	Y120.15W	Y120.20W	Y120.26W
	Y130.10W	Y130.13W	Y130.15W	Y130.20W	Y130.26W
	Y140.10W	Y140.13W	Y140.15W	Y140.20W	Y140.26W
	Y150.10W	Y150.13W	Y150.15W	Y150.20W	Y150.26W
	Y160.10W	Y160.13W	Y160.15W	Y160.20W	Y160.26W

Lid Safety Lid Base Closed



	Y112.10W	Y112.13W	Y112.15W	Y112.20W	Y112.26W
	Y122.10W	Y122.13W	Y122.15W	Y122.20W	Y122.26W
	Y132.10W	Y132.13W	Y132.15W	Y132.20W	Y132.26W
	Y142.10W	Y142.13W	Y142.15W	Y142.20W	Y142.26W
	Y152.10W	Y152.13W	Y152.15W	Y152.20W	Y152.26W
	Y162.10W	Y162.13W	Y162.15W	Y162.20W	Y162.26W

Lid Perforated Base Perforated



	585x280x105 550x260x75	585x280x135 550x260x105	585x280x155 550x260x125	585x280x205 550x260x175	585x280x265 550x260x235
	Y111.10W	Y111.13W	Y111.15W	Y111.20W	Y111.26W
	Y121.10W	Y121.13W	Y121.15W	Y121.20W	Y121.26W
	Y131.10W	Y131.13W	Y131.15W	Y131.20W	Y131.26W
	Y141.10W	Y141.13W	Y141.15W	Y141.20W	Y141.26W
	Y151.10W	Y151.13W	Y151.15W	Y151.20W	Y151.26W
	Y161.10W	Y161.13W	Y161.15W	Y161.20W	Y161.26W

Lid Safety Lid Base Perforated



	Y113.10W	Y113.13W	Y113.15W	Y113.20W	Y113.26W
	Y123.10W	Y123.13W	Y123.15W	Y123.20W	Y123.26W
	Y133.10W	Y133.13W	Y133.15W	Y133.20W	Y133.26W
	Y143.10W	Y143.13W	Y143.15W	Y143.20W	Y143.26W
	Y153.10W	Y153.13W	Y153.15W	Y153.20W	Y153.26W
	Y163.10W	Y163.13W	Y163.15W	Y163.20W	Y163.26W



W SERIES

Full Size (1/1)

Outside - Inside Dimensions (mm)	Code
585x280x90 - 550x260x85	Y105.10W
585x280x120 - 550x260x115	Y105.13W
585x280x140 - 550x260x135	Y105.15W
585x280x190 - 550x260x185	Y105.20W
585x280x250 - 550x260x245	Y105.26W



Base
Closed

585x280 (mm)	Code
	Y100.01
	Y100.02
	Y100.03
	Y100.04
	Y100.05
	Y100.06



Lid
Perforated

Outside - Inside Dimensions (mm)	Code
585x280x90 - 550x260x75	Y106.10W
585x280x120 - 550x260x105	Y106.13W
585x280x140 - 550x260x125	Y106.15W
585x280x190 - 550x260x175	Y106.20W
585x280x250 - 550x260x235	Y106.26W



Base
Perforated *

585x280 (mm)	Code
	Y103.01B
	Y103.02B
	Y103.03B
	Y103.04B
	Y103.05B
	Y103.06B



Safety
Lid

* Product code does not include the filters, for visual purposes only.

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Perforated Base Closed



	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
	Y210.10W	Y210.13W	Y210.15W	Y210.20W
	Y220.10W	Y220.13W	Y220.15W	Y220.20W
	Y230.10W	Y230.13W	Y230.15W	Y230.20W
	Y240.10W	Y240.13W	Y240.15W	Y240.20W
	Y250.10W	Y250.13W	Y250.15W	Y250.20W
	Y260.10W	Y260.13W	Y260.15W	Y260.20W

Lid Safety Lid Base Closed



	Y212.10W	Y212.13W	Y212.15W	Y212.20W
	Y222.10W	Y222.13W	Y222.15W	Y222.20W
	Y232.10W	Y232.13W	Y232.15W	Y232.20W
	Y242.10W	Y242.13W	Y242.15W	Y242.20W
	Y252.10W	Y252.13W	Y252.15W	Y252.20W
	Y262.10W	Y262.13W	Y262.15W	Y262.20W

Lid Perforated Base Perforated



	465x280x105 430x260x75	465x280x135 430x260x105	465x280x155 430x260x125	465x280x205 430x260x175
	Y211.10W	Y211.13W	Y211.15W	Y211.20W
	Y221.10W	Y221.13W	Y221.15W	Y221.20W
	Y231.10W	Y231.13W	Y231.15W	Y231.20W
	Y241.10W	Y241.13W	Y241.15W	Y241.20W
	Y251.10W	Y251.13W	Y251.15W	Y251.20W
	Y261.10W	Y261.13W	Y261.15W	Y261.20W

Lid Safety Lid Base Perforated



	Y213.10W	Y213.13W	Y213.15W	Y213.20W
	Y223.10W	Y223.13W	Y223.15W	Y223.20W
	Y233.10W	Y233.13W	Y233.15W	Y233.20W
	Y243.10W	Y243.13W	Y243.15W	Y243.20W
	Y253.10W	Y253.13W	Y253.15W	Y253.20W
	Y263.10W	Y263.13W	Y263.15W	Y263.20W



W SERIES

Middle Size (3/4)

Outside - Inside Dimensions (mm)	Code
465x280x90 - 430x260x85	Y205.10W
465x280x120 - 430x260x115	Y205.13W
465x280x140 - 430x260x135	Y205.15W
465x280x190 - 430x260x185	Y205.20W

465x280 (mm)	Code
	Y200.01
	Y200.02
	Y200.03
	Y200.04
	Y200.05
	Y200.06



Base
Closed



Lid
Perforated

Outside - Inside Dimensions (mm)	Code
465x280x90 - 430x260x75	Y206.10W
465x280x120 - 430x260x105	Y206.13W
465x280x140 - 430x260x125	Y206.15W
465x280x190 - 430x260x175	Y206.20W

465x280 (mm)	Code
	Y203.01B
	Y203.02B
	Y203.03B
	Y203.04B
	Y203.05B
	Y203.06B



Base
Perforated *



Safety
Lid

* Product code does not include the filters,
for visual purposes only.

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Perforated Base Closed



	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
	Y310.10W	Y310.13W	Y310.15W	Y310.20W	Y310.26W
	Y320.10W	Y320.13W	Y320.15W	Y320.20W	Y320.26W
	Y330.10W	Y330.13W	Y330.15W	Y330.20W	Y330.26W
	Y340.10W	Y340.13W	Y340.15W	Y340.20W	Y340.26W
	Y350.10W	Y350.13W	Y350.15W	Y350.20W	Y350.26W
	Y360.10W	Y360.13W	Y360.15W	Y360.20W	Y360.26W

Lid Safety Lid Base Closed



	Y312.10W	Y312.13W	Y312.15W	Y312.20W	Y312.26W
	Y322.10W	Y322.13W	Y322.15W	Y322.20W	Y322.26W
	Y332.10W	Y332.13W	Y332.15W	Y332.20W	Y332.26W
	Y342.10W	Y342.13W	Y342.15W	Y342.20W	Y342.26W
	Y352.10W	Y352.13W	Y352.15W	Y352.20W	Y352.26W
	Y362.10W	Y362.13W	Y362.15W	Y362.20W	Y362.26W

Lid Perforated Base Perforated



	295x280x105 260x260x75	295x280x135 260x260x105	295x280x155 260x260x125	295x280x205 260x260x175	295x280x265 260x260x235
	Y311.10W	Y311.13W	Y311.15W	Y311.20W	Y311.26W
	Y321.10W	Y321.13W	Y321.15W	Y321.20W	Y321.26W
	Y331.10W	Y331.13W	Y331.15W	Y331.20W	Y331.26W
	Y341.10W	Y341.13W	Y341.15W	Y341.20W	Y341.26W
	Y351.10W	Y351.13W	Y351.15W	Y351.20W	Y351.26W
	Y361.10W	Y361.13W	Y361.15W	Y361.20W	Y361.26W

Lid Safety Lid Base Perforated



	Y313.10W	Y313.13W	Y313.15W	Y313.20W	Y313.26W
	Y323.10W	Y323.13W	Y323.15W	Y323.20W	Y323.26W
	Y333.10W	Y333.13W	Y333.15W	Y333.20W	Y333.26W
	Y343.10W	Y343.13W	Y343.15W	Y343.20W	Y343.26W
	Y353.10W	Y353.13W	Y353.15W	Y353.20W	Y353.26W
	Y363.10W	Y363.13W	Y363.15W	Y363.20W	Y363.26W



W SERIES

Half Size (1/2)

Outside - Inside Dimensions (mm)	Code
295x280x90 - 260x260x85	Y305.10W
295x280x120 - 260x260x115	Y305.13W
295x280x140 - 260x260x135	Y305.15W
295x280x190 - 260x260x185	Y305.20W
295x280x250 - 260x260x245	Y305.26W



Base
Closed

295x280 (mm)	Code
	Y300.01
	Y300.02
	Y300.03
	Y300.04
	Y300.05
	Y300.06



Lid
Perforated

Outside - Inside Dimensions (mm)	Code
295x280x90 - 260x260x75	Y306.10W
295x280x120 - 260x260x105	Y306.13W
295x280x140 - 260x260x125	Y306.15W
295x280x190 - 260x260x175	Y306.20W
295x280x250 - 260x260x235	Y306.26W



Base
Perforated *

295x280 (mm)	Code
	Y303.01B
	Y303.02B
	Y303.03B
	Y303.04B
	Y303.05B
	Y303.06B



Safety
Lid

* Product code does not include the filters,
for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Closed
Base Closed

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
Bio-Barrier					
	Y110.10WB	Y110.13WB	Y110.15WB	Y110.20WB	Y110.26WB
	Y120.10WB	Y120.13WB	Y120.15WB	Y120.20WB	Y120.26WB
	Y130.10WB	Y130.13WB	Y130.15WB	Y130.20WB	Y130.26WB
	Y140.10WB	Y140.13WB	Y140.15WB	Y140.20WB	Y140.26WB
	Y150.10WB	Y150.13WB	Y150.15WB	Y150.20WB	Y150.26WB
	Y160.10WB	Y160.13WB	Y160.15WB	Y160.20WB	Y160.26WB
Valve					
	Y110.10WV	Y110.13WV	Y110.15WV	Y110.20WV	Y110.26WV
	Y120.10WV	Y120.13WV	Y120.15WV	Y120.20WV	Y120.26WV
	Y130.10WV	Y130.13WV	Y130.15WV	Y130.20WV	Y130.26WV
	Y140.10WV	Y140.13WV	Y140.15WV	Y140.20WV	Y140.26WV
	Y150.10WV	Y150.13WV	Y150.15WV	Y150.20WV	Y150.26WV
	Y160.10WV	Y160.13WV	Y160.15WV	Y160.20WV	Y160.26WV
PTFE					
	Y110.10WP	Y110.13WP	Y110.15WP	Y110.20WP	Y110.26WP
	Y120.10WP	Y120.13WP	Y120.15WP	Y120.20WP	Y120.26WP
	Y130.10WP	Y130.13WP	Y130.15WP	Y130.20WP	Y130.26WP
	Y140.10WP	Y140.13WP	Y140.15WP	Y140.20WP	Y140.26WP
	Y150.10WP	Y150.13WP	Y150.15WP	Y150.20WP	Y150.26WP
	Y160.10WP	Y160.13WP	Y160.15WP	Y160.20WP	Y160.26WP



W SERIES/Reusable

Full Size (1/1)

Outside - Inside Dimensions (mm)	Code
585x280x90 - 550x260x85	Y105.10W
585x280x120 - 550x260x115	Y105.13W
585x280x140 - 550x260x135	Y105.15W
585x280x190 - 550x260x185	Y105.20W
585x280x250 - 550x260x245	Y105.26W



Base
Closed

Bio-Barrier

585x280 mm	Code
	Y100.01B
	Y100.02B
	Y100.03B
	Y100.04B
	Y100.05B
	Y100.06B

Valve

585x280 mm	Code
	Y100.01V
	Y100.02V
	Y100.03V
	Y100.04V
	Y100.05V
	Y100.06V

PTFE

585x280 mm	Code
	Y100.01P
	Y100.02P
	Y100.03P
	Y100.04P
	Y100.05P
	Y100.06P



Lid



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Closed
Base Closed

Bio-Barrier

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
	Y210.10WB	Y210.13WB	Y210.15WB	Y210.20WB
	Y220.10WB	Y220.13WB	Y220.15WB	Y220.20WB
	Y230.10WB	Y230.13WB	Y230.15WB	Y230.20WB
	Y240.10WB	Y240.13WB	Y240.15WB	Y240.20WB
	Y250.10WB	Y250.13WB	Y250.15WB	Y250.20WB
	Y260.10WB	Y260.13WB	Y260.15WB	Y260.20WB

Valve

	Y210.10WV	Y210.13WV	Y210.15WV	Y210.20WV
	Y220.10WV	Y220.13WV	Y220.15WV	Y220.20WV
	Y230.10WV	Y230.13WV	Y230.15WV	Y230.20WV
	Y240.10WV	Y240.13WV	Y240.15WV	Y240.20WV
	Y250.10WV	Y250.13WV	Y250.15WV	Y250.20WV
	Y260.10WV	Y260.13WV	Y260.15WV	Y260.20WV

PTFE

	Y210.10WP	Y210.13WP	Y210.15WP	Y210.20WP
	Y220.10WP	Y220.13WP	Y220.15WP	Y220.20WP
	Y230.10WP	Y230.13WP	Y230.15WP	Y230.20WP
	Y240.10WP	Y240.13WP	Y240.15WP	Y240.20WP
	Y250.10WP	Y250.13WP	Y250.15WP	Y250.20WP
	Y260.10WP	Y260.13WP	Y260.15WP	Y260.20WP



W SERIES/Reusable

Middle Size (3/4)

Outside - Inside Dimensions (mm)	Code
465x280x90 - 430x260x85	Y205.10W
465x280x120 - 430x260x115	Y205.13W
465x280x140 - 430x260x135	Y205.15W
465x280x190 - 430x260x185	Y205.20W



Base
Closed

Bio-Barrier

465x280 (mm)	Code
	Y200.01B
	Y200.02B
	Y200.03B
	Y200.04B
	Y200.05B
	Y200.06B

Valve

465x280 (mm)	Code
	Y200.01V
	Y200.02V
	Y200.03V
	Y200.04V
	Y200.05V
	Y200.06V

PTFE

465x280 (mm)	Code
	Y200.01P
	Y200.02P
	Y200.03P
	Y200.04P
	Y200.05P
	Y200.06P



Lid



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Closed
Base Closed

Bio-Barrier

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
	Y310.10WB	Y310.13WB	Y310.15WB	Y310.20WB	Y310.26WB
	Y320.10WB	Y320.13WB	Y320.15WB	Y320.20WB	Y320.26WB
	Y330.10WB	Y330.13WB	Y330.15WB	Y330.20WB	Y330.26WB
	Y340.10WB	Y340.13WB	Y340.15WB	Y340.20WB	Y340.26WB
	Y350.10WB	Y350.13WB	Y350.15WB	Y350.20WB	Y350.26WB
	Y360.10WB	Y360.13WB	Y360.15WB	Y360.20WB	Y360.26WB

Valve

	Y310.10WV	Y310.13WV	Y310.15WV	Y310.20WV	Y310.26WV
	Y320.10WV	Y320.13WV	Y320.15WV	Y320.20WV	Y320.26WV
	Y330.10WV	Y330.13WV	Y330.15WV	Y330.20WV	Y330.26WV
	Y340.10WV	Y340.13WV	Y340.15WV	Y340.20WV	Y340.26WV
	Y350.10WV	Y350.13WV	Y350.15WV	Y350.20WV	Y350.26WV
	Y360.10WV	Y360.13WV	Y360.15WV	Y360.20WV	Y360.26WV

PTFE

	Y310.10WP	Y310.13WP	Y310.15WP	Y310.20WP	Y310.26WP
	Y320.10WP	Y320.13WP	Y320.15WP	Y320.20WP	Y320.26WP
	Y330.10WP	Y330.13WP	Y330.15WP	Y330.20WP	Y330.26WP
	Y340.10WP	Y340.13WP	Y340.15WP	Y340.20WP	Y340.26WP
	Y350.10WP	Y350.13WP	Y350.15WP	Y350.20WP	Y350.26WP
	Y360.10WP	Y360.13WP	Y360.15WP	Y360.20WP	Y360.26WP

W SERIES/Reusable

Half Size (1/2)



Outside - Inside Dimensions (mm)	Code
295x280x90 - 260x260x85	Y305.10W
295x280x120 - 260x260x115	Y305.13W
295x280x140 - 260x260x135	Y305.15W
295x280x190 - 260x260x185	Y305.20W
295x280x250 - 260x260x245	Y305.26W



Base
Closed

Bio Barrier

295x280 (mm)	Code
	Y300.01B
	Y300.02B
	Y300.03B
	Y300.04B
	Y300.05B
	Y300.06B

Valve

295x280 (mm)	Code
	Y300.01V
	Y300.02V
	Y300.03V
	Y300.04V
	Y300.05V
	Y300.06V

PTFE

295x280 (mm)	Code
	Y300.01P
	Y300.02P
	Y300.03P
	Y300.04P
	Y300.05P
	Y300.06P



Lid



W SERIES

Long & Wide Body

Types	Outside Dimensions (mm) Inside Dimensions (mm)	710x280x205 685x260x185
Lid Perforated Base Closed		Y110.70W
		Y120.70W
		Y130.70W
		Y140.70W
		Y150.70W
		Y160.70W

Types	Outside Dimensions (mm) Inside Dimensions (mm)	600x400x125 565x380x105	600x400x185 565x380x165
Lid Perforated Base Closed		Y110.62W	Y110.68W
		Y120.62W	Y120.68W
		Y130.62W	Y130.68W
		Y140.62W	Y140.68W
		Y150.62W	Y150.68W
		Y160.62W	Y160.68W

	710x280x205 685x260x175
Lid Perforated Base Perforated	Y111.70W
	Y121.70W
	Y131.70W
	Y141.70W
	Y151.70W
	Y161.70W

	600x400x125 565x380x95	600x400x185 565x380x155
Lid Perforated Base Perforated	Y111.62W	Y111.68W
	Y121.62W	Y121.68W
	Y131.62W	Y131.68W
	Y141.62W	Y141.68W
	Y151.62W	Y151.68W
	Y161.62W	Y161.68W

710x280 (mm)	Code
	Y100.71
	Y100.72
	Y100.73
	Y100.74
	Y100.75
	Y100.76



Lid
Perforated

Dimensions (mm)	Code
710x280x190	Y105.70W



Base
Closed

710x280x190	Y106.70W



Base
Perforated *

710x280 (mm)	Code
	Y100.51
	Y100.52
	Y100.53
	Y100.54
	Y100.55
	Y100.56



Lid
Perforated

Dimensions (mm)	Code
600x400x110	Y105.62W
600x400x170	Y105.68W



Base
Closed

600x400x110	Y106.62W
600x400x170	Y106.68W



Base
Perforated *

* Product code does not include the filters, for visual purposes only.



W SERIES/Reusable

Wide Body

Lid Closed
Base Closed

Outside - Inside Dimensions (mm)	Code
600x400x110 - 565x380x105	Y105.62W
600x400x170 - 565x380x165	Y105.68W



Base
Closed

	600x400x125 565x380x105	600x400x185 565x380x165
Bio-Barrier		
	Y110.62WB	Y110.68WB
	Y120.62WB	Y120.68WB
	Y130.62WB	Y130.68WB
	Y140.62WB	Y140.68WB
	Y150.62WB	Y150.68WB
	Y160.62WB	Y160.68WB
Valve		
	Y110.62WV	Y110.68WV
	Y120.62WV	Y120.68WV
	Y130.62WV	Y130.68WV
	Y140.62WV	Y140.68WV
	Y150.62WV	Y150.68WV
	Y160.62WV	Y160.68WV
PTFE		
	Y110.62WP	Y110.68WP
	Y120.62WP	Y120.68WP
	Y130.62WP	Y130.68WP
	Y140.62WP	Y140.68WP
	Y150.62WP	Y150.68WP
	Y160.62WP	Y160.68WP



Lid
Reusable

Bio Barrier 295x280 (mm)	Code	Valve 295x280 (mm)	Code	PTFE 295x280 (mm)	Code
	Y100.51B		Y100.51V		Y100.51P
	Y100.52B		Y100.52V		Y100.52P
	Y100.53B		Y100.53V		Y100.53P
	Y100.54B		Y100.54V		Y100.54P
	Y100.55B		Y100.55V		Y100.55P
	Y100.56B		Y100.56V		Y100.56P

W SERIES/Removal

Half Size (1/2)



Types	Outside Dimensions (mm) Inside Dimensions (mm)	
	295x280x105 260x260x85	295x280x155 260x260x135
	Y315.10W	Y315.15W
	Y325.10W	Y325.15W
	Y335.10W	Y335.15W
	Y345.10W	Y345.15W
	Y355.10W	Y355.15W
	Y365.10W	Y365.15W



Lid Closed
Base Closed

Outside - Inside Dimensions (mm)	Code
295x280x90 - 260x260x85	Y305.10W
295x280x140 - 260x260x135	Y305.15W



Base
Closed

295x280 (mm)	Code
	Y302.01
	Y302.02
	Y302.03
	Y302.04
	Y302.05
	Y302.06



Lid
Closed



W SERIES/Removal

Full Size (1/1)

Types	Outside Dimensions (mm) Inside Dimensions (mm)	Outside - Inside Dimensions (mm)	Code
		585x280x140 - 550x260x135	Y105.15W



Lid Closed
Base Closed

585x280x155
550x260x135

	Y115.15W
	Y125.15W
	Y135.15W
	Y145.15W
	Y155.15W
	Y165.15W



Base
Closed

585x280 (mm)	Code
	Y102.01
	Y102.02
	Y102.03
	Y102.04
	Y102.05
	Y102.06



Lid
Closed



S SERIES
CONTAINER SYSTEMS

Full Size (1/1) 54-55

Middle Size (3/4) 56-57

Half Size (1/2) 58-59

Wide Body 60-61

Removal 62-63

Full Size (1/1), Middle Size (3/4)


Lid Perforated / Base Closed


Lid Safety Lid / Base Perforated


Lid & Base Perforated


Lid Safety Lid / Base Closed


Lid & Base Closed

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Perforated Base Closed



	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
	Y110.10	Y110.13	Y110.15	Y110.20	Y110.26
	Y120.10	Y120.13	Y120.15	Y120.20	Y120.26
	Y130.10	Y130.13	Y130.15	Y130.20	Y130.26
	Y140.10	Y140.13	Y140.15	Y140.20	Y140.26
	Y150.10	Y150.13	Y150.15	Y150.20	Y150.26
	Y160.10	Y160.13	Y160.15	Y160.20	Y160.26

Lid Safety Lid Base Closed



	Y112.10	Y112.13	Y112.15	Y112.20	Y112.26
	Y122.10	Y122.13	Y122.15	Y122.20	Y122.26
	Y132.10	Y132.13	Y132.15	Y132.20	Y132.26
	Y142.10	Y142.13	Y142.15	Y142.20	Y142.26
	Y152.10	Y152.13	Y152.15	Y152.20	Y152.26
	Y162.10	Y162.13	Y162.15	Y162.20	Y162.26

Lid Perforated Base Perforated



	585x280x105 550x260x75	585x280x135 550x260x105	585x280x155 550x260x125	585x280x205 550x260x175	585x280x265 550x260x235
	Y111.10	Y111.13	Y111.15	Y111.20	Y111.26
	Y121.10	Y121.13	Y121.15	Y121.20	Y121.26
	Y131.10	Y131.13	Y131.15	Y131.20	Y131.26
	Y141.10	Y141.13	Y141.15	Y141.20	Y141.26
	Y151.10	Y151.13	Y151.15	Y151.20	Y151.26
	Y161.10	Y161.13	Y161.15	Y161.20	Y161.26

Lid Safety Lid Base Perforated



	Y113.10	Y113.13	Y113.15	Y113.20	Y113.26
	Y123.10	Y123.13	Y123.15	Y123.20	Y123.26
	Y133.10	Y133.13	Y133.15	Y133.20	Y133.26
	Y143.10	Y143.13	Y143.15	Y143.20	Y143.26
	Y153.10	Y153.13	Y153.15	Y153.20	Y153.26
	Y163.10	Y163.13	Y163.15	Y163.20	Y163.26



S SERIES

Full Size (1/1)

Outside - Inside Dimensions (mm)	Code
585x280x90 - 550x260x85	Y105.10
585x280x120 - 550x260x115	Y105.13
585x280x140 - 550x260x135	Y105.15
585x280x190 - 550x260x185	Y105.20
585x280x250 - 550x260x245	Y105.26



Base
Closed

585x280 (mm)	Code
	Y100.01
	Y100.02
	Y100.03
	Y100.04
	Y100.05
	Y100.06



Lid
Perforated

Outside - Inside Dimensions (mm)	Code
585x280x90 - 550x260x75	Y106.10
585x280x120 - 550x260x105	Y106.13
585x280x140 - 550x260x125	Y106.15
585x280x190 - 550x260x175	Y106.20
585x280x250 - 550x260x235	Y106.26



Base
Perforated *

585x280 (mm)	Code
	Y103.01B
	Y103.02B
	Y103.03B
	Y103.04B
	Y103.05B
	Y103.06B



Safety
Lid

* Product code does not include the filters,
for visual purposes only.

Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Closed

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
	Y210.10	Y210.13	Y210.15	Y210.20
	Y220.10	Y220.13	Y220.15	Y220.20
	Y230.10	Y230.13	Y230.15	Y230.20
	Y240.10	Y240.13	Y240.15	Y240.20
	Y250.10	Y250.13	Y250.15	Y250.20
	Y260.10	Y260.13	Y260.15	Y260.20



Lid Safety Lid
Base Closed

	Y212.10	Y212.13	Y212.15	Y212.20
	Y222.10	Y222.13	Y222.15	Y222.20
	Y232.10	Y232.13	Y232.15	Y232.20
	Y242.10	Y242.13	Y242.15	Y242.20
	Y252.10	Y252.13	Y252.15	Y252.20
	Y262.10	Y262.13	Y262.15	Y262.20



Lid Perforated
Base Perforated

	465x280x105 430x260x75	465x280x135 430x260x105	465x280x155 430x260x125	465x280x205 430x260x175
	Y211.10	Y211.13	Y211.15	Y211.20
	Y221.10	Y221.13	Y221.15	Y221.20
	Y231.10	Y231.13	Y231.15	Y231.20
	Y241.10	Y241.13	Y241.15	Y241.20
	Y251.10	Y251.13	Y251.15	Y251.20
	Y261.10	Y261.13	Y261.15	Y261.20



Lid Safety Lid
Base Perforated

	Y213.10	Y213.13	Y213.15	Y213.20
	Y223.10	Y223.13	Y223.15	Y223.20
	Y233.10	Y233.13	Y233.15	Y233.20
	Y243.10	Y243.13	Y243.15	Y243.20
	Y253.10	Y253.13	Y253.15	Y253.20
	Y263.10	Y263.13	Y263.15	Y263.20



S SERIES

Middle Size (3/4)

Outside - Inside Dimensions (mm)	Code
465x280x90 - 430x260x85	Y205.10
465x280x120 - 430x260x115	Y205.13
465x280x140 - 430x260x135	Y205.15
465x280x190 - 430x260x185	Y205.20



Base
Closed

465x280 (mm)	Code
	Y200.01
	Y200.02
	Y200.03
	Y200.04
	Y200.05
	Y200.06



Lid
Perforated

Outside - Inside Dimensions (mm)	Code
465x280x90 - 430x260x75	Y206.10
465x280x120 - 430x260x105	Y206.13
465x280x140 - 430x260x125	Y206.15
465x280x190 - 430x260x175	Y206.20



Base
Perforated *

465x280 (mm)	Code
	Y203.01B
	Y203.02B
	Y203.03B
	Y203.04B
	Y203.05B
	Y203.06B



Safety
Lid

* Product code does not include the filters,
for visual purposes only.

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Perforated Base Closed



	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
	Y310.10	Y310.13	Y310.15	Y310.20	Y310.26
	Y320.10	Y320.13	Y320.15	Y320.20	Y320.26
	Y330.10	Y330.13	Y330.15	Y330.20	Y330.26
	Y340.10	Y340.13	Y340.15	Y340.20	Y340.26
	Y350.10	Y350.13	Y350.15	Y350.20	Y350.26
	Y360.10	Y360.13	Y360.15	Y360.20	Y360.26

Lid Safety Lid Base Closed



	Y312.10	Y312.13	Y312.15	Y312.20	Y312.26
	Y322.10	Y322.13	Y322.15	Y322.20	Y322.26
	Y332.10	Y332.13	Y332.15	Y332.20	Y332.26
	Y342.10	Y342.13	Y342.15	Y342.20	Y342.26
	Y352.10	Y352.13	Y352.15	Y352.20	Y352.26
	Y362.10	Y362.13	Y362.15	Y362.20	Y362.26

Lid Perforated Base Perforated



	295x280x105 260x260x75	295x280x135 260x260x105	295x280x155 260x260x125	295x280x205 260x260x175	295x280x265 260x260x235
	Y311.10	Y311.13	Y311.15	Y311.20	Y311.26
	Y321.10	Y321.13	Y321.15	Y321.20	Y321.26
	Y331.10	Y331.13	Y331.15	Y331.20	Y331.26
	Y341.10	Y341.13	Y341.15	Y341.20	Y341.26
	Y351.10	Y351.13	Y351.15	Y351.20	Y351.26
	Y361.10	Y361.13	Y361.15	Y361.20	Y361.26

Lid Safety Lid Base Perforated



	Y313.10	Y313.13	Y313.15	Y313.20	Y313.26
	Y323.10	Y323.13	Y323.15	Y323.20	Y323.26
	Y333.10	Y333.13	Y333.15	Y333.20	Y333.26
	Y343.10	Y343.13	Y343.15	Y343.20	Y343.26
	Y353.10	Y353.13	Y353.15	Y353.20	Y353.26
	Y363.10	Y363.13	Y363.15	Y363.20	Y363.26



S SERIES

Half Size (1/2)

Outside - Inside Dimensions (mm)	Code
295x280x90 - 260x260x85	Y305.10
295x280x120 - 260x260x115	Y305.13
295x280x140 - 260x260x135	Y305.15
295x280x190 - 260x260x185	Y305.20
295x280x250 - 260x260x245	Y305.26



Base
Closed

295x280 (mm)	Code
	Y300.01
	Y300.02
	Y300.03
	Y300.04
	Y300.05
	Y300.06



Lid
Perforated

Outside - Inside Dimensions (mm)	Code
295x280x90 - 260x260x75	Y306.10
295x280x120 - 260x260x105	Y306.13
295x280x140 - 260x260x125	Y306.15
295x280x190 - 260x260x175	Y306.20
295x280x250 - 260x260x235	Y306.26



Base
Perforated *

295x280 (mm)	Code
	Y303.01B
	Y303.02B
	Y303.03B
	Y303.04B
	Y303.05B
	Y303.06B



Safety
Lid

* Product code does not include the filters, for visual purposes only.

Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Closed

	600x400x125 565x380x105	600x400x185 565x380x165
	Y110.62	Y110.68
	Y120.62	Y120.68
	Y130.62	Y130.68
	Y140.62	Y140.68
	Y150.62	Y150.68
	Y160.62	Y160.68



Lid Perforated
Base Perforated

	600x400x125 565x380x95	600x400x185 565x380x155
	Y111.62	Y111.68
	Y121.62	Y121.68
	Y131.62	Y131.68
	Y141.62	Y141.68
	Y151.62	Y151.68
	Y161.62	Y161.68



S SERIES

Wide Body

Outside - Inside Dimensions (mm)	Code
600x400x110 - 565x380x105	Y105.62
600x400x170 - 565x380x165	Y105.68

600x400 (mm)	Code
	Y100.51
	Y100.52
	Y100.53
	Y100.54
	Y100.55
	Y100.56



Base
Closed



Lid
Perforated

Outside - Inside Dimensions (mm)	Code
600x400x110 - 565x380x95	Y106.62
600x400x170 - 565x380x155	Y106.68



Base
Perforated *

* Product code does not include the filters,
for visual purposes only.

S SERIES/Removal

Half Size (1/2)



Types	Outside Dimensions (mm) Inside Dimensions (mm)	
	295x280x105 260x260x85	295x280x155 260x260x135
	Y315.10	Y315.15
	Y325.10	Y325.15
	Y335.10	Y335.15
	Y345.10	Y345.15
	Y355.10	Y355.15
	Y365.10	Y365.15



Lid Closed
Base Closed

Outside - Inside Dimensions (mm)	Code
295x280x90 - 260x260x85	Y305.10
295x280x140 - 260x260x135	Y305.15



Base
Closed

295x280 (mm)	Code
	Y302.01
	Y302.02
	Y302.03
	Y302.04
	Y302.05
	Y302.06



Lid
Closed



S SERIES/Removal

Full Size (1/1)

Types	Outside Dimensions (mm) Inside Dimensions (mm)	Outside - Inside Dimensions (mm)	Code
		585x280x140 - 550x260x135	Y105.15



Lid Closed
Base Closed

	585x280x155 550x260x135
	Y115.15
	Y125.15
	Y135.15
	Y145.15
	Y155.15
	Y165.15



Base
Closed

585x280 (mm)	Code
	Y102.01
	Y102.02
	Y102.03
	Y102.04
	Y102.05
	Y102.06



Lid
Closed





A SERIES
CONTAINER SYSTEMS

Flat & Mini Model 66-67

Dental & Mini Dental Model 68-69

Reusable (Dental & Mini) 70-73



Lid Perforated / Base Closed



Lid & Base Perforated

A SERIES

Flat Model



Types	Outside Dimensions (mm) Inside Dimensions (mm)	300x280x55 270x270x45	300x280x85 270x270x75
Lid Perforated Base Closed		Y310.05A	Y310.08A
		Y320.05A	Y320.08A
		Y330.05A	Y330.08A
		Y340.05A	Y340.08A
		Y350.05A	Y350.08A
		Y360.05A	Y360.08A

Types	Outside Dimensions (mm) Inside Dimensions (mm)	300x280x85 270x270x75
Lid Perforated Base Perforated		Y311.08A
		Y321.08A
		Y331.08A
		Y341.08A
		Y351.08A
		Y361.08A



Base
Closed

Outside - Inside Dimensions (mm)	Code
300x280x45 - 270x270x45	Y305.05A
300x280x75 - 270x270x75	Y305.08A



Base
Perforated *

Outside - Inside Dimensions (mm)	Code
300x280x75 - 270x270x65	Y306.08A



Lid
Perforated

300x280 (mm)	Code
	Y304.01A
	Y304.02A
	Y304.03A
	Y304.04A
	Y304.05A
	Y304.06A

A SERIES

Mini Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Lid Perforated
Base Closed

	310x140x45 280x130x40	310x140x75 280x130x70	310x140x105 280x130x100
	Y410.04A	Y410.07A	Y410.10A
	Y420.04A	Y420.07A	Y420.10A
	Y430.04A	Y430.07A	Y430.10A
	Y440.04A	Y440.07A	Y440.10A
	Y450.04A	Y450.07A	Y450.10A
	Y460.04A	Y460.07A	Y460.10A

Lid Perforated
Base Perforated

	Y411.04A	Y411.07A	Y411.10A
	Y421.04A	Y421.07A	Y421.10A
	Y431.04A	Y431.07A	Y431.10A
	Y441.04A	Y441.07A	Y441.10A
	Y451.04A	Y451.07A	Y451.10A
	Y461.04A	Y461.07A	Y461.10A



Base
Closed

Outside - Inside Dimensions (mm)	Code
310x130x40 - 280x130x40	Y405.04A
310x130x70 - 280x130x70	Y405.07A
310x130x100 - 280x130x100	Y405.10A



Base
Perforated *

Outside - Inside Dimensions (mm)	Code
310x130x40 - 280x130x35	Y406.04A
310x130x70 - 280x130x65	Y406.07A
310x130x100 - 280x130x95	Y406.10A



Lid
Perforated

310x140 (mm)	Code
	Y400.01A
	Y400.02A
	Y400.03A
	Y400.04A
	Y400.05A
	Y400.06A

* Product code does not include the filters,
for visual purposes only.

A SERIES

Dental Model



Types	Outside Dimensions (mm) Inside Dimensions (mm)	310x190x45 280x180x40	310x190x65 280x180x60	310x190x85 280x180x80	310x190x105 280x180x100	310x190x135 280x180x130
 Lid Perforated Base Closed		Y510.04A	Y510.06A	Y510.08A	Y510.10A	Y510.13A
		Y520.04A	Y520.06A	Y520.08A	Y520.10A	Y520.13A
		Y530.04A	Y530.06A	Y530.08A	Y530.10A	Y530.13A
		Y540.04A	Y540.06A	Y540.08A	Y540.10A	Y540.13A
		Y550.04A	Y550.06A	Y550.08A	Y550.10A	Y550.13A
		Y560.04A	Y560.06A	Y560.08A	Y560.10A	Y560.13A

		310x190x45 280x180x35	310x190x65 280x180x55	310x190x85 280x180x75	310x190x105 280x180x95	310x190x135 280x180x125
 Lid Perforated Base Perforated		Y511.04A	Y511.06A	Y511.08A	Y511.10A	Y511.13A
		Y521.04A	Y521.06A	Y521.08A	Y521.10A	Y521.13A
		Y531.04A	Y531.06A	Y531.08A	Y531.10A	Y531.13A
		Y541.04A	Y541.06A	Y541.08A	Y541.10A	Y541.13A
		Y551.04A	Y551.06A	Y551.08A	Y551.10A	Y551.13A
		Y561.04A	Y561.06A	Y561.08A	Y561.10A	Y561.13A




Base
Closed

Outside - Inside Dimensions (mm)	Code
310x190x40 - 280x180x40	Y505.04A
310x190x60 - 280x180x60	Y505.06A
310x190x80 - 280x180x80	Y505.08A
310x190x100 - 280x180x100	Y505.10A
310x190x130 - 280x180x130	Y505.13A



Base
Perforated *

310x190x40 - 280x180x35	Y506.04A
310x190x60 - 280x180x55	Y506.06A
310x190x80 - 280x180x75	Y506.08A
310x190x100 - 280x180x95	Y506.10A
310x190x130 - 280x180x125	Y506.13A



Lid
Perforated

310x190 (mm)	Code
	Y500.01A
	Y500.02A
	Y500.03A
	Y500.04A
	Y500.05A
	Y500.06A

A SERIES

Mini Dental Model



Types	Outside Dimensions (mm) Inside Dimensions (mm)	
	210x155x55 180x145x50	210x155x65 180x145x60
	Y515.05A	Y515.06A
	Y525.05A	Y525.06A
	Y535.05A	Y535.06A
	Y545.05A	Y545.06A
	Y555.05A	Y555.06A
	Y565.05A	Y565.06A



Lid Perforated
Base Closed



Base
Closed

Outside - Inside Dimensions (mm)	Code
210x155x50 - 180x145x50	Y508.05A
210x155x60 - 180x145x60	Y508.06A



Lid
Perforated

210x155 (mm)	Code
	Y501.01A
	Y501.02A
	Y501.03A
	Y501.04A
	Y501.05A
	Y501.06A

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Bio-Barrier



Lid Closed
Base Closed

	310x190x90 280x180x80	310x190x110 280x180x100	310x190x140 280x180x130
	Y510.08AB	Y510.10AB	Y510.13AB
	Y520.08AB	Y520.10AB	Y520.13AB
	Y530.08AB	Y530.10AB	Y530.13AB
	Y540.08AB	Y540.10AB	Y540.13AB
	Y550.08AB	Y550.10AB	Y550.13AB
	Y560.08AB	Y560.10AB	Y560.13AB

Valve



Lid Closed
Base Closed

	Y510.08AV	Y510.10AV	Y510.13AV
	Y520.08AV	Y520.10AV	Y520.13AV
	Y530.08AV	Y530.10AV	Y530.13AV
	Y540.08AV	Y540.10AV	Y540.13AV
	Y550.08AV	Y550.10AV	Y550.13AV
	Y560.08AV	Y560.10AV	Y560.13AV

PTFE



Lid Closed
Base Closed

	Y510.08AP	Y510.10AP	Y510.13AP
	Y520.08AP	Y520.10AP	Y520.13AP
	Y530.08AP	Y530.10AP	Y530.13AP
	Y540.08AP	Y540.10AP	Y540.13AP
	Y550.08AP	Y550.10AP	Y550.13AP
	Y560.08AP	Y560.10AP	Y560.13AP

A SERIES/Reusable

Dental Model



Outside - Inside Dimensions (mm)	Code
310x190x80 - 280x180x80	Y505.08A
310x190x100 - 280x180x100	Y505.10A
310x190x130 - 280x180x130	Y505.13A



Base
Closed

Bio-Barrier

310x190 (mm)	Code
	Y500.01AB
	Y500.02AB
	Y500.03AB
	Y500.04AB
	Y500.05AB
	Y500.06AB

Valve

310x190 (mm)	Code
	Y500.01AV
	Y500.02AV
	Y500.03AV
	Y500.04AV
	Y500.05AV
	Y500.06AV

PTFE

310x190 (mm)	Code
	Y500.01AP
	Y500.02AP
	Y500.03AP
	Y500.04AP
	Y500.05AP
	Y500.06AP



Lid



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Bio-Barrier



Lid Closed
Base Closed

	310x140x45 280x130x40	310x140x75 280x130x70	310x140x105 280x130x100
	Y410.04AB	Y410.07AB	Y410.10AB
	Y420.04AB	Y420.07AB	Y420.10AB
	Y430.04AB	Y430.07AB	Y430.10AB
	Y440.04AB	Y440.07AB	Y440.10AB
	Y450.04AB	Y450.07AB	Y450.10AB
	Y460.04AB	Y460.07AB	Y460.10AB

Valve



Lid Closed
Base Closed

	Y410.04AV	Y410.07AV	Y410.10AV
	Y420.04AV	Y420.07AV	Y420.10AV
	Y430.04AV	Y430.07AV	Y430.10AV
	Y440.04AV	Y440.07AV	Y440.10AV
	Y450.04AV	Y450.07AV	Y450.10AV
	Y460.04AV	Y460.07AV	Y460.10AV

PTFE



Lid Closed
Base Closed

	Y410.04AP	Y410.07AP	Y410.10AP
	Y420.04AP	Y420.07AP	Y420.10AP
	Y430.04AP	Y430.07AP	Y430.10AP
	Y440.04AP	Y440.07AP	Y440.10AP
	Y450.04AP	Y450.07AP	Y450.10AP
	Y460.04AP	Y460.07AP	Y460.10AP



A SERIES/Reusable

Mini Model

Outside - Inside Dimensions (mm)	Code
310x130x40 - 280x130x40	Y405.04A
310x130x70 - 280x130x70	Y405.07A
310x190x130 - 280x180x130	Y405.10A



Base
Closed

Bio-Barrier

310x140 (mm)	Code
	Y400.01AB
	Y400.02AB
	Y400.03AB
	Y400.04AB
	Y400.05AB
	Y400.06AB

Valve

310x140 (mm)	Code
	Y400.01AV
	Y400.02AV
	Y400.03AV
	Y400.04AV
	Y400.05AV
	Y400.06AV

PTFE

310x140 (mm)	Code
	Y400.01AP
	Y400.02AP
	Y400.03AP
	Y400.04AP
	Y400.05AP
	Y400.06AP



Lid



SPECIFIC CONTAINERS

Implant & Scopy Model 76-77



Lid & Base Perforated



SPECIFIC

Implant Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Perforated

	310x140x65 310x135x65	500x155x75 500x150x75
	Y610.06	Y612.07
	Y620.06	Y622.07
	Y630.06	Y632.07
	Y640.06	Y642.07
	Y650.06	Y652.07
	Y660.06	Y662.07






SPECIFIC

Scopy Model



Types	Outside Dimensions (mm) Inside Dimensions (mm)	250x60x50 250x55x45	450x70x70 450x65x65
Lid Perforated Base Perforated		Y600.01	Y600.02







PERFORATED TRAYS

Standard Model 80

Optic, Mini & Dental Model 81


Micro, Small, Large Model 82-83



Mesh Dimensions 4x4 mm
Range of Mesh 1 mm



Suitable for effortless adaptation of the components



Easy handling and carrying even when the lid is closed

PERFORATED TRAYS

Standard Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Polymer Foot
Y835.00

Types	Half Size	Middle Size	DIN Size	Full Size	Long	Wide
Base	Y380.03 242x252x25	Y280.03 405x252x25	Y180.03 484x252x25	Y181.03 539x252x25	Y182.03 655x252x25	Y183.03 530x330x25
	Y380.05 242x252x45	Y280.05 405x252x45	Y180.05 484x252x45	Y181.05 539x252x45	Y182.05 655x252x45	Y183.05 530x330x45
	Y380.07 242x252x65	Y280.07 405x252x65	Y180.07 484x252x65	Y181.07 539x252x65	Y182.07 655x252x65	Y183.07 530x330x65
	Y380.10 242x252x95	Y280.10 405x252x95	Y180.10 484x252x95	Y181.10 539x252x95	Y182.10 655x252x95	Y183.10 530x330x95
Base & Lid	Y380.03L 246x256x25	Y280.03L 409x256x25	Y180.03L 488x256x25	Y181.03L 543x256x25	Y182.03L 655x252x25	Y183.03L 530x330x25
	Y380.05L 246x256x45	Y280.05L 409x256x45	Y180.05L 488x256x45	Y181.05L 543x256x45	Y182.05L 655x252x45	Y183.05L 530x330x45
	Y380.07L 246x256x65	Y280.07L 409x256x65	Y180.07L 488x256x65	Y181.07L 543x256x65	Y182.07L 655x252x65	Y183.07L 530x330x65
	Y380.10L 246x256x95	Y280.10L 409x256x95	Y180.10L 488x256x95	Y181.10L 543x256x95	Y182.10L 655x252x95	Y183.10L 530x330x95
Base (With Feet)	Y380.03F 242x252x40	Y280.03F 405x252x40	Y180.03F 484x252x40	Y181.03F 539x252x40	Y182.03F 655x252x40	Y183.03F 530x330x40
	Y380.05F 242x252x60	Y280.05F 405x252x60	Y180.05F 484x252x60	Y181.05F 539x252x60	Y182.05F 655x252x60	Y183.05F 530x330x60
	Y380.07F 242x252x80	Y280.07F 405x252x80	Y180.07F 484x252x80	Y181.07F 539x252x80	Y182.07F 655x252x80	Y183.07F 530x330x80
	Y380.10F 242x252x110	Y280.10F 405x252x110	Y180.10F 484x252x110	Y181.10F 539x252x110	Y182.10F 655x252x110	Y183.10F 530x330x110
Base & Lid (With Feet)	Y380.03FL 246x256x40	Y280.03FL 409x256x40	Y180.03FL 488x256x40	Y181.03FL 543x256x40	Y182.03FL 655x252x40	Y183.03FL 530x330x40
	Y380.05FL 246x256x60	Y280.05FL 409x256x60	Y180.05FL 488x256x60	Y181.05FL 543x256x60	Y182.05FL 655x252x60	Y183.05FL 530x330x60
	Y380.07FL 246x256x80	Y280.07FL 409x256x80	Y180.07FL 488x256x80	Y181.07FL 543x256x80	Y182.07FL 655x252x80	Y183.07FL 530x330x80
	Y380.10FL 246x256x110	Y280.10FL 409x256x110	Y180.10FL 488x256x110	Y181.10FL 543x256x110	Y182.10FL 655x252x110	Y183.10FL 530x330x110
Lid	Y380.01 246x256x15	Y280.01 409x256x15	Y180.01 488x256x15	Y181.01 543x256x15	Y182.01 659x256x15	Y183.01 534x334x15

PERFORATED TRAYS

Optic Model


Types	Outside Dimensions (mm) Inside Dimensions (mm)			
	Single Scope		Double Scope	
Base & Lid	Y695.00 272x83x44		Y695.03 272x103x44	
	Y696.00 452x83x44	Base & Lid	Y696.03 452x103x44	



PERFORATED TRAYS

Mini & Dental Model

	Mini Model		Dental Model	
Base & Lid	Y480.04 270x123x45		Y580.05 270x170x50	
	Y480.06 270x123x65	Base & Lid	Y580.10 270x170x100	




PERFORATED TRAYS WITH HINGES

Micro & Small Trays

Code	Outside Dimensions (mm)	Lock System	• Embossed lock system • 2x2mm perforated bottom and lid
Y580.20	40x40x25	Embossed lock system	
Y580.21	60x60x25	Embossed lock system	
Y580.22	60x60x40	Embossed lock system	
Y580.23	80x80x25	Embossed lock system	
Y580.24	80x80x40	Embossed lock system	
Y580.25	80x40x40	Embossed lock system	

Code	Outside Dimensions (mm)	Lock System	• Sliding flat lock system • 2x2mm perforated bottom and lid
Y580.30	100x30x25	Push lock system	
Y580.31	160x30x25	Push lock system	
Y580.32	200x30x25	Push lock system	
Y580.33	240x40x40	Push lock system	
Y580.34	300x40x40	Push lock system	
Y580.35	450x40x40	Push lock system	
Y581.20	115x90x45	Sliding flat lock system	
Y581.21	115x115x25	Sliding flat lock system	
Y581.22	145x150x50	Sliding flat lock system	
Y581.23	170x135x35	Sliding flat lock system	
Y581.24	210x145x25	Sliding flat lock system	
Y581.25	210x145x45	Sliding flat lock system	
Y581.26	240x240x45	Sliding flat lock system	
Y581.27	275x175x35	Sliding flat lock system	
Y581.28	280x170x60	Sliding flat lock system	





Large Trays

Small Trays

Code	Outside Dimensions (mm)	Lock System
Y581.40	80x80x40	Push lock system
Y581.41	100x80x30	Sliding flat lock system
Y581.42	130x115x40	Sliding flat lock system
Y581.43	130x115x60	Sliding flat lock system
Y581.44	195x70x40	Sliding flat lock system
Y581.45	225x130x40	Sliding flat lock system
Y581.46	250x115x25	Sliding flat lock system
Y581.47	250x115x40	Sliding flat lock system
Y581.48	250x115x60	Sliding flat lock system
Y581.49	480x115x50	Sliding flat lock system
Y581.50	270x123x45	Sliding flat lock system
Y581.51	270x123x65	Sliding flat lock system
Y581.52	270x170x50	Sliding flat lock system
Y581.53	270x170x100	Sliding flat lock system

- Sliding flat lock system
- 4x4mm perforated bottom and lid

*Dimensions: width x length x height (with tolerances up to ±5mm)



HYBRID BASKETS

Standard Model 86-88

Specific Model 89





Base Intermediate Crimp
Mesh Dimensions 5x5 mm
Wire Diameter 1 mm
Sides Perforated sheet
Perforation Diameter 3 mm




Base Plain Weave
Mesh Dimensions 4x4 mm
Wire Diameter 1 mm
Sides Perforated sheet
Perforation Diameter 3 mm



Base Welded Wire Mesh
Mesh Dimensions 6x6 mm
Wire Diameter 1.2 mm
Sides Perforated sheet
Perforation Diameter 3 mm

STANDARD

Intermediate Crimp




Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	Half Size	Middle Size	DIN Size	Full Size
Base	Y396.05A 245x255x50	Y296.05A 405x255x50	Y196.05A 485x255x50	Y197.05A 540x255x50
	Y396.06A 245x255x60	Y296.06A 405x255x60	Y196.06A 485x255x60	Y197.06A 540x255x60
	Y396.07A 245x255x70	Y296.07A 405x255x70	Y196.07A 485x255x70	Y197.07A 540x255x70
	Y396.10A 245x255x100	Y296.10A 405x255x100	Y196.10A 485x255x100	Y197.10A 540x255x100
Base & Lid	Y396.05AL 245x255x50	Y296.05AL 405x255x50	Y196.05AL 485x255x50	Y197.05AL 540x255x50
	Y396.06AL 245x255x60	Y296.06AL 405x255x60	Y196.06AL 485x255x60	Y197.06AL 540x255x60
	Y396.07AL 245x255x70	Y296.07AL 405x255x70	Y196.07AL 485x255x70	Y197.07AL 540x255x70
	Y396.10AL 245x255x100	Y296.10AL 405x255x100	Y196.10AL 485x255x100	Y197.10AL 540x255x100
Lid	Y390.01 215x240	Y290.01 375x240	Y190.01 455x240	Y191.01 510x240

Product Details


Base & Lid
Intermediate Crimp



Side Plate
Perforated Sheet

STANDARD

Plain Weave




Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	Half Size	Middle Size	DIN Size	Full Size
Base	Y396.05B 245x255x50	Y296.05B 405x255x50	Y196.05B 485x255x50	Y197.05B 540x255x50
	Y396.06B 245x255x60	Y296.06B 405x255x60	Y196.06B 485x255x60	Y197.06B 540x255x60
	Y396.07B 245x255x70	Y296.07B 405x255x70	Y196.07B 485x255x70	Y197.07B 540x255x70
	Y396.10B 245x255x100	Y296.10B 405x255x100	Y196.10B 485x255x100	Y197.10B 540x255x100
Base & Lid	Y396.05BL 245x255x50	Y296.05BL 405x255x50	Y196.05BL 485x255x50	Y197.05BL 540x255x50
	Y396.06BL 245x255x60	Y296.06BL 405x255x60	Y196.06BL 485x255x60	Y197.06BL 540x255x60
	Y396.07BL 245x255x70	Y296.07BL 405x255x70	Y196.07BL 485x255x70	Y197.07BL 540x255x70
	Y396.10BL 245x255x100	Y296.10BL 405x255x100	Y196.10BL 485x255x100	Y197.10BL 540x255x100
Lid	Y392.01 215x240	Y292.01 375x240	Y192.01 455x240	Y193.01 510x240

Product Details

Base & Lid
Plain Weave



Side Plate
Perforated Sheet

STANDARD

Welded Wire Mesh




Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	Half Size	Middle Size	DIN Size	Full Size
Base	Y396.05C 245x255x50	Y296.05C 405x255x50	Y196.05C 485x255x50	Y197.05C 540x255x50
	Y396.06C 245x255x60	Y296.06C 405x255x60	Y196.06C 485x255x60	Y197.06C 540x255x60
	Y396.07C 245x255x70	Y296.07C 405x255x70	Y196.07C 485x255x70	Y197.07C 540x255x70
	Y396.10C 245x255x100	Y296.10C 405x255x100	Y196.10C 485x255x100	Y197.10C 540x255x100
Base & Lid	Y396.05CL 245x255x50	Y296.05CL 405x255x50	Y196.05CL 485x255x50	Y197.05CL 540x255x50
	Y396.06CL 245x255x60	Y296.06CL 405x255x60	Y196.06CL 485x255x60	Y197.06CL 540x255x60
	Y396.07CL 245x255x70	Y296.07CL 405x255x70	Y196.07CL 485x255x70	Y197.07CL 540x255x70
	Y396.10CL 245x255x100	Y296.10CL 405x255x100	Y196.10CL 485x255x100	Y197.10CL 540x255x100
Lid	Y394.01 215x240	Y294.01 375x240	Y194.01 455x240	Y195.01 510x240

Product Details

Base & Lid
Welded Wire Mesh



Side Plate
Perforated Sheet

SPECIFIC

Plain Weave



Types

Outside Dimensions (mm)
Inside Dimensions (mm)




Base & Lid

Type 1	Type 2	Type 3
Y590.01 125x110x50	Y398.03 270x170x30	Y297.04 340x250x40
Y590.03 125x110x70	Y398.05 270x170x50	Y298.04 440x250x40
Y590.04 195x70x40	Y398.07 270x170x70	Y298.08 440x250x80
Y590.05 220x125x40	Y398.10 270x170x100	Y299.08 460x320x80
Y590.06 265x120x30		
Y590.07 265x120x40		
Y590.08 265x120x50		
Y590.10 265x120x70		

Product Details

Base & Lid
Plain Weave




Side Plate
Perforated Sheet



WIRE BASKETS

Standard Model 92-96

Wide Body 97





Intermediate Crimp

Mesh Dimensions 5x5 mm
Range of Mesh 1 mm




Plain Weave

Mesh Dimensions 4x4 mm
Range of Mesh 1 mm



Welded Wire Mesh

Mesh Dimensions 6x6 mm
Range of Mesh 1.2 mm




Fine Mesh

Mesh Dimensions 2x2 mm
Range of Mesh 1 mm

STANDARD

Intermediate Crimp



Types	Outside Dimensions (mm) Inside Dimensions (mm)			
	Half Size	Middle Size	DIN Size	Full Size
Base	Y390.03 245x255x30	Y290.03 405x255x30	Y190.03 485x255x30	Y191.03 540x255x30
	Y390.05 245x255x50	Y290.05 405x255x50	Y190.05 485x255x50	Y191.05 540x255x50
	Y390.07 245x255x70	Y290.07 405x255x70	Y190.07 485x255x70	Y191.07 540x255x70
	Y390.10 245x255x100	Y290.10 405x255x100	Y190.10 485x255x100	Y191.10 540x255x100
Lid	Y390.01 215x240	Y290.01 375x240	Y190.01 455x240	Y191.01 510x240


Product Details

Base & Lid
Intermediate Crimp



STANDARD

Plain Weave



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	Half Size	Middle Size	DIN Size	Full Size
Base	Y392.03 245x255x30	Y292.03 405x255x30	Y192.03 485x255x30	Y193.03 540x255x30
	Y392.05 245x255x50	Y292.05 405x255x50	Y192.05 485x255x50	Y193.05 540x255x50
	Y392.07 245x255x70	Y292.07 405x255x70	Y192.07 485x255x70	Y193.07 540x255x70
	Y392.10 245x255x100	Y292.10 405x255x100	Y192.10 485x255x100	Y193.10 540x255x100
Lid	Y392.01 215x240	Y292.01 375x240	Y192.01 455x240	Y193.01 510x240


Product Details

Base & Lid
Plain Weave



STANDARD

Welded Wire Mesh




Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	Half Size	Middle Size	DIN Size	Full Size
Base	Y394.03 245x255x30	Y294.03 405x255x30	Y194.03 485x255x30	Y195.03 540x255x30
	Y394.05 245x255x50	Y294.05 405x255x50	Y194.05 485x255x50	Y195.05 540x255x50
	Y394.07 245x255x70	Y294.07 405x255x70	Y194.07 485x255x70	Y195.07 540x255x70
	Y394.10 245x255x100	Y294.10 405x255x100	Y194.10 485x255x100	Y195.10 540x255x100
Lid	Y394.01 215x240	Y294.01 375x240	Y194.01 455x240	Y195.01 510x240


Product Details

Base & Lid
Welded Wire Mesh



STANDARD

Optic Wire Baskets



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	Single Scope	Double Scope
Base & Lid	Y690.02 290x80x55	Y690.03 290x80x55
	Y690.04 460x80x55	Y690.05 460x80x55
	Y690.06 670x80x55	



Silicone Holder
(Type 1)


	Single Scope	Double Scope
Base & Lid	Y691.02 290x80x55	Y691.03 290x80x55
	Y691.04 460x80x55	Y691.05 460x80x55



Silicone Holder
(Type 2)

STANDARD

Mini & Dental Model





Types	Outside Dimensions (mm) Inside Dimensions (mm)	
Base	Mini Model (Intermediate Crimp) Y490.05 265x120x45	Mini Model (Plain Weave) Y492.05 265x120x45
Base	Dental Model (Intermediate Crimp) Y590.12 270x170x45	Dental Model (Plain Weave) Y590.13 270x170x45









Fine Mesh Baskets

Base & Lid	Y591.01 80x80x40	
	Y591.03 145x150x50	
	Y591.07 220x140x50	
	Y591.08 275x175x35	
	Y591.09 280x170x60	




Base & Lid
Fine Wire Mesh



Wide Body Wire Baskets


Types	Outside Dimensions (mm) Inside Dimensions (mm)
	Wide Body (Intermediate Crimp)
Base	Y190.55 470x337x51
	Y191.60 533x337x101





Surgical Laundry Baskets

Base	Y693.02 605x405x150
	Y693.04 605x405x300



COMPONENTS

Container Components 100-101

Tray & Basket Components 102-107






Filter Retainer
(For W/S Series)

Y809.00



Filter Retainer
(For M Series)

Y808.00



Filter Retainer
(For Mini & Dental Containers)

Y805.11



Filter Retainer
(For Mini Dental Container)

Y805.20



Security Seal

Y819.00
100 Pcs.



Security Seal
(Service)

Y819.01
100 Pcs.

COMPONENTS

Container Components



Paper Filter
(For 1/1, 3/4, 1/2 Size)

Y800.00
100 Pcs.



Paper Filter
(For Mini & Dental Containers)

Y802.00
100 Pcs.



Paper Filter
(For Mini Dental Container)

Y803.00
100 Pcs.



PTFE Filter
(For 1/1, 3/4, 1/2 Size)

Y800.10



PTFE Filter
(For Mini & Dental Containers)

Y802.10



PTFE Filter
(For Mini Dental Container)

Y803.10




Identification Labels

- Y820.11
- Y820.12
- Y820.13
- Y820.14
- Y820.15
- Y820.16



Identification Labels
(For M Series)

- Y820.11M
- Y820.12M
- Y820.13M
- Y820.14M
- Y820.15M
- Y820.16M




Indicators
(Paper)

Y810.00	100 Pcs.
Y810.01	100 Pcs.
Y812.00	100 Pcs.

Silicone Mats


Code	Outside Dimensions
Y850.11	270x125 mm
Y852.01	225x235 mm
Y852.11	375x235 mm
Y852.21	450x235 mm (DIN)
Y852.31	500x235 mm






Silicone Mat
(Type 1 - Blue)

Code	Outside Dimensions
Y853.11	260x125 mm
Y853.21	225x235 mm
Y853.31	370x235 mm
Y853.51	500x235 mm






Silicone Mat
(Type 2 - Blue)

COMPONENTS

Holders & Endoscopic Racks

Y843.06
Endoscopic Rack
485 x 235 x 160 mm





Silicone Holder
(For Optic Wire Baskets)

40x17x6,5 mm Y858.03
70x17x6,5 mm Y858.04

Complete Y858.00



Silicone Holder
(For Optic Wire Baskets)

54x17x6,5 mm Y859.04
68x17x6,5 mm Y859.06
80,5x17x6,5 mm Y859.07

Complete Y859.00



Silicone Holder
(For Adjustable Racks)


226x17 mm Y857.01
226x17 mm Y857.03

230x220x40mm Complete Y843.04

1 pcs Y857.01
2 pcs Y857.03




*Dimensions: length x width x height



KERRISON Rack
(For 8 Kerrisons)

240x230x170 mm Y843.08
(Suitable for 1/2 Containers)



KERRISON Rack
(For 17 Kerrisons)

400x245x170 mm Y843.09
(Suitable for 3/4 Containers)



Y857.80
17x25x40 mm



Y857.70
17x100x40 mm



Y857.71
17x225x40 mm



Y857.30
17x25x40 mm



Y857.10
17x100x40 mm



Y857.20
17x225x40 mm



Y857.83
17x25x40 mm



Y857.73
17x100x40 mm



Y857.74
17x225x40 mm



Y 857.33
17x25x40 mm



Y857.13
17x100x40 mm



Y857.23
17x225x40 mm



Y857.85
17x25x40 mm



Y857.75
17x100x40 mm



Y857.76
17x225x40 mm



Y857.35
17x25x40 mm



Y857.15
17x100x40 mm



Y857.25
17x225x40 mm



Y857.70P
12x25x3 mm



Y857.71P
12x100x3 mm



Y857.72P
12x225x3 mm



COMPONENTS

Silicone Holders



Y857.40
17x25x37mm
Ø12mm



Y857.41
17x25x37 mm
Ø14mm



Y857.90
17x25x37 mm
Ø12mm



Y857.91
17x25x37 mm
Ø14mm



Y857.42
17x25x30 mm
Ø12mm



Y857.43
17x25x30 mm
Ø14mm



Y857.92
17x25x30 mm
Ø12mm



Y857.93
17x25x30 mm
Ø14mm



Y857.44
17x24x21 mm
Ø5mm




Y857.45
17x24x21 mm
Ø10mm



Y857.94
17x24x21 mm
Ø5mm



Y857.95
17x24x21 mm
Ø10mm




Y857.47
17x225x21 mm
Ø10mm - Ø5mm


It can be used with endoscopic rack "Y843.06" if desired



*Dimensions: width x length x height

Hanging Trays








Base

Code	Outside Dimensions
Y480.20	254x70x30 mm
Y480.22	254x120x30 mm
Y480.24	254x170x30 mm
Y480.26	254x240x30 mm

Compatible with standard tray and basket series.






Individually usable for sterilization requirements.

COMPONENTS


Separators

Non-Sliding



Code	Outside Dimensions
Y844.01	230x240x45mm
Y844.02	390x240x45mm
Y844.03	470x240x45mm
Y844.04	530x240x45mm













Sliding



Code	Outside Dimensions
Y844.11	230x240x45mm
Y844.12	390x240x45mm
Y844.13	470x240x45mm
Y844.14	530x240x45mm

*Dimensions: width x length x height (with tolerances up to ±5mm)

Suitability of our sterile containers for steam sterilization procedures as per DIN 58953, part 9

Type	Packing		Steam sterilization procedure acc. to DIN 58946, part 1				
	Description	Symbolic Delivery and Packaging System	Gravity Procedure	Pre-Vacuum Procedure	Fractional Vacuum Procedure	Fractional Flow Procedure	Steam Injection Procedure
With filters (StB-F)	Textiles in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
			0	0	+	+	+
	Textiles in sterilization container with filter in lid, bottom not perforated acc. to DIN 58952 part 1		-	-	+	+	+
			-	-	+	+	0
	Textiles in sterilization container with filter in bottom lid, not perforated acc. to DIN 58952 part 1		0	+	+	+	+
			-	0	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom not perforated acc. to DIN 58952 part 1		-	+	+	+	+
	Instruments in wire basket acc. To DIN 58952 part III, in sterilization container with filter in bottom acc. to DIN 58952 part 1		0	+	+	+	+
With valve (StB-V)	Textiles in sterilization container with valves in lid and bottom acc. to DIN 58952 part 1		-	0	+	+	0
			-	-	+	+	0
	Textiles in sterilization container with valves in lid, no valves on the bottom		-	-	+	+	-
			-	-	+	+	-
	Instruments in wire basket in sterilization container with valve in lid and bottom		-	+	+	+	+
	Instruments in wire basket in sterilization container with valve in lid no valves on the bottom		-	+	+	+	+

INDEX

Numerical

Code	Page
Y100.01	37
Y100.01	55
Y100.01B	43
Y100.01P	43
Y100.01V	43
Y100.02	37
Y100.02	55
Y100.02B	43
Y100.02P	43
Y100.02V	43
Y100.03	37
Y100.03	55
Y100.03B	43
Y100.03P	43
Y100.03V	43
Y100.04	37
Y100.04	55
Y100.04B	43
Y100.04P	43
Y100.04V	43
Y100.05	37
Y100.05	55
Y100.05B	43
Y100.05P	43
Y100.05V	43
Y100.06	37
Y100.06	55
Y100.06B	43
Y100.06P	43
Y100.06V	43
Y100.51	49
Y100.51	49
Y100.51	61
Y100.52	49
Y100.52	49
Y100.52	61
Y100.53	49
Y100.53	49
Y100.53	61
Y100.54	49
Y100.54	49
Y100.54	61
Y100.55	49
Y100.55	49
Y100.55	61
Y100.56	49
Y100.56	49
Y100.56	61
Y100.71	48
Y100.72	48
Y100.73	48
Y100.74	48
Y100.75	48
Y100.76	48
Y100.97M	33
Y102.01	51
Y102.01	63
Y102.02	51
Y102.02	63
Y102.03	51
Y102.03	63
Y102.04	51
Y102.04	63
Y102.05	51
Y102.05	63
Y102.06	51
Y102.06	63
Y103.01B	37
Y103.01B	55
Y103.02B	37
Y103.02B	55
Y103.03B	37
Y103.03B	55
Y103.04B	37
Y103.04B	55
Y103.05B	37
Y103.05B	55
Y103.06B	37
Y103.06B	55
Y103.07M	27
Y105.10	55
Y105.10M1	27
Y105.10M2	27
Y105.10M3	27
Y105.10M4	27
Y105.10M5	27
Y105.10M6	27
Y105.10M7	27
Y105.10W	37
Y105.10W	43
Y105.13	55
Y105.13M1	27
Y105.13M2	27
Y105.13M3	27
Y105.13M4	27
Y105.13M5	27
Y105.13M6	27
Y105.13M7	27
Y105.13W	37
Y105.13W	43
Y105.15	55
Y105.15	63
Y105.15M1	27
Y105.15M2	27
Y105.15M3	27
Y105.15M4	27
Y105.15M5	27
Y105.15M6	27
Y105.15M7	27
Y105.15W	37
Y105.15W	43
Y105.15W	51
Y105.20	55
Y105.20M1	27
Y105.20M2	27
Y105.20M3	27
Y105.20M4	27
Y105.20M5	27
Y105.20M6	27
Y105.20M7	27
Y105.20W	37
Y105.20W	43
Y105.26	55
Y105.26M1	27
Y105.26M2	27
Y105.26M3	27
Y105.26M4	27
Y105.26M5	27
Y105.26M6	27
Y105.26M7	27
Y105.26W	37
Y105.26W	43
Y105.62	61
Y105.62W	49
Y105.68	61
Y105.68W	49
Y105.70W	48
Y106.10	55
Y106.10M1	27
Y106.10M2	27
Y106.10M3	27
Y106.10M4	27
Y106.10M5	27
Y106.10M6	27
Y106.10M7	27
Y106.10W	37
Y106.13	55
Y106.13M1	27
Y106.13M2	27
Y106.13M3	27
Y106.13M4	27
Y106.13M5	27
Y106.13M6	27
Y106.13M7	27
Y106.13W	37
Y106.15	55
Y106.15M1	27
Y106.15M2	27
Y106.15M3	27
Y106.15M4	27
Y106.15M5	27
Y106.15M6	27
Y106.15M7	27
Y106.15W	37
Y106.20	55

Code	Page
Y106.20M1	27
Y106.20M2	27
Y106.20M3	27
Y106.20M4	27
Y106.20M5	27
Y106.20M6	27
Y106.20M7	27
Y106.20W	37
Y106.26	55
Y106.26M1	27
Y106.26M2	27
Y106.26M3	27
Y106.26M4	27
Y106.26M5	27
Y106.26M6	27
Y106.26M7	27
Y106.26W	37
Y106.62	61
Y106.62W	49
Y106.68	61
Y106.68W	49
Y106.70W	48
Y106.92M1	33
Y106.92M2	33
Y106.92M3	33
Y106.92M4	33
Y106.92M5	33
Y106.92M6	33
Y106.92M7	33
Y110.10	54
Y110.10W	36
Y110.10WB	42
Y110.10WP	42
Y110.10WV	42
Y110.13	54
Y110.13W	36
Y110.13WB	42
Y110.13WP	42
Y110.13WV	42
Y110.15	54
Y110.15W	36
Y110.15WB	42
Y110.15WP	42
Y110.15WV	42
Y110.20	54
Y110.20W	36
Y110.20WB	42
Y110.20WP	42
Y110.20WV	42
Y110.26	54
Y110.26W	36
Y110.26WB	42
Y110.26WP	42
Y110.26WV	42
Y110.62	60
Y110.62W	49
Y110.62WB	49
Y110.68	60
Y110.68W	49
Y110.68WB	49
Y110.70W	48
Y111.10	54
Y111.10W	36
Y111.13	54
Y111.13W	36
Y111.15	54
Y111.15W	36
Y111.20	54
Y111.20W	36
Y111.26	54
Y111.26W	36
Y111.62	60
Y111.62W	49
Y111.68	60
Y111.68W	49
Y111.70W	48
Y111.92M	32
Y112.10	54
Y112.10M	26
Y112.10W	36
Y112.13	54
Y112.13M	26
Y112.13W	36
Y112.15	54
Y112.15M	26
Y112.15W	36
Y112.20	54
Y112.20M	26
Y112.20W	36
Y112.26	54
Y112.26M	26
Y112.26W	36
Y113.10	54
Y113.10M	26
Y113.10W	36
Y113.13	54
Y113.13M	26
Y113.13W	36
Y113.15	54
Y113.15M	26
Y113.15W	36
Y113.20	54
Y113.20M	26
Y113.20W	36
Y113.26	54
Y113.26M	26
Y113.26W	36
Y115.15	63
Y115.15W	51
Y120.10	54
Y120.10W	36
Y120.10WB	42
Y120.10WP	42
Y120.10WV	42
Y120.13	54
Y120.13W	36
Y120.13WB	42
Y120.13WP	42
Y120.13WV	42
Y120.15	54
Y120.15W	36
Y120.15WB	42
Y120.15WP	42
Y120.15WV	42
Y120.20	54
Y120.20W	36
Y120.20WB	42
Y120.20WP	42
Y120.20WV	42
Y120.26	54
Y120.26W	36
Y120.26WB	42
Y120.26WP	42
Y120.26WV	42
Y120.62	60
Y120.62W	49
Y120.62WB	49
Y120.68	60
Y120.68W	49
Y120.68WB	49
Y120.70W	48
Y121.10	54
Y121.10W	36
Y121.13	54
Y121.13W	36
Y121.15	54
Y121.15W	36
Y121.20	54
Y121.20W	36
Y121.26	54
Y121.26W	36
Y121.62	60
Y121.62W	49
Y121.68	60
Y121.68W	49
Y121.70W	48
Y121.92M	32
Y122.10	54
Y122.10M	26
Y122.10W	36
Y122.13	54
Y122.13M	26
Y122.13W	36
Y122.15	54
Y122.15M	26
Y122.15W	36
Y122.20	54
Y122.20M	26
Y122.20W	36
Y122.26	54
Y122.26M	26
Y122.26W	36
Y123.10	54
Y123.10M	26
Y123.10W	36
Y123.13	54
Y123.13M	26
Y123.13W	36
Y123.15	54
Y123.15M	26
Y123.15W	36
Y123.20	54
Y123.20M	26
Y123.20W	36
Y123.26	54
Y123.26M	26
Y123.26W	36
Y125.15	63
Y125.15W	51
Y130.10	54
Y130.10W	36
Y130.10WB	42
Y130.10WP	42
Y130.10WV	42
Y130.15	54
Y130.15W	36
Y130.15WB	42
Y130.15WP	42
Y130.15WV	42
Y130.20	54
Y130.20W	36
Y130.20WB	42
Y130.20WP	42
Y130.20WV	42
Y130.26	54
Y130.26W	36
Y130.26WB	42
Y130.26WP	42
Y130.26WV	42
Y130.62	60
Y130.62W	49
Y130.62WB	49
Y130.70W	48
Y131.10	54
Y131.10W	36
Y131.15	54
Y131.15W	36
Y131.20	54
Y131.20W	36
Y131.26	54
Y131.26W	36
Y131.62	60
Y131.62W	49
Y131.70W	48
Y131.92M	32
Y132.10	54
Y132.10M	26
Y132.10W	36
Y132.15	54
Y132.15M	26
Y132.15W	36
Y132.20	54
Y132.20M	26
Y132.20W	36
Y132.26	54
Y132.26M	26
Y132.26W	36
Y133.10	54
Y133.10M	26
Y133.10W	36
Y133.15	54
Y133.15M	26
Y133.15W	36
Y133.20	54
Y133.20M	26
Y133.20W	36
Y133.26	54
Y133.26M	26
Y133.26W	36
Y135.15	63
Y135.15W	51
Y140.10	54
Y140.10W	36
Y140.10WB	42
Y140.10WP	42
Y140.10WV	42
Y140.13	54
Y140.13W	36
Y140.13WB	42
Y140.13WP	42

Code	Page
Y140.13WV	42
Y140.15	54
Y140.15W	36
Y140.15WB	42
Y140.15WP	42
Y140.15WV	42
Y140.20	54
Y140.20W	36
Y140.20WB	42
Y140.20WP	42
Y140.20WV	42
Y140.26	54
Y140.26W	36
Y140.26WB	42
Y140.26WP	42
Y140.26WV	42
Y140.62	60
Y140.62W	49
Y140.62WB	49
Y140.68	60
Y140.68W	49
Y140.68WB	49
Y140.70W	48
Y141.10	54
Y141.10W	36
Y141.13	54
Y141.13W	36
Y141.15	54
Y141.15W	36
Y141.20	54
Y141.20W	36
Y141.26	54
Y141.26W	36
Y141.62	60
Y141.62W	49
Y141.68	60
Y141.68W	49
Y141.70W	48
Y141.92M	32
Y142.10	54
Y142.10M	26
Y142.10W	36
Y142.13	54
Y142.13M	26
Y142.13W	36
Y142.15	54
Y142.15M	26
Y142.15W	36
Y142.20	54
Y142.20M	26
Y142.20W	36
Y142.26	54
Y142.26M	26
Y142.26W	36
Y143.10	54
Y143.10M	26
Y143.10W	36
Y143.13	54
Y143.13M	26
Y143.13W	36
Y143.15	54
Y143.15M	26
Y143.15W	36
Y143.20	54
Y143.20M	26
Y143.20W	36
Y143.26	54
Y143.26M	26
Y143.26W	36
Y145.15	63
Y145.15W	51
Y150.10	54
Y150.10W	36
Y150.10WB	42
Y150.10WP	42
Y150.10WV	42
Y150.13	54
Y150.13W	36
Y150.13WB	42
Y150.13WP	42
Y150.13WV	42
Y150.15	54
Y150.15W	36
Y150.15WB	42
Y150.15WP	42
Y150.15WV	42
Y150.20	54
Y150.20W	36
Y150.20WB	42
Y150.20WP	42
Y150.20WV	42
Y150.26	54
Y150.26W	36
Y150.26WB	42
Y150.26WP	42
Y150.26WV	42
Y150.62	60
Y150.62W	49
Y150.62WB	49
Y150.68	60
Y150.68W	49
Y150.68WB	49
Y150.70W	48
Y151.10	54
Y151.10W	36
Y151.13	54
Y151.13W	36
Y151.15	54
Y151.15W	36
Y151.20	54
Y151.20W	36
Y151.26	54
Y151.26W	36
Y151.62	60
Y151.62W	49
Y151.68	60
Y151.68W	49
Y151.70W	48
Y151.92M	32
Y152.10	54
Y152.10M	26
Y152.10W	36
Y152.13	54
Y152.13M	26
Y152.13W	36
Y152.15	54
Y152.15M	26
Y152.15W	36
Y152.20	54
Y152.20M	26
Y152.20W	36
Y152.26	54
Y152.26M	26
Y152.26W	36
Y153.10	54
Y153.10M	26
Y153.10W	36
Y153.13	54
Y153.13M	26
Y153.13W	36
Y153.15	54
Y153.15M	26
Y153.15W	36
Y153.20	54
Y153.20M	26
Y153.20W	36
Y153.26	54
Y153.26M	26
Y153.26W	36
Y155.15	63
Y155.15W	51
Y160.10	54
Y160.10W	36
Y160.10WB	42
Y160.10WP	42
Y160.10WV	42
Y160.13	54
Y160.13W	36
Y160.13WB	42
Y160.13WP	42
Y160.13WV	42
Y160.15	54
Y160.15W	36
Y160.15WB	42
Y160.15WP	42
Y160.15WV	42
Y160.20	54
Y160.20W	36
Y160.20WB	42
Y160.20WP	42
Y160.20WV	42
Y160.26	54
Y160.26W	36
Y160.26WB	42
Y160.26WP	42
Y160.26WV	42
Y160.62	60
Y160.62W	49
Y160.62WB	49
Y160.68	60
Y160.68W	49
Y160.68WB	49
Y160.70W	48
Y161.10	54
Y161.10W	36
Y161.13	54
Y161.13W	36
Y161.15	54
Y161.15W	36
Y161.20	54
Y161.20W	36
Y161.26	54
Y161.26W	36
Y161.62	60
Y161.62W	49
Y161.68	60
Y161.68W	49
Y161.70W	48
Y161.92M	32
Y162.10	54
Y162.10M	26
Y162.10W	36
Y162.13	54
Y162.13M	26
Y162.13W	36
Y162.15	54
Y162.15M	26
Y162.15W	36
Y162.20	54
Y162.20M	26
Y162.20W	36
Y162.26	54
Y162.26M	26
Y162.26W	36
Y163.10	54
Y163.10M	26
Y163.10W	36
Y163.13	54
Y163.13M	26
Y163.13W	36
Y163.15	54
Y163.15M	26
Y163.15W	36
Y163.20	54
Y163.20M	26
Y163.20W	36
Y163.26	54
Y163.26M	26
Y163.26W	36
Y165.15	63
Y165.15W	51
Y171.92M	32
Y172.10M	26
Y172.13M	26
Y172.15M	26
Y172.20M	26
Y172.26M	26
Y173.10M	26
Y173.13M	26
Y173.15M	26
Y173.20M	26
Y173.26M	26
Y180.01	80
Y180.03	80
Y180.03F	80
Y180.03FL	80
Y180.03L	80
Y180.05	80
Y180.05F	80
Y180.05FL	80
Y180.05L	80
Y180.07	80
Y180.07F	80
Y180.07FL	80
Y180.07L	80
Y180.10	80
Y180.10F	80
Y180.10FL	80
Y180.10L	80
Y181.01	80

Code	Page
Y181.03	80
Y181.03F	80
Y181.03FL	80
Y181.03L	80
Y181.05	80
Y181.05F	80
Y181.05FL	80
Y181.05L	80
Y181.07	80
Y181.07F	80
Y181.07FL	80
Y181.07L	80
Y181.10	80
Y181.10F	80
Y181.10FL	80
Y181.10L	80
Y182.01	80
Y182.03	80
Y182.03F	80
Y182.03FL	80
Y182.03L	80
Y182.05	80
Y182.05F	80
Y182.05FL	80
Y182.05L	80
Y182.07	80
Y182.07F	80
Y182.07FL	80
Y182.07L	80
Y182.10	80
Y182.10F	80
Y182.10FL	80
Y182.10L	80
Y183.01	80
Y183.03	80
Y183.03F	80
Y183.03FL	80
Y183.03L	80
Y183.05	80
Y183.05F	80
Y183.05FL	80
Y183.05L	80
Y183.07	80
Y183.07F	80
Y183.07FL	80
Y183.07L	80
Y183.10	80
Y183.10F	80
Y183.10FL	80
Y183.10L	80
Y190.01	86
Y190.01	92
Y190.03	92
Y190.05	92
Y190.07	92
Y190.10	92
Y190.55	97
Y191.01	86
Y191.01	92
Y191.03	92
Y191.05	92
Y191.07	92
Y191.10	92
Y191.60	97
Y192.01	87
Y192.01	93
Y192.03	93
Y192.05	93
Y192.07	93
Y192.10	93
Y193.01	87
Y193.01	93
Y193.03	93
Y193.05	93
Y193.07	93
Y193.10	93
Y194.01	88
Y194.01	94
Y194.03	94
Y194.05	94
Y194.07	94
Y194.10	94
Y195.01	88
Y195.01	94
Y195.03	94
Y195.05	94
Y195.07	94
Y195.10	94
Y196.05A	86
Y196.05AL	86
Y196.05B	87
Y196.05BL	87
Y196.05C	88
Y196.05CL	88
Y196.06A	86
Y196.06AL	86
Y196.06B	87
Y196.06BL	87
Y196.06C	88
Y196.06CL	88
Y196.07A	86
Y196.07AL	86
Y196.07B	87
Y196.07BL	87
Y196.07C	88
Y196.07CL	88
Y196.10A	86
Y196.10AL	86
Y196.10B	87
Y196.10BL	87
Y196.10C	88
Y196.10CL	88
Y197.05A	86
Y197.05AL	86
Y197.05B	87
Y197.05BL	87
Y197.05C	88
Y197.05CL	88
Y197.06A	86
Y197.06AL	86
Y197.06B	87
Y197.06BL	87
Y197.06C	88
Y197.06CL	88
Y197.07A	86
Y197.07AL	86
Y197.07B	87
Y197.07BL	87
Y197.07C	88
Y197.07CL	88
Y197.10A	86
Y197.10AL	86
Y197.10B	87
Y197.10BL	87
Y197.10C	88
Y197.10CL	88
Y200.01	39
Y200.01	57
Y200.01B	45
Y200.01P	45
Y200.01V	45
Y200.02	39
Y200.02	57
Y200.02B	45
Y200.02P	45
Y200.02V	45
Y200.03	39
Y200.03	57
Y200.03B	45
Y200.03P	45
Y200.03V	45
Y200.04	39
Y200.04	57
Y200.04B	45
Y200.04P	45
Y200.04V	45
Y200.05	39
Y200.05	57
Y200.05B	45
Y200.05P	45
Y200.05V	45
Y200.06	39
Y200.06	57
Y200.06B	45
Y200.06P	45
Y200.06V	45
Y203.01B	39
Y203.01B	57
Y203.02B	39
Y203.02B	57
Y203.03B	39
Y203.03B	57
Y203.04B	39
Y203.04B	57
Y203.05B	39
Y203.05B	57
Y203.06B	39
Y203.06B	57
Y203.07M	29
Y205.10	57
Y205.10M1	29
Y205.10M2	29
Y205.10M3	29
Y205.10M4	29
Y205.10M5	29
Y205.10M6	29
Y205.10M7	29
Y205.10W	39
Y205.10W	45
Y205.13	57
Y205.13M1	29
Y205.13M2	29
Y205.13M3	29
Y205.13M4	29
Y205.13M5	29
Y205.13M6	29
Y205.13M7	29
Y205.13W	39
Y205.13W	45
Y205.15	57
Y205.15M1	29
Y205.15M2	29
Y205.15M3	29
Y205.15M4	29
Y205.15M5	29
Y205.15M6	29
Y205.15M7	29
Y205.15W	39
Y205.15W	45
Y205.20	57
Y205.20M1	29
Y205.20M2	29
Y205.20M3	29
Y205.20M4	29
Y205.20M5	29
Y205.20M6	29
Y205.20M7	29
Y205.20W	39
Y205.20W	45
Y206.10	57
Y206.10M1	29
Y206.10M2	29
Y206.10M3	29
Y206.10M4	29
Y206.10M5	29
Y206.10M6	29
Y206.10M7	29
Y206.10W	39
Y206.13	57
Y206.13M1	29
Y206.13M2	29
Y206.13M3	29
Y206.13M4	29
Y206.13M5	29
Y206.13M6	29
Y206.13M7	29
Y206.13W	39
Y206.15	57
Y206.15M1	29
Y206.15M2	29
Y206.15M3	29
Y206.15M4	29
Y206.15M5	29
Y206.15M6	29
Y206.15M7	29
Y206.15W	39
Y206.20	57
Y206.20M1	29
Y206.20M2	29
Y206.20M3	29
Y206.20M4	29
Y206.20M5	29
Y206.20M6	29
Y206.20M7	29
Y206.20W	39
Y210.10	56
Y210.10W	38
Y210.10WB	44
Y210.10WP	44
Y210.10WV	44

Code	Page
Y210.13	56
Y210.13W	38
Y210.13WB	44
Y210.13WP	44
Y210.13WV	44
Y210.15	56
Y210.15W	38
Y210.15WB	44
Y210.15WP	44
Y210.15WV	44
Y210.20	56
Y210.20W	38
Y210.20WB	44
Y210.20WP	44
Y210.20WV	44
Y211.10	56
Y211.10W	38
Y211.13	56
Y211.13W	38
Y211.15	56
Y211.15W	38
Y211.20	56
Y211.20W	38
Y212.10	56
Y212.10M	28
Y212.10W	38
Y212.13	56
Y212.13M	28
Y212.13W	38
Y212.15	56
Y212.15M	28
Y212.15W	38
Y212.20	56
Y212.20M	28
Y212.20W	38
Y213.10	56
Y213.10M	28
Y213.10W	38
Y213.13	56
Y213.13M	28
Y213.13W	38
Y213.15	56
Y213.15M	28
Y213.15W	38
Y213.20	56
Y213.20M	28
Y213.20W	38
Y220.10	56
Y220.10W	38
Y220.10WB	44
Y220.10WP	44
Y220.10WV	44
Y220.13	56
Y220.13W	38
Y220.13WB	44
Y220.13WP	44
Y220.13WV	44
Y220.15	56
Y220.15W	38
Y220.15WB	44
Y220.15WP	44
Y220.15WV	44
Y220.20	56
Y220.20W	38
Y220.20WB	44
Y220.20WP	44
Y220.20WV	44
Y221.10	56
Y221.10W	38
Y221.13	56
Y221.13W	38
Y221.15	56
Y221.15W	38
Y221.20	56
Y221.20W	38
Y222.10	56
Y222.10M	28
Y222.10W	38
Y222.13	56
Y222.13M	28
Y222.13W	38
Y222.15	56
Y222.15M	28
Y222.15W	38
Y222.20	56
Y222.20M	28
Y222.20W	38
Y223.10	56
Y223.10M	28
Y223.10W	38
Y223.13	56
Y223.13M	28
Y223.13W	38
Y223.15	56
Y223.15M	28
Y223.15W	38
Y223.20	56
Y223.20M	28
Y223.20W	38
Y230.10	56
Y230.10W	38
Y230.10WB	44
Y230.10WP	44
Y230.10WV	44
Y230.15	56
Y230.15W	38
Y230.15WB	44
Y230.15WP	44
Y230.15WV	44
Y230.20	56
Y230.20W	38
Y230.20WB	44
Y230.20WP	44
Y230.20WV	44
Y231.10	56
Y231.10W	38
Y231.15	56
Y231.15W	38
Y231.20	56
Y231.20W	38
Y232.10	56
Y232.10M	28
Y232.10W	38
Y232.15	56
Y232.15M	28
Y232.15W	38
Y232.20	56
Y232.20M	28
Y232.20W	38
Y233.10	56
Y233.10M	28
Y233.10W	38
Y233.15	56
Y233.15M	28
Y233.15W	38
Y233.20	56
Y233.20M	28
Y233.20W	38
Y240.10	56
Y240.10W	38
Y240.10WB	44
Y240.10WP	44
Y240.10WV	44
Y240.13	56
Y240.13W	38
Y240.13WB	44
Y240.13WP	44
Y240.13WV	44
Y240.15	56
Y240.15W	38
Y240.15WB	44
Y240.15WP	44
Y240.15WV	44
Y240.20	56
Y240.20W	38
Y240.20WB	44
Y240.20WP	44
Y240.20WV	44
Y241.10	56
Y241.10W	38
Y241.13	56
Y241.13W	38
Y241.15	56
Y241.15W	38
Y241.20	56
Y241.20W	38
Y242.10	56
Y242.10M	28
Y242.10W	38
Y242.13	56
Y242.13M	28
Y242.13W	38
Y242.15	56
Y242.15M	28
Y242.15W	38
Y242.20	56
Y242.20M	28
Y242.20W	38
Y243.10	56
Y243.10M	28
Y243.10W	38
Y243.13	56
Y243.13M	28
Y243.13W	38
Y243.15	56
Y243.15M	28
Y243.15W	38
Y243.20	56
Y243.20M	28
Y243.20W	38
Y250.10	56
Y250.10W	38
Y250.10WB	44
Y250.10WP	44
Y250.10WV	44
Y250.13	56
Y250.13W	38
Y250.13WB	44
Y250.13WP	44
Y250.13WV	44
Y250.15	56
Y250.15W	38
Y250.15WB	44
Y250.15WP	44
Y250.15WV	44
Y250.20	56
Y250.20W	38
Y250.20WB	44
Y250.20WP	44
Y250.20WV	44
Y251.10	56
Y251.10W	38
Y251.13	56
Y251.13W	38
Y251.15	56
Y251.15W	38
Y251.20	56
Y251.20W	38
Y252.10	56
Y252.10M	28
Y252.10W	38
Y252.13	56
Y252.13M	28
Y252.13W	38
Y252.15	56
Y252.15M	28
Y252.15W	38
Y252.20	56
Y252.20M	28
Y252.20W	38
Y253.10	56
Y253.10M	28
Y253.10W	38
Y253.13	56
Y253.13M	28
Y253.13W	38
Y253.15	56
Y253.15M	28
Y253.15W	38
Y253.20	56
Y253.20M	28
Y253.20W	38
Y260.10	56
Y260.10W	38
Y260.10WB	44
Y260.10WP	44
Y260.10WV	44
Y260.13	56
Y260.13W	38
Y260.13WB	44
Y260.13WP	44
Y260.13WV	44
Y260.15	56
Y260.15W	38
Y260.15WB	44
Y260.15WP	44
Y260.15WV	44
Y260.20	56
Y260.20W	38
Y260.20WB	44

Code	Page
Y260.20WP	44
Y260.20WV	44
Y261.10	56
Y261.10W	38
Y261.13	56
Y261.13W	38
Y261.15	56
Y261.15W	38
Y261.20	56
Y261.20W	38
Y262.10	56
Y262.10M	28
Y262.10W	38
Y262.13	56
Y262.13M	28
Y262.13W	38
Y262.15	56
Y262.15M	28
Y262.15W	38
Y262.20	56
Y262.20M	28
Y262.20W	38
Y263.10	56
Y263.10M	28
Y263.10W	38
Y263.13	56
Y263.13M	28
Y263.13W	38
Y263.15	56
Y263.15M	28
Y263.15W	38
Y263.20	56
Y263.20M	28
Y263.20W	38
Y272.10M	28
Y272.13M	28
Y272.15M	28
Y272.20M	28
Y273.10M	28
Y273.13M	28
Y273.15M	28
Y273.20M	28
Y280.03	80
Y280.03F	80
Y280.03FL	80
Y280.03L	80
Y280.05	80
Y280.05F	80
Y280.05FL	80
Y280.05L	80
Y280.10	80
Y280.10F	80
Y280.10FL	80
Y280.10L	80
Y290.01	86
Y290.01	92
Y290.03	92
Y290.05	92
Y290.10	92
Y292.01	87
Y292.01	93
Y292.03	93
Y292.05	93
Y292.10	93
Y294.01	88
Y294.01	94
Y294.03	94
Y294.05	94
Y294.10	94
Y296.05A	86
Y296.05AL	86
Y296.05B	87
Y296.05BL	87
Y296.05C	88
Y296.05CL	88
Y296.06A	86
Y296.06AL	86
Y296.06B	87
Y296.06BL	87
Y296.06C	88
Y296.06CL	88
Y296.10A	86
Y296.10AL	86
Y296.10B	87
Y296.10BL	87
Y296.10C	88
Y296.10CL	88
Y297.04	89
Y298.04	89
Y298.08	89
Y299.08	89
Y300.01	41
Y300.01	59
Y300.01B	47
Y300.01P	47
Y300.01V	47
Y300.02	41
Y300.02	59
Y300.02B	47
Y300.02P	47
Y300.02V	47
Y300.03	41
Y300.03	59
Y300.03B	47
Y300.03P	47
Y300.03V	47
Y300.04	41
Y300.04	59
Y300.04B	47
Y300.04P	47
Y300.04V	47
Y300.05	41
Y300.05	59
Y300.05B	47
Y300.05P	47
Y300.05V	47
Y300.06	41
Y300.06	59
Y300.06B	47
Y300.06P	47
Y300.06V	47
Y302.01	50
Y302.01	62
Y302.02	50
Y302.02	62
Y302.03	50
Y302.03	62
Y302.04	50
Y302.04	62
Y302.05	50
Y302.05	62
Y302.06	50
Y302.06	62
Y303.01B	41
Y303.01B	59
Y303.02B	41
Y303.02B	59
Y303.03B	41
Y303.03B	59
Y303.04B	41
Y303.04B	59
Y303.05B	41
Y303.05B	59
Y303.06B	41
Y303.06B	59
Y303.07M	31
Y304.01A	66
Y304.02A	66
Y304.03A	66
Y304.04A	66
Y304.05A	66
Y304.06A	66
Y305.05A	66
Y305.08A	66
Y305.10	59
Y305.10	62
Y305.10M1	31
Y305.10M2	31
Y305.10M3	31
Y305.10M4	31
Y305.10M5	31
Y305.10M6	31
Y305.10M7	31
Y305.10W	41
Y305.10W	47
Y305.10W	50
Y305.13	59
Y305.13M1	31
Y305.13M2	31
Y305.13M3	31
Y305.13M4	31
Y305.13M5	31
Y305.13M6	31
Y305.13M7	31
Y305.13W	41
Y305.13W	47
Y305.15	59
Y305.15	62
Y305.15M1	31
Y305.15M2	31
Y305.15M3	31
Y305.15M4	31
Y305.15M5	31
Y305.15M6	31
Y305.15M7	31
Y305.15W	41
Y305.15W	47
Y305.15W	50
Y305.20	59
Y305.20M1	31
Y305.20M2	31
Y305.20M3	31
Y305.20M4	31
Y305.20M5	31
Y305.20M6	31
Y305.20M7	31
Y305.20W	41
Y305.20W	47
Y305.26	59
Y305.26M1	31
Y305.26M2	31
Y305.26M3	31
Y305.26M4	31
Y305.26M5	31
Y305.26M6	31
Y305.26M7	31
Y305.26W	41
Y305.26W	47
Y306.08A	66
Y306.10	59
Y306.10M1	31
Y306.10M2	31
Y306.10M3	31
Y306.10M4	31
Y306.10M5	31
Y306.10M6	31
Y306.10M7	31
Y306.10W	41
Y306.13	59
Y306.13M1	31
Y306.13M2	31
Y306.13M3	31
Y306.13M4	31
Y306.13M5	31
Y306.13M6	31
Y306.13M7	31
Y306.13W	41
Y306.15	59
Y306.15M1	31
Y306.15M2	31
Y306.15M3	31
Y306.15M4	31
Y306.15M5	31
Y306.15M6	31
Y306.15M7	31
Y306.15W	41
Y306.20	59
Y306.20M1	31
Y306.20M2	31
Y306.20M3	31
Y306.20M4	31
Y306.20M5	31
Y306.20M6	31
Y306.20M7	31
Y306.20W	41
Y306.26	59
Y306.26M1	31
Y306.26M2	31
Y306.26M3	31
Y306.26M4	31
Y306.26M5	31
Y306.26M6	31
Y306.26M7	31
Y306.26W	41
Y310.05A	66
Y310.08A	66
Y310.10	58
Y310.10W	40
Y310.10WB	46
Y310.10WP	46

Code	Page
Y310.10WV	46
Y310.13	58
Y310.13W	40
Y310.13WB	46
Y310.13WP	46
Y310.13WV	46
Y310.15	58
Y310.15W	40
Y310.15WB	46
Y310.15WP	46
Y310.15WV	46
Y310.20	58
Y310.20W	40
Y310.20WB	46
Y310.20WP	46
Y310.20WV	46
Y310.26	58
Y310.26W	40
Y310.26WB	46
Y310.26WP	46
Y310.26WV	46
Y311.08A	66
Y311.10	58
Y311.10W	40
Y311.13	58
Y311.13W	40
Y311.15	58
Y311.15W	40
Y311.20	58
Y311.20W	40
Y311.26	58
Y311.26W	40
Y312.10	58
Y312.10M	30
Y312.10W	40
Y312.13	58
Y312.13M	30
Y312.13W	40
Y312.15	58
Y312.15M	30
Y312.15W	40
Y312.20	58
Y312.20M	30
Y312.20W	40
Y312.26	58
Y312.26M	30
Y312.26W	40
Y313.10	58
Y313.10M	30
Y313.10W	40
Y313.13	58
Y313.13M	30
Y313.13W	40
Y313.15	58
Y313.15M	30
Y313.15W	40
Y313.20	58
Y313.20M	30
Y313.20W	40
Y313.26	58
Y313.26M	30
Y313.26W	40
Y315.10	62
Y315.10W	50
Y315.15	62
Y315.15W	50
Y320.05A	66
Y320.08A	66
Y320.10	58
Y320.10W	40
Y320.10WB	46
Y320.10WP	46
Y320.10WV	46
Y320.13	58
Y320.13W	40
Y320.13WB	46
Y320.13WP	46
Y320.13WV	46
Y320.15	58
Y320.15W	40
Y320.15WB	46
Y320.15WP	46
Y320.15WV	46
Y320.20	58
Y320.20W	40
Y320.20WB	46
Y320.20WP	46
Y320.20WV	46
Y320.26	58
Y320.26W	40
Y320.26WB	46
Y320.26WP	46
Y320.26WV	46
Y321.08A	66
Y321.10	58
Y321.10W	40
Y321.13	58
Y321.13W	40
Y321.15	58
Y321.15W	40
Y321.20	58
Y321.20W	40
Y321.26	58
Y321.26W	40
Y322.10	58
Y322.10M	30
Y322.10W	40
Y322.13	58
Y322.13M	30
Y322.13W	40
Y322.15	58
Y322.15M	30
Y322.15W	40
Y322.20	58
Y322.20M	30
Y322.20W	40
Y322.26	58
Y322.26M	30
Y322.26W	40
Y323.10	58
Y323.10M	30
Y323.10W	40
Y323.13	58
Y323.13M	30
Y323.13W	40
Y323.15	58
Y323.15M	30
Y323.15W	40
Y323.20	58
Y323.20M	30
Y323.20W	40
Y323.26	58
Y323.26M	30
Y323.26W	40
Y325.10	62
Y325.10W	50
Y325.15	62
Y325.15W	50
Y330.05A	66
Y330.10	58
Y330.10W	40
Y330.10WB	46
Y330.10WP	46
Y330.10WV	46
Y330.15	58
Y330.15W	40
Y330.15WB	46
Y330.15WP	46
Y330.15WV	46
Y330.20	58
Y330.20W	40
Y330.20WB	46
Y330.20WP	46
Y330.20WV	46
Y330.26	58
Y330.26W	40
Y330.26WB	46
Y330.26WP	46
Y330.26WV	46
Y331.08A	66
Y331.10	58
Y331.10W	40
Y331.15	58
Y331.15W	40
Y331.20	58
Y331.20W	40
Y331.26	58
Y331.26W	40
Y332.10	58
Y332.10M	30
Y332.10W	40
Y332.15	58
Y332.15M	30
Y332.15W	40
Y332.20	58
Y332.20M	30
Y332.20W	40
Y332.26	58
Y332.26M	30
Y332.26W	40
Y333.10	58
Y333.10M	30
Y333.10W	40
Y333.15	58
Y333.15M	30
Y333.15W	40
Y333.20	58
Y333.20M	30
Y333.20W	40
Y333.26	58
Y333.26M	30
Y333.26W	40
Y335.10	62
Y335.10W	50
Y340.05A	66
Y340.08A	66
Y340.10	58
Y340.10W	40
Y340.10WB	46
Y340.10WP	46
Y340.10WV	46
Y340.13	58
Y340.13W	40
Y340.13WB	46
Y340.13WP	46
Y340.13WV	46
Y340.15	58
Y340.15W	40
Y340.15WB	46
Y340.15WP	46
Y340.15WV	46
Y340.20	58
Y340.20W	40
Y340.20WB	46
Y340.20WP	46
Y340.20WV	46
Y340.26	58
Y340.26W	40
Y340.26WB	46
Y340.26WP	46
Y340.26WV	46
Y341.08A	66
Y341.10	58
Y341.10W	40
Y341.13	58
Y341.13W	40
Y341.15	58
Y341.15W	40
Y341.20	58
Y341.20W	40
Y341.26	58
Y341.26W	40
Y342.10	58
Y342.10M	30
Y342.10W	40
Y342.13	58
Y342.13M	30
Y342.13W	40
Y342.15	58
Y342.15M	30
Y342.15W	40
Y342.20	58
Y342.20M	30
Y342.20W	40
Y342.26	58
Y342.26M	30
Y342.26W	40
Y343.10	58
Y343.10M	30
Y343.10W	40
Y343.13	58
Y343.13M	30
Y343.13W	40
Y343.15	58
Y343.15M	30
Y343.15W	40
Y343.20	58
Y343.20M	30
Y343.20W	40
Y343.26	58

Code	Page
Y343.26M	30
Y343.26W	40
Y345.10	62
Y345.10W	50
Y345.15	62
Y345.15W	50
Y350.05A	66
Y350.08A	66
Y350.10	58
Y350.10W	40
Y350.10WB	46
Y350.10WP	46
Y350.10WV	46
Y350.13	58
Y350.13W	40
Y350.13WB	46
Y350.13WP	46
Y350.13WV	46
Y350.15	58
Y350.15W	40
Y350.15WB	46
Y350.15WP	46
Y350.15WV	46
Y350.20	58
Y350.20W	40
Y350.20WB	46
Y350.20WP	46
Y350.20WV	46
Y350.26	58
Y350.26W	40
Y350.26WB	46
Y350.26WP	46
Y350.26WV	46
Y351.08A	66
Y351.10	58
Y351.10W	40
Y351.13	58
Y351.13W	40
Y351.15	58
Y351.15W	40
Y351.20	58
Y351.20W	40
Y351.26	58
Y351.26W	40
Y352.10	58
Y352.10M	30
Y352.10W	40
Y352.13	58
Y352.13M	30
Y352.13W	40
Y352.15	58
Y352.15M	30

Code	Page
Y352.15W	40
Y352.20	58
Y352.20M	30
Y352.20W	40
Y352.26	58
Y352.26M	30
Y352.26W	40
Y353.10	58
Y353.10M	30
Y353.10W	40
Y353.13	58
Y353.13M	30
Y353.13W	40
Y353.15	58
Y353.15M	30
Y353.15W	40
Y353.20	58
Y353.20M	30
Y353.20W	40
Y353.26	58
Y353.26M	30
Y353.26W	40
Y355.10	62
Y355.10W	50
Y355.15	62
Y355.15W	50
Y360.05A	66
Y360.08A	66
Y360.10	58
Y360.10W	40
Y360.10WB	46
Y360.10WP	46
Y360.10WV	46
Y360.13	58
Y360.13W	40
Y360.13WB	46
Y360.13WP	46
Y360.13WV	46
Y360.15	58
Y360.15W	40
Y360.15WB	46
Y360.15WP	46
Y360.15WV	46
Y360.20	58
Y360.20W	40
Y360.20WB	46
Y360.20WP	46
Y360.20WV	46
Y360.26	58
Y360.26W	40
Y360.26WB	46
Y360.26WP	46

Code	Page
Y360.26WV	46
Y361.08A	66
Y361.10	58
Y361.10W	40
Y361.13	58
Y361.13W	40
Y361.15	58
Y361.15W	40
Y361.20	58
Y361.20W	40
Y361.26	58
Y361.26W	40
Y362.10	58
Y362.10M	30
Y362.10W	40
Y362.13	58
Y362.13M	30
Y362.13W	40
Y362.15	58
Y362.15M	30
Y362.15W	40
Y362.20	58
Y362.20M	30
Y362.20W	40
Y362.26	58
Y362.26M	30
Y362.26W	40
Y363.10	58
Y363.10M	30
Y363.10W	40
Y363.13	58
Y363.13M	30
Y363.13W	40
Y363.15	58
Y363.15M	30
Y363.15W	40
Y363.20	58
Y363.20M	30
Y363.20W	40
Y363.26	58
Y363.26M	30
Y363.26W	40
Y365.10	62
Y365.10W	50
Y365.15	62
Y365.15W	50
Y372.10M	30
Y372.13M	30
Y372.15M	30
Y372.20M	30
Y372.26M	30
Y373.10M	30

Code	Page
Y373.13M	30
Y373.15M	30
Y373.20M	30
Y373.26M	30
Y380.01	80
Y380.03	80
Y380.03F	80
Y380.03FL	80
Y380.03L	80
Y380.05	80
Y380.05F	80
Y380.05FL	80
Y380.05L	80
Y380.07	80
Y380.07F	80
Y380.07FL	80
Y380.07L	80
Y380.10	80
Y380.10F	80
Y380.10FL	80
Y380.10L	80
Y390.01	86
Y390.01	92
Y390.03	92
Y390.05	92
Y390.07	92
Y390.10	92
Y392.01	87
Y392.01	93
Y392.03	93
Y392.05	93
Y392.07	93
Y392.10	93
Y394.01	88
Y394.01	94
Y394.03	94
Y394.05	94
Y394.07	94
Y394.10	94
Y396.05A	86
Y396.05AL	86
Y396.05B	87
Y396.05BL	87
Y396.05C	88
Y396.05CL	88
Y396.06A	86
Y396.06AL	86
Y396.06B	87
Y396.06BL	87
Y396.06C	88
Y396.06CL	88
Y396.07A	86

Code	Page
Y396.07AL	86
Y396.07B	87
Y396.07BL	87
Y396.07C	88
Y396.07CL	88
Y396.10A	86
Y396.10AL	86
Y396.10B	87
Y396.10BL	87
Y396.10C	88
Y396.10CL	88
Y398.03	89
Y398.05	89
Y398.10	89
Y400.01A	67
Y400.01AB	73
Y400.01AP	73
Y400.01AV	73
Y400.02A	67
Y400.02AB	73
Y400.02AP	73
Y400.02AV	73
Y400.03A	67
Y400.03AB	73
Y400.03AP	73
Y400.03AV	73
Y400.04A	67
Y400.04AB	73
Y400.04AP	73
Y400.04AV	73
Y400.05A	67
Y400.05AB	73
Y400.05AP	73
Y400.05AV	73
Y400.06A	67
Y400.06AB	73
Y400.06AP	73
Y400.06AV	73
Y405.04A	67
Y405.04A	73
Y405.07A	67
Y405.07A	73
Y405.10A	67
Y405.10A	73
Y406.04A	67
Y406.07A	67
Y406.10A	67
Y410.04A	67
Y410.04AB	72
Y410.04AP	72
Y410.04AV	72
Y410.07A	67

Code	Page
Y410.07AB	72
Y410.07AP	72
Y410.07AV	72
Y410.10A	67
Y410.10AB	72
Y410.10AP	72
Y410.10AV	72
Y411.04A	67
Y411.07A	67
Y411.10A	67
Y420.04A	67
Y420.04AB	72
Y420.04AP	72
Y420.04AV	72
Y420.07A	67
Y420.07AB	72
Y420.07AP	72
Y420.07AV	72
Y420.10A	67
Y420.10AB	72
Y420.10AP	72
Y420.10AV	72
Y421.04A	67
Y421.07A	67
Y421.10A	67
Y430.04A	67
Y430.04AB	72
Y430.04AP	72
Y430.04AV	72
Y430.10A	67
Y430.10AB	72
Y430.10AP	72
Y430.10AV	72
Y431.04A	67
Y431.10A	67
Y440.04A	67
Y440.04AB	72
Y440.04AP	72
Y440.04AV	72
Y440.07A	67
Y440.07AB	72
Y440.07AP	72
Y440.07AV	72
Y440.10A	67
Y440.10AB	72
Y440.10AP	72
Y440.10AV	72
Y441.04A	67
Y441.07A	67
Y441.10A	67
Y450.04A	67
Y450.04AB	72
Y450.04AP	72
Y450.04AV	72
Y450.07A	67
Y450.07AB	72
Y450.07AP	72
Y450.07AV	72
Y450.10A	67
Y450.10AB	72
Y450.10AP	72
Y450.10AV	72
Y451.04A	67
Y451.07A	67
Y451.10A	67
Y460.04A	67
Y460.04AB	72
Y460.04AP	72
Y460.04AV	72
Y460.07A	67
Y460.07AB	72
Y460.07AP	72
Y460.07AV	72
Y460.10A	67
Y460.10AB	72
Y460.10AP	72
Y460.10AV	72
Y461.04A	67
Y461.07A	67
Y461.10A	67
Y480.04	81
Y480.06	81
Y480.20	106
Y480.22	106
Y480.24	106
Y480.26	106
Y490.05	96
Y492.05	96
Y500.01A	68
Y500.01AB	71
Y500.01AP	71
Y500.01AV	71
Y500.02A	68
Y500.02AB	71
Y500.02AP	71
Y500.02AV	71
Y500.03A	68
Y500.03AB	71
Y500.03AP	71
Y500.03AV	71
Y500.04A	68
Y500.04AB	71
Y500.04AP	71
Y500.04AV	71
Y500.05A	68
Y500.05AB	71
Y500.05AP	71
Y500.05AV	71
Y500.06A	68
Y500.06AB	71
Y500.06AP	71
Y500.06AV	71
Y501.01A	69
Y501.02A	69
Y501.03A	69
Y501.04A	69
Y501.05A	69
Y501.06A	69
Y505.04A	68
Y505.06A	68
Y505.08A	68
Y505.08A	71
Y505.10A	68
Y505.10A	71
Y505.13A	68
Y505.13A	71
Y506.04A	68
Y506.06A	68
Y506.08A	68
Y506.10A	68
Y506.13A	68
Y508.05A	69
Y508.06A	69
Y510.04A	68
Y510.06A	68
Y510.08A	68
Y510.08AB	70
Y510.08AP	70
Y510.08AV	70
Y510.10A	68
Y510.10AB	70
Y510.10AP	70
Y510.10AV	70
Y510.13A	68
Y510.13AB	70
Y510.13AP	70
Y510.13AV	70
Y511.04A	68
Y511.06A	68
Y511.08A	68
Y511.10A	68
Y511.13A	68
Y515.05A	69
Y515.06A	69
Y520.04A	68
Y520.06A	68
Y520.08A	68
Y520.08AB	70
Y520.08AP	70
Y520.08AV	70
Y520.10A	68
Y520.10AB	70
Y520.10AP	70
Y520.10AV	70
Y520.13A	68
Y520.13AB	70
Y520.13AP	70
Y520.13AV	70
Y521.04A	68
Y521.06A	68
Y521.08A	68
Y521.10A	68
Y521.13A	68
Y525.05A	69
Y525.06A	69
Y530.04A	68
Y530.08A	68
Y530.08AB	70
Y530.08AP	70
Y530.08AV	70
Y530.13AB	70
Y530.13AP	70
Y530.13AV	70
Y531.04A	68
Y531.08A	68
Y535.05A	69
Y540.04A	68
Y540.06A	68
Y540.08A	68
Y540.08AB	70
Y540.08AP	70
Y540.08AV	70
Y540.10A	68
Y540.10AB	70
Y540.10AP	70
Y540.10AV	70
Y540.13A	68
Y540.13AB	70
Y540.13AP	70
Y540.13AV	70
Y541.04A	68
Y541.06A	68
Y541.08A	68
Y541.10A	68
Y541.13A	68
Y545.05A	69
Y545.06A	69
Y550.04A	68
Y550.06A	68
Y550.08A	68
Y550.08AB	70
Y550.08AP	70
Y550.08AV	70
Y550.10A	68
Y550.10AB	70
Y550.10AP	70
Y550.10AV	70
Y550.13A	68
Y550.13AB	70
Y550.13AP	70
Y550.13AV	70
Y551.04A	68
Y551.06A	68
Y551.08A	68
Y551.10A	68
Y551.13A	68
Y555.05A	69
Y555.06A	69
Y560.04A	68
Y560.06A	68
Y560.08A	68
Y560.08AB	70
Y560.08AP	70
Y560.08AV	70
Y560.10A	68
Y560.10AB	70
Y560.10AP	70
Y560.10AV	70
Y560.13A	68
Y560.13AB	70
Y560.13AP	70
Y560.13AV	70
Y561.04A	68
Y561.06A	68
Y561.08A	68
Y561.10A	68
Y561.13A	68
Y565.05A	69
Y565.06A	69
Y580.05	81
Y580.10	81
Y580.20	82
Y580.21	82
Y580.22	82
Y580.23	82
Y580.24	82
Y580.25	82
Y580.30	82
Y580.31	82
Y580.32	82

Code	Page
Y580.33	82
Y580.34	82
Y580.35	82
Y581.20	82
Y581.21	82
Y581.22	82
Y581.23	82
Y581.24	82
Y581.25	82
Y581.26	82
Y581.27	82
Y581.28	82
Y581.40	83
Y581.41	83
Y581.42	83
Y581.43	83
Y581.44	83
Y581.45	83
Y581.46	83
Y581.47	83
Y581.48	83
Y581.49	83
Y581.50	83
Y581.51	83
Y581.52	83
Y581.53	83
Y590.01	89
Y590.03	89
Y590.04	89
Y590.05	89
Y590.06	89
Y590.07	89
Y590.08	89
Y590.10	89
Y590.12	96
Y590.13	96
Y591.01	96
Y591.03	96
Y591.07	96
Y591.08	96
Y591.09	96
Y600.01	77
Y600.02	77
Y610.06	76
Y612.07	76
Y620.06	76
Y622.07	76
Y630.06	76
Y640.06	76
Y642.07	76
Y650.06	76
Y652.07	76

Code	Page
Y660.06	76
Y662.07	76
Y690.02	95
Y690.03	95
Y690.04	95
Y690.05	95
Y690.06	95
Y691.02	95
Y691.03	95
Y691.04	95
Y691.05	95
Y693.02	97
Y693.04	97
Y695.00	81
Y695.03	81
Y696.00	81
Y696.03	81
Y800.00	101
Y800.10	101
Y802.00	101
Y802.10	101
Y803.00	101
Y803.10	101
Y805.11	100
Y805.20	100
Y808.00	100
Y809.00	100
Y810.00	101
Y810.01	101
Y812.00	101
Y819.00	100
Y819.01	100
Y820.11	101
Y820.11M	101
Y820.12	101
Y820.12M	101
Y820.13	101
Y820.13M	101
Y820.14	101
Y820.14M	101
Y820.15	101
Y820.15M	101
Y820.16	101
Y820.16M	101
Y835.00	80
Y843.04	103
Y843.06	103
Y843.08	103
Y843.09	103
Y844.01	107
Y844.02	107
Y844.03	107

Code	Page
Y844.04	107
Y844.11	107
Y844.12	107
Y844.13	107
Y844.14	107
Y850.11	102
Y852.01	102
Y852.11	102
Y852.21	102
Y852.31	102
Y853.11	102
Y853.21	102
Y853.31	102
Y853.51	102
Y857.01	103
Y857.01	103
Y857.03	103
Y857.03	103
Y857.10	104
Y857.13	104
Y857.15	104
Y857.20	104
Y857.23	104
Y857.25	104
Y857.30	104
Y 857.33	104
Y857.35	104
Y857.40	105
Y857.41	105
Y857.42	105
Y857.43	105
Y857.44	105
Y857.45	105
Y857.47	105
Y857.70	104
Y857.70P	104
Y857.71	104
Y857.71P	104
Y857.72P	104
Y857.73	104
Y857.74	104
Y857.75	104
Y857.76	104
Y857.80	104
Y857.83	104
Y857.85	104
Y857.90	105
Y857.91	105
Y857.92	105
Y857.93	105
Y857.94	105
Y857.95	105

Code	Page
Y858.00	103
Y858.03	103
Y858.04	103
Y859.00	103
Y859.04	103
Y859.06	103
Y859.07	103

BAHADIR

BAHADIR TIBBİ ALETLER AŞ

Şabanoğlu OSB Mah. Vali M. Erdoğan Cebeci Bul. No:29/1
Tekkeköy - Samsun / Türkiye
Tel. +90 (362) 266 7000
www.bahadir.com - info@bahadir.com.tr

BAHADIR SAĞLIK SANAYİ AŞ

Liman Serbest Bölge Mah. 1. Cad. No: 42
İlkadım / Samsun / Türkiye
info@bahadirsaglik.com

BAHADIR USA LLC

431 S.Pennsville Auburn Road
Carneys Point, NJ 08069
Tel. +1 856 517 3080
www.bahadirusa.com - info@bahadirusa.com

Sterilization Container Systems

CT20-0324 2024 Version

Copyright © 2024, Bahadır Companies. All rights reserved. All visual and textual contents in this catalog are protected by copyrights and other rights owned by Bahadır Companies. We reserve the right to modify our products at any time.

bahadir.com