

DISCRIPTION

FLUSHING OIL LIFE is a high-quality mineral base oil designed for flushing and cleaning lubrication systems before oil replacement or equipment commissioning.

FLUSHING OIL LIFE is formulated from carefully selected mineral base oils to provide effective flushing of lubrication systems. It is intended to help remove loose contaminants, residual oil, and light deposits from internal surfaces of machinery, pipelines, and circulation systems.

This product does not contain detergents or performance additives and is suitable for light-duty flushing operations where a simple and economical cleaning solution is required. It helps improve system cleanliness prior to filling with fresh lubricant, ensuring better performance and longer service life of the new oil.

Flushing Oil Life is compatible with most conventional lubricants and system materials, making it suitable for a wide range of industrial and automotive applications.

APPLICATION

FLUSHING OIL LIFE is recommended for use in

- Flushing of engine lubrication systems before oil replacement
- Cleaning of industrial gearboxes and hydraulic systems
- Flushing of compressors and general lubrication systems
- Cleaning of pipelines, tanks, and circulation systems
- Pre-commissioning flushing of new equipment
- Routine maintenance flushing for light-duty cleaning

BENEFITS

- Effectively removes loose contaminants and residual oil
- Improves cleanliness of systems before refilling
- Helps enhance performance of fresh lubricants
- Reduces risk of contamination in new oil charge
- Compatible with most system components and seals
- Economical solution for routine flushing operations
- Easy to use and handle



Packaging: 1Q,1L,4Q, 4L,5Q, 5L, 18L, 20L, 25L, Drums, IBC.

Specification

Test Parameter	Units	Test Limits	Test Method
Appearance	-	C&B	Visual
Density @ 15°C	g/cm ³	0.861	ASTM D-4052
Viscosity @ 40°C	mm ² /s	28.8-35.2	ASTM D-445
Viscosity @ 100°C	mm ² /s	5.6	ASTM D-445
Viscosity Index	-	105	ASTM D- 2270
Flash Point(COC)	°C	220	ASTM D-92
Pour Point	°C	-12	ASTM D-97
CODE		1000/4	