



THERMO KING

WARNING
HARD START
AUTOMATICALLY

MagnumPlus



R 404A WARNING

EWLU23336596

APPROVED FOR TRANSPORT
UNDER CUSTOMS SEAL

GB/C 12129 BV/2013

TYPE SS2WN3-A

MANUFACTURER'S NO.
OF THE CONTAINER DFRC 108200

OWNER'S NO. EWLU 233659 6

EW INTERNATIONAL LOGISTICS CO.LTD.
Address: Unit 10, 7/F, Wing On Plaza, No. 62 Mody Road,
Tsim Sha Tsui East, Kowloon, Hong Kong
WWW.EW-LOGISTICS.COM

TIMBER COMPONENT
TREATMENT

NO
EXPOSED
TIMBER

MANUFACTURED BY

DONGFANG INTERNATIONAL CONTAINER (QIDONG) CO., LTD.

CSC SAFETY APPROVAL

F/BV/12437/13

DATE MANUFACTURED

10 /20 25

IDENTIFICATION NO.

DFRC 108200

MAXIMUM OPERATING GROSS MASS

30,480 kg 67,200 lbs

ALLOWABLE STACKING LOAD FOR 1.8G

216,000 kg 476,200 lbs

TRANSVERSE RACKING TEST FORCE

150,000 newtons

FIRST MAINTENANCE
EXAMINATION IS DUE

10 /20 30



Model . MAGNUM PLUS

Item No. TKMAGPLUS*52805852

Serial No. CIM1080514

Prod Year Aug 2025

ID 0825M1080514

UK
CA EAC CE



Refrigerant R404A

4.0 KG

Max Power 12 KW

400/460 Volts

Phase 3

50/60 HZ

Full Load Current

17 A

Capacity (-18C Box/38C Amb, 60Hz)

7.3 KW

Unit Weight

353 KG



Manufactured by Thermo King Container Temperature Control
(Suzhou) Co. Ltd., Jiangsu, PRC.



2023 2024 20

2026 2027 2028

1 2 3 4 5 6 7 8 9 11 12

DATE IN SERVICE



EWLU 233659 6
22R1

C
87

2.50
88





FWLU 2333659 6





EWLU 233659 6
22R1

APPROVED FOR EXPORT
GENERAL CERTIFICATE OF CONFORMANCE
COUNTRY OF ORIGIN: CHINA
CLASSIFICATION: UNCLASSIFIED
CONTROLLED INFORMATION
EXEMPT FROM EXPORT CONTROL

HAZARD WARNING
DANGER
DO NOT OPEN THIS CONTAINER WITHOUT PROPER TRAINING AND EQUIPMENT. ALWAYS WEAR YOUR SAFETY GEAR. ALWAYS USE THE LIFTING POINTS. ALWAYS USE THE CORRECT LIFTING TECHNIQUE. ALWAYS USE THE CORRECT LIFTING POINTS. ALWAYS USE THE CORRECT LIFTING TECHNIQUE.

MAX GROSS	30.480 KG
	67.200 LBS
TARE	2.810 KG
	6.190 LBS
PAYLOAD	27.670 KG
	61.010 LBS
CU. CAP.	28.4 CU.M.
	1.005 CU.FT.







EWLL 233659 6
22R1

MAX GROSS 30.480 KG
67.200 LBS
TARE 2.810 KG
6.190 LBS
PAYLOAD 27.670 KG
61.010 LBS
CU. CAP. 28.4 CU.M.
1.005 CU.FT.

YANG MI
YANG MI
YANG MI
YANG MIN

CERTIFICAT DE CONTROLE / CERTIFICATE OF INSPECTION

No. BVCT 2585318/S

Nom et adresse du Demandeur / **Dong Fang International Container (Qidong) Co., Ltd.**
Name and address of Applicant : **No.1 Zhuoyue Road, Qidong Offshore Engineering and Shipbuilding Industry Park, Jiangsu Province, China**
 Nom et adresse du Titulaire / **EW INTERNATIONAL LOGISTICS CO.LTD.**
Name and address of Owner : **Unit 10,7/F, Wing On Plaza, No.62 Mody Road, Tsim Sha Tsui East, Kowloon, Hong Kong WWW.EW-LOGISTICS.COM**

CONTENEURS - CONTAINERS

Type / Type : **ISO 1CC REEFER** Modèle / Model : **SS2WN3-A**
 Numéros de série de construction / Serial number of manufacturing : **DFRC 108192 Au/to DFRC 108201**
 No. d'immatriculation / Registration numbers : **Delfrom EWLU 233651 Au/to EWLU 233660**
 Dates de livraison / Dates of delivery : **Du/from OCT., 2025 Au/to OCT., 2025**
 Nom et adresse du Constructeur / **Dong Fang International Container (Qidong) Co., Ltd.**
Name and address of Manufacturer : **No.1 Zhuoyue Road, Qidong Offshore Engineering and Shipbuilding Industry Park, Jiangsu Province, China**

Declaration du constructeur / *Manufacturer's statement* – Le soussigné certifie que les conteneurs mentionnés ci-dessus ont été construits en conformité avec le type de référence / *The undersigned certifies that the here above containers have been manufactured in conformity with the reference type.*

Cachet et signature du constructeur /
Stamp and signature of the manufacturer :

Q.A. MANAGER: Mr. Xiwei Xu

Type de construction de référence / Reference design type

- No. BVCT de classification / <i>BVCT No. for classification</i>	:	BVCT	1382701/S	
- Masse brute maximale de fonctionnement / <i>Max. operating gross mass</i>	:	30,480	kg	67,200 lbs
- Tare / <i>Tare</i>	:	2,810	kg	6,190 lbs
- Volume / <i>Cubic capacity</i>	:	28.4	m³	1,005 cu.ft
Conditions d'essais / Testing conditions				
- Charge admissible de gerbage / <i>Allowable stacking load</i>	:	216,000	kg	476,200 lbs
- Résistance du plancher / <i>Floor strength test</i>	:	7,260	kg	16,000 lbs
- Rigidité transversale / <i>Transverse racking test force</i>	:	150,000	newtons	

Les conteneurs ci-dessus ont été contrôlés selon les prescriptions des Règlements applicables et les marquages suivants ont été apposés / *The here above mentioned containers have been inspected with regard to the applicable rules and have been marked as follows:*

C.S.C (numéro / *number*) : **F/BV/ 12437/13**
 U.I.C. (marque / *mark*) : **NIL**
 T.I.R. (numéro / *number*) : **GB/C 12129 BV/2013**
 Code ISO / *ISO code* : **22R1**
 Autres / *Others* : **WOOD TREATMENT: NO EXPOSED TIMBER**

A / *At* : **SHANGHAI** Pour BUREAU VERITAS
 (Nom, signature et cachet)
 Le / *On* : **Oct. 17, 2025** For BUREAU VERITAS, the person in charge
 (Name, signature and stamp)

