

How to Edit GSAP Animations

BENEFITS PAGE SCRIPTS - SNAXX TEMPLATE

This guide explains how to safely customize the GSAP-powered tab / accordion / image switcher used on the Benefits page. It is written for template buyers (no coding experience required).

Quick Start (Read This First)

- **Where this script lives:** Webflow Project Settings -> Custom Code -> Footer (Before `</body>`) OR on the Benefits page only (Page Settings).
- **Required libraries:** GSAP core only. (No ScrollTrigger / Draggable needed for this one.)
- **Do not paste duplicates:** Duplicates will cause multiple click handlers and double animations.
- **Tab order matters:** This script uses DOM order. Your tabs, accordion content, arrows, and images must match the same order.

If anything looks broken: check the class names and make sure you have the same number of tabs, contents, arrows, and images.

What's Inside

1	What the Benefits Tabs Script Does
2	Required Webflow Structure (Most Important)
3	Key Selectors (do not rename unless you update Webflow)
4	Settings You Can Customize (Safe Edits)
5	Changing Animation Feel (Speed / Smoothness)
6	Troubleshooting Checklist

1) What the Benefits Tabs Script Does

This script powers a custom tab system that includes:

- **Tabs:** clicking a tab highlights it (opacity + slight lift/scale).
- **Arrow icon:** the active tab shows an arrow with a small slide-in / bounce.
- **Accordion content:** the active tab expands its content while others collapse.
- **Image switching:** the matching image fades/zooms in while the previous image fades out.

Everything is synced by **DOM order** — so Tab #1 controls Content #1, Arrow #1, and Image #1.

2) Required Webflow Structure (Most Important)

This script expects matching counts and order across 4 groups. If these don't match, you'll get missing animations or the wrong image/content showing.

Group	Selector	Notes
Tabs	.content-wrapper.specialities .tab-block	Each clickable tab container.
Accordion content	.content-wrapper.specialities .tab-block .tab-content	Must live INSIDE each .tab-block (one per tab).
Arrow icons	.content-wrapper.specialities .tab-block .tab-right-arrow	Optional, but if present there should be one per tab.
Images	.content-wrapper.specialities .images-container .approach .image-wrapper	Must be in the same order as the tabs.

Best practice

Keep each tab's arrow and tab-content inside the same .tab-block so the counts stay aligned automatically.

3) Key Selectors (Do Not Rename Unless You Update Webflow)

.content-wrapper.specialities	Root wrapper for the entire tabs section.
.tab-block	Clickable tab block (one per tab).
.tab-content	Accordion content panel inside each tab.
.tab-right-arrow	Arrow icon inside each tab (active only).
.images-container.approach	Wrapper holding all images.
.image-wrapper	Each image panel (one per tab).

4) Settings You Can Customize (Safe Edits)

These values are designed to be edited. Change one value at a time, publish, and test.

Setting	What it controls	Typical safe range
ACTIVE_OPACITY / DIM_OPACITY	Active vs inactive tab opacity	0.5 - 1.0
TAB_ACTIVE_Y	How much the active tab lifts upward	-2 to -12
TAB_ACTIVE_S	Active tab scale	1.00 - 1.05
ARROW_IN_X	Arrow slide-in distance	6 - 20
IMG_IN_S	Image zoom-in starting scale	1.00 - 1.08
DUR_FAST	Small UI move speed	0.15 - 0.35
DUR_MED	Standard transition speed	0.25 - 0.60
DUR_SLOW	Image + accordion open speed	0.40 - 0.90

5) Changing the Animation Feel (Speed / Smoothness)

- **Make it snappier:** lower DUR_MED and DUR_SLOW (example: 0.28 / 0.45).
- **Make it smoother:** raise DUR_SLOW a bit (example: 0.65 - 0.8).
- **Make image transitions calmer:** reduce IMG_IN_S (example: 1.02 -> 1.005).
- **Make the arrow bounce less:** replace **back.out(1.6)** with **power3.out**.
- **Make tabs feel more “selected”:** increase TAB_ACTIVE_Y (more negative) and TAB_ACTIVE_S slightly.

This script uses a simple **isAnimating** lock so users can't break it by clicking too fast.

6) Troubleshooting Checklist

If something breaks after edits, use this checklist in order:

- **Publish + hard refresh:** Publish the site, then hard refresh (Cmd/Ctrl+Shift+R).
- **GSAP loaded?** This script requires GSAP core on the page.
- **Counts match?** Make sure you have the same number of .tab-blocks and .image-wrapper items.
- **Tab content inside tab?** .tab-content must exist inside each .tab-block.
- **Wrong image showing?** That's almost always order mismatch. Reorder in the Webflow Navigator.
- **Accordion jumps:** If height animation feels jumpy, ensure the content doesn't have conflicting Webflow interactions that also change height/display.
- **Double click behavior:** Check you didn't paste the script twice (common cause of duplicate clicks).

Support tip: When reporting an issue, include a screenshot of the Webflow Navigator showing the order of .tab-blocks and the order of images inside .images-container.approach.