

The Belmont fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 36"W x 16"H
 CSA/UL Approved Burner Assembly



	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	140,000
Weight	120 lbs	120 lbs
Fuel Options	NG/LP	NG/LP

Optional Accessories:

- Propane Tank Cover 16"W x 16"D x 21"H
- Glass wind Guard 30"D x 6"H
- Vinyl Weather Cover
- Powder Coated Aluminium Table Top 36"D

Colour Options




NATURAL




LIMESTONE




CLAY



ASH



SANDSTONE



CHARCOAL

Colour Options




IVORY BEACH
STONE




SLATE BEACH
STONE




BLACK LAVA
ROCK




PLAN VIEW



PERSPECTIVE VIEW




FRONT ELEVATION




SIDE ELEVATION

Clearances



Burner Assembly




3/8" x 144" gas hose assembly with regulator available separately for LP models.



Clearances:

Overhead solid structure:
(Floor, overhang, pergola or screen)

Residential or Commercial Building on no more than 2 sides.



Solid structure or combustible on no more than 2 sides.
- 12" minimum clearance for noncombustible materials.



Note:
Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Note:
Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

Burner Assembly

Electrical: 120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.

24" Electronic Ignition Burner



ON/OFF remote control included with Electronic Ignition models

