

The Bravo fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 32"W x 32"D x 13"H
 CSA/UL Approved Burner Assembly




	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	90,000
Weight	115 lbs	115 lbs
Fuel Options	NG/LP	NG/LP


Optional Accessories:

- Propane Tank Cover 16"W x 16"D x 21"H
- Glass Wind Guard 23"D x 6"H
- Vinyl Weather Cover
- Powder Coated Aluminium Table Top 32"W x 32"D

Colour Options




NATURAL



LIMESTONE




CLAY



ASH



SANDSTONE



CHARCOAL

Decorative Aggregate Options







IVORY BEACH STONE




SLATE BEACH STONE




BLACK LAVA ROCK



Clearances




Burner Assembly





Clearances

Overhead solid structure:
(Floor, overhang, pergola or screen)



Residential or Commercial Building on no more than 2 sides.

Solid structure or combustible on no more than 2 sides.
- 12" minimum clearance for noncombustible materials.

Note:

Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

Note:



Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly



Electrical:

120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.

18" Electronic Ignition Burner



ON/OFF remote control included with Electronic Ignition models



SECTION VIEW ELECTRONIC IGNITION