




SONOMA 72

The Sonoma fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.


Size: 72"W x 33"D x 16"H
CSA/UL Approved Burner Assembly



Colour Options




NATURAL




LIMESTONE



CLAY



ASH



SANDSTONE



CHARCOAL

Decorative Aggregate Options



IVORY BEACH STONE



SLATE BEACH STONE



BLACK LAVA ROCK

	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	150,000
Weight	215 lbs	215 lbs
Fuel Options	NG/LP	NG/LP


Optional Accessories:

Propane Tank Cover 16"W x 16"D x 21"H


Glass Wind Guard 55"W x 15"D x 6"H

Vinyl Weather Cover


Powder Coated Aluminium Table Top 72"W x 33"D




PLAN VIEW



PERSPECTIVE VIEW




FRONT ELEVATION




SIDE ELEVATION



Clearances



Burner Assembly






Clearances:

Overhead solid structure:
(Floor, overhang, pergola or screen)

Residential or Commercial Building on no more than 2 sides.



Solid structure or combustible on no more than 2 sides.
- 12" minimum clearance for noncombustible materials.

Note:

Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

Note:




Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly

Electrical:

120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.

49" Electronic Ignition Burner



SECTION VIEW ELECTRONIC IGNITION