

The Element fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 20-1/2"W x 16"H
 CSA/UL Approved Burner Assembly




	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	90,000
Weight	50 lbs	50 lbs
Fuel Options	NG/LP	NG/LP


Optional Accessories:

- Propane Tank Cover 21"H x 16"W x 16"D
- Vinyl Weather Cover
- Powder Coated Aluminium Table Top 20-1/2"D

Colour Options




NATURAL



LIMESTONE




CLAY



ASH



SANDSTONE



CHARCOAL

Decorative Aggregate Options




IVORY BEACH STONE




SLATE BEACH STONE




BLACK LAVA ROCK




PLAN VIEW



PERSPECTIVE VIEW




FRONT ELEVATION



SIDE ELEVATION




Clearances



Burner Assembly


18" Match Lit Burner



3/8" x 144" gas hose assembly with regulator available separately for LP models.

Clearances

Overhead solid structure:
(Floor, overhang, pergola or screen)



Residential or
Commercial
Building on
no more than
2 sides.

Solid structure
or combustible
on no more than
2 sides.
- 12" minimum
clearance for
noncombustible
materials.

Note:
Electronic ignition burners require
a fixed piping gas supply. Not for
use with portable LP tanks.

Note:
Deck Installation - a deck insulation kit
is required when installing the fire pit on
a wood or composite deck. Kit includes
basalt material and instructions.

Burner Assembly
Electrical:

120V Outdoor receptacle required.
Must be installed and grounded in
accordance with local codes.

18" Electronic Ignition
Burner

