SONOMA

The Sonoma fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 72”W x 33”D x 16”H
CSA/US Approved Burner Assembly

	Manual Ignition	Electronic Ignition	Push Button
BTU/Hr	65,000	150,000	150,000
Weight	215 lbs	215 lbs	215 lbs
Fuel Options	NG/LP	NG/LP	NG/LP

Optional Accessories:

Propane Tank Cover 16”W x 16”D x 21”H

Glass Wind Guard 55”W x 15”D x 6”H


Vinyl Weather Cover

Powder Coated Aluminium Table Top 72”W x 33”D


Colour Options


NATURAL


LIMESTONE


CLAY


ASH



SANDSTONE



CHARCOAL

Decorative Aggregate Options



IVORY BEACH STONE



SLATE BEACH STONE


BLACK LAVA ROCK




PLAN VIEW


PERSPECTIVE VIEW




FRONT ELEVATION




SIDE ELEVATION


Clearances




Note:
Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

Burner Assembly





3/8″ x 144″ gas hose assembly and regulator included with LP models




SECTION VIEW MATCH LIT

Clearances:

Overhead solid structure:
(Floor, overhang, pergola or screen)

Residential or Commercial Building on no more than 2 sides.



Solid structure or combustible on no more than 2 sides.
- 12″ minimum clearance for noncombustible materials.


Note:
Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.


Note:
Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly


Electrical:
120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.


49″ Electronic Ignition Burner






ON/OFF remote control included with Electronic Ignition models






SECTION VIEW ELECTRONIC IGNITION

Clearances:




Note:
Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly





3/8″ x 144″ gas hose assembly and regulator included with LP models



SECTION VIEW PUSH BUTTON