SERENADE

The Serenade fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 32”W x 16”H
CSA/US Approved Burner Assembly

	Manual Ignition	Electronic Ignition	Push Button
BTU/Hr	65,000	140,000	140,000
Weight	90 lbs	90 lbs	90 lbs
Fuel Options	NG/LP	NG/LP	NG/LP

Optional Accessories:

Propane Tank Cover 16”W x 16”D x 21”H

Glass Wind Guard 23”D x 6”H

Vinyl Weather Cover

Powder Coated Aluminium Table Top 32”D


Colour Options


NATURAL


LIMESTONE


CLAY


ASH



SANDSTONE



CHARCOAL

Decorative Aggregate Options



IVORY BEACH STONE


SLATE BEACH STONE



BLACK LAVA ROCK




PLAN VIEW



PERSPECTIVE VIEW




FRONT ELEVATION



SIDE ELEVATION


SERENADE Manual Ignition

Clearances



Note:
Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.


Burner Assembly



SERENADE Electronic Ignition

Clearances

Overhead solid structure:
(Floor, overhang, pergola or screen)



Residential or Commercial Building on no more than 2 sides.

Solid structure or combustible on no more than 2 sides.
- 12″ minimum clearance for noncombustible materials.


Note:
Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.


Note:
Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly


Electrical:
120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.


24″ Electronic Ignition Burner





ON/OFF remote control included with Electronic Ignition models






SECTION VIEW ELECTRONIC IGNITION


SERENADE Push Button Ignition


Clearances




Note:
Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

Burner Assembly







SECTION VIEW PUSH BUTTON



3/8″ x 144″ gas hose assembly and regulator included with LP models