BRAVO

The Bravo fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 32”W x 32”D x 13”H
CSA/US Approved Burner Assembly

	Manual Ignition	Electronic Ignition	Push Button
BTU/Hr	65,000	90,000	90,000
Weight	115 lbs	115 lbs	115 lbs
Fuel Options	NG/LP	NG/LP	NG/LP

Optional Accessories:

Propane Tank Cover 16”W x 16”D x 21”H

Glass Wind Guard 23”D x 6”H

Vinyl Weather Cover

Powder Coated Aluminium Table Top 32”W x 32”D

Colour Options

NATURAL


LIMESTONE


CLAY


ASH


SANDSTONE


CHARCOAL

Decorative Aggregate Options


IVORY BEACH STONE


SLATE BEACH STONE


BLACK LAVA ROCK



PLAN VIEW


PERSPECTIVE VIEW



FRONT ELEVATION



SIDE ELEVATION

Clearances



Solid structure or combustible on no more than 2 sides.
- 12” minimum clearance for noncombustible materials.

Note:
Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

Burner Assembly





3/8” x 144” gas hose assembly and regulator included with LP models



SECTION VIEW MATCH LIT

Clearances

Overhead solid structure:
(Floor, overhang, pergola or screen)



Residential or Commercial Building on no more than 2 sides.

Solid structure or combustible on no more than 2 sides.
- 12″ minimum clearance for noncombustible materials.

Note:
Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

Note:
Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly

Electrical:
120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.

18″ Electronic Ignition Burner





ON/OFF remote control included with Electronic Ignition models





SECTION VIEW ELECTRONIC IGNITION

Clearances



Note:
Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

Burner Assembly



3/8” x 144” gas hose assembly and regulator included with LP models

SECTION VIEW PUSH BUTTON