ELEMENT

The Element fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 20-1/2”W x 16”H
CSA/US Approved Burner Assembly

	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	90,000
Weight	50 lbs	50 lbs
Fuel Options	NG/LP	NG/LP

Optional Accessories:

Propane Tank Cover 21”H x 16”W x 16”D

Vinyl Weather Cover

Powder Coated Aluminium Table Top 20-1/2”D

Colour Options


NATURAL


LIMESTONE


CLAY


ASH



SANDSTONE



CHARCOAL

Decorative Aggregate Options



IVORY BEACH STONE


SLATE BEACH STONE



BLACK LAVA ROCK




PLAN VIEW



PERSPECTIVE VIEW




FRONT ELEVATION




SIDE ELEVATION


Clearances




Note:
Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

Burner Assembly






3/8″ x 144″ gas hose assembly and regulator available separately with LP models



SECTION VIEW MATCH LIT

Clearances

Overhead solid structure:
(Floor, overhang, pergola or screen)



Residential or Commercial Building on no more than 2 sides.

Solid structure or combustible on no more than 2 sides.
- 12″ minimum clearance for noncombustible materials.


Note:
Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

Note:
Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.


Burner Assembly

Electrical:
120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.

18″ Electronic Ignition Burner



ON/OFF remote control included with Electronic Ignition models



SECTION VIEW ELECTRONIC IGNITION