



Table of Contents

Overview	1
Overview & Surfaces	2
Surface Measurements	3
Edge Measurements	4
Edge Classifications	5
Areas per Pitch	6

Date: 06-06-2024 | Project: Commercial Building- Roof Report | Organization: ACME Demo

Figure 1: Overview

[Units] Edges: ft, Area: sq ft, Slope: rise / run, 48 obstructions.





Figure 2: Surfaces

[Units] Edges: ft, Area: sq ft, Slope: rise / run, 48 obstructions.





Date: 06-06-2024

Project: Commercial Building- Roof Report

Organization: ACME Demo

Table 1: Surface measurements

Section	Perimeter	Slope	Pitch	Azimuth	Surface Area
A	740'8"	1.08	0.2/12	354	28161
Total	-	-	-	-	28161

Figure 3: Edge Measurements

[Units] Edges: ft, Area: sq ft, Slope: rise / run, 48 obstructions.




Figure 4: Edge Measurements

[Units] Edges: ft, Area: sq ft, Slope: rise / run, 48 obstructions.





Figure 5: Edge Classifications
[Units] Edges: ft, Area: sq ft, Slope: rise / run, 48 obstructions.



Type	Count	Total Length
RIDGE	0	0'0"
VALLEY	0	0'0"
EAVE	12	737'3"
RAKE	2	3'4"
HIP	0	0'0"
Total	14	740'7"


Roof Contractor Report



Date: 06-06-2024 | Project: Commercial Building- Roof Report | Organization: ACME Demo


Table 2: Areas per pitch

Roof Pitches	≤ 0/12	≤ 1/12	≤ 2/12	≤ 3/12	≤ 4/12	≤ 8/12	≤ 12/12
Area (sq ft)	0	28161	0	0	0	0	0
% of Roof	0.0	100.0	0.0	0.0	0.0	0.0	0.0





R1
1° PITCH
0° ORIENTATION



POI	X	Y
RP	0'0"	0'0"
A	49'8"	-5'11"
B	50'0"	-5'0"
C	71'0"	-5'0"
D	71'7"	-8'5"
E	134'0"	-18'7"
F	141'10"	-24'0"
G	145'8"	-21'9"
H	141'11"	-15'10"
I	179'9"	-20'6"
J	163'0"	-172'7"
K	-45'1"	-149'4"
L	-42'11"	-130'6"
M	-15'6"	-133'11"

POI	X	Y	L	W	H
P1	14'8"	-152'8"	3'5"	3'9"	1'6"
P2	-3'2"	-109'11"	1'1"	1'1"	1'0"
P3	15'4"	-83'3"	3'4"	3'9"	1'0"
P4	9'5"	-78'0"	0'11"	0'11"	1'6"
P5	169'10"	-25'1"	1'9"	1'10"	1'0"
P6	11'2"	-48'10"	1'1"	1'1"	1'6"
P7	18'6"	-63'1"	1'6"	1'11"	3'0"
P8	172'10"	-24'2"	1'9"	0'8"	2'6"
P9	0'6"	-117'1"	1'5"	1'5"	4'6"
P10	-21'0"	-148'0"	1'6"	1'6"	5'0"
P11	158'1"	-24'9"	3'3"	4'5"	2'6"
P12	4'0"	-42'5"	3'1"	3'2"	3'0"
P13	172'11"	-38'7"	1'7"	1'11"	3'0"
P14	14'3"	-62'10"	1'6"	2'11"	3'6"
P15	16'2"	-64'2"	3'9"	5'2"	3'6"
P16	-1'3"	-61'10"	6'5"	4'4"	3'6"
P17	174'4"	-25'10"	1'6"	2'0"	3'0"
P18	-22'4"	-147'11"	2'2"	1'9"	5'6"
P19	24'4"	-5'4"	1'3"	1'3"	2'6"
P20	168'3"	-38'3"	1'11"	1'5"	3'6"
P21	-1'2"	-114'1"	9'5"	5'7"	5'0"
P22	6'5"	-6'5"	3'9"	3'11"	3'0"
P23	-35'11"	-146'7"	2'3"	2'5"	5'6"
P24	9'8"	-24'2"	0'9"	1'1"	3'6"
P25	170'6"	-39'7"	3'11"	5'2"	3'6"
P26	134'9"	-128'11"	11'1"	8'3"	5'6"
P27	10'8"	-24'2"	1'1"	1'1"	3'6"
P28	147'11"	-55'4"	1'8"	1'8"	4'0"
P29	172'0"	-26'10"	3'11"	5'2"	3'6"
P30	84'7"	-123'4"	13'1"	9'2"	25'6"
P31	39'10"	-118'4"	12'11"	8'7"	5'6"

P32	84'8"	-123'1"	12'11"	8'7"	6'0"
P33	9'7"	-21'8"	7'7"	4'9"	4'0"
P34	45'2"	-51'7"	0'9"	0'10"	5'0"
P35	72'10"	-39'11"	5'3"	7'1"	4'6"
P36	65'0"	-87'2"	210'4"	165'2"	5'0"
P37	97'2"	-41'0"	2'11"	0'9"	5'0"
P38	133'3"	-36'0"	7'7"	4'9"	5'0"
P39	20'6"	-32'2"	1'9"	2'1"	5'0"
P40	20'8"	-10'6"	2'1"	1'11"	5'0"
P41	47'7"	-48'0"	12'11"	8'7"	5'6"
P42	94'0"	-45'1"	12'11"	8'7"	5'6"
P43	144'1"	-50'0"	12'11"	8'7"	6'6"
P44	92'10"	-30'9"	3'7"	3'9"	8'0"
P45	87'0"	-39'9"	34'1"	17'1"	8'0"
P46	65'10"	-45'10"	11'1"	10'9"	9'0"
P47	71'11"	-90'4"	227'11"	178'8"	12'6"