

The Legends

Stage 7

Architectural Guidelines

- 1- House Sizes and Types
- 2- Exterior Finishes
- 3- Roofing
- 4- Chimneys
- 5- House Color
- 6- Garages, Driveways and Outbuildings
- 7- Garbage Disposal
- 8- Lot Information
- 9- Vinyl lot fencing

****IMPORTANT** ALL BLUEPRINTS AS WELL AS A COMPLETED COLOR SELECTION CHART MUST BE SUBMITTED TO KH MANAGEMENT Ltd. FOR APPROVAL BEFORE THE START OF CONSTRUCTION.**

1. - House Sizes and Types

Houses broken up into 3 zones

Zone 1 (R1)

Lots 1-22 Blk 23

Two Storey Homes: A minimum above grade living area of 2,000 sq. ft. excluding the garage is required. Finished main floor area shall be a minimum of 1,200 sq. ft.

Bungalows/Bilevels: A minimum above grade living area of 1,500 sq ft is required excluding the garage.

Zone 2 (R2)

Lots 1-11 Blk 26

Two Storey Homes: A minimum above grade living area of 1,600 sq ft. excluding the garage is required. Finished main floor area shall be a minimum of 900 sq. ft.

Bungalow/Bilevels: A minimum above grade living area of 1,320 sq ft. is required excluding the garage.

Lots 3A/B – 7A/B (Duplex lots)

Two story Homes: A minimum above grade living area of 1,100 sq ft excluding the garage is required. Finished main floor area shall be a minimum of 600 sq ft.

Each side of the duplex must have a single attached garage.

Bungalows/Bilevels: A minimum above grade living area of 900sq ft is required excluding a garage.

Each side of the duplex must have a single attached garage.

Zone 3 (R2)

Lots 29-38 Blk 25, Lots 1-18 Blk 25, Lots 1-21 Blk 24, Lots 1-26 Blk 22, Lots 1-22 Blk 21, Lots 19-28 Blk 25

Two Storey Homes: A minimum above grade living area of 1,400 sq ft excluding garage is required. Finished main floor area shall be a minimum of 800 sq. ft.

Bungalows/Bilevels: A minimum above grade living area of 1,150 sq ft is required excluding garage.

Lots 1A/B-2A/B - 8A/B-9A/B (Duplex Lots)

Two story Homes: A minimum above grade living area of 1,100 sq ft excluding the garage is required. Finished main floor area shall be a minimum of 600 sq ft.

Each side of the duplex must have a single attached garage.

Bungalows/Bilevels: A minimum above grade living area of 900sq ft is required excluding a garage.

Each side of the duplex must have a single attached garage.

Identical designs or mirror images will not be acceptable on adjacent lots, opposite or diagonal sites within 3 lots.

2. Exterior Finishes

ZONE 1 – All finishes in zone 1 *must* be stucco, or Hardie plank (or comparable alternative) siding. A minimum of 50% of the front elevation above the foundation (excluding openings) must be masonry veneer. Brick, stone tile, and natural stone will be acceptable finishes.

All masonry veneer must return around outside corners a minimum of 2'.

All combinations stucco/stone must compliment each other.

Refer to number 5 as it pertains to colors.

ZONE 2 – Acceptable finishes in zone 2 are stucco or Hardie plank/Canexcel siding. If siding is used a minimum of 50% of the front elevation above the foundation (excluding openings) is to be masonry veneer. Brick, stone tile, natural stone, and manmade stone will be acceptable finishes.

All masonry veneer must return around outside corners a minimum of 2'.

All combinations of stucco/siding/stone must compliment each other.

Refer to number 5 as it pertains to colors.

ZONE 3 – Acceptable finishes in zone 3 are stucco, Hardie plank/ Canexcel, and vinyl siding. When siding is used a minimum of 50% of the front elevation above the foundation (excluding openings) is to be masonry veneer. Brick, stone tile, natural stone, and manmade stone will be acceptable.

All masonry veneer must return around outside corners a minimum of 2'.

All combinations of stucco/siding/stone must complement each other.

Refer to number 5 as it pertains to colors.

3. Roofing

- **The main roof including garage can be 3/12 pitch or greater.**
 - **Asphalt shingles, clay tile and cedar shakes are all acceptable roof finishes.**
 - **Soffit & Fascia colors must compliment house colors.**
- Aluminum is a permitted material for downspouts and soffits.**
Downspout color must compliment house colors.

4. Chimneys

All furnace and fireplace chimneys that vent through the roof must be contained inside a chase and finished to match the exterior of the house. The flue can extend a maximum of 2.0ft beyond the framed chase detail. Where possible, direct venting should be considered as an alternative.

5. House Color

The appearance of quality in The Legends must be maintained by NOT using bright, garish colors. Only the use of natural colors (earth tones) with complementary trim will be accepted. Repetition of identical color schemes will not be permitted within a 3-lot radius on adjacent or diagonal lots.

6. Garages, Driveways & Outbuildings

- a. Double-attached garages with a minimum width of 22' and a minimum length of 22' are required in all areas of The Legends.**
- b. Garage locations are required to be constructed as indicated in the lot guide. The water and sewer service will be run on the opposite side of the lot from the garage. This will also allow for better street appeal as well as an improved view from inside the houses.**
- c. All garages exterior finish must be consistent with the exterior of the house. In the situation where more than a double garage is constructed (3+ cars), a minimum of one garage door**

must be set back or forward a minimum of 2'. In a 3 car garage the use of 1-16' and 1-9' oh door will be permitted.

d. Driveway finishes must be finished with one of the following materials: patterned concrete, exposed aggregate concrete, concrete, or paving stone.

e. Sidewalks and pathways in the front of the home may be a combination of the above noted finishes for driveways. Sidewalks in the front & on the sides of the home are to be a minimum of 48" in width.

f. Driveways and sidewalks on the front elevation of the house must be completed a minimum of 1 year after completion of construction of the house.

In Lots 4-7, 10-22 Block 23 in Zone 1: Permanent outbuildings must be kept a minimum of 30' from rear property line.

7. Garbage control

As per Town of Warman bylaw 2007-09 "During the period of construction, it shall be the responsibility of the owner or the owner's agent, to arrange for a minimum 14-yard disposal bin to be located on site for the disposal of construction materials."

The bylaw pertains to each building site where a building is under construction and must be in place during the entire period of construction. The bin must be placed on site during the framing stage of construction.

8. Site Information

All lots are purchased "As Is" this means as you see them. KH Management Ltd is not responsible to transport soil either in or out of lot. Grades are as is and all alterations to the existing grades are at the expense of the purchaser.

A lot grading sheet has been supplied in your package the purchaser must adhere to specified lot grades. Lot grades that are altered from original plan, either below or above original grades will be forced to change grades at purchasers cost.

Purchaser acknowledges that they are responsible for any damage to sidewalks on the frontage and side yard of their lot. If there are any cracks in the sidewalk the owner of the property will be charged for the damage. If the amount for the damage is not paid the developer will file a caveat against the property. Please do your best to keep all big equipment off the sidewalks.

9. Rear Lot Fencing Provided by The Developer

Lots 1-22 Block 23 & Lots 3A/B - 7A/B have REAR picket fence installed. Any other fencing such as side fencing is the responsibility of the purchaser.

****Important** Failure to comply with the above noted guidelines may result in the developer filing a caveat against the property in question.**