

The Legends

Stage 4

Architectural Guidelines

1-House Sizes and Types

2-Exterior Finishes

3-Roofing

4-Chimneys

5-House Color

6-Garages and Driveways

7-Garbage Disposal

8-Lot Information

9-Vinyl lot fencing

**** IMPORTANT ** ALL BLUEPRINTS AS WELL AS A COMPLETED COLOR SELECTION CHART MUST BE SUBMITTED TO KH MANAGEMENT Ltd. FOR APPROVAL BEFORE THE START OF CONSTRUCTION.**

1. - House Sizes and Types

The Legends Houses are broken up into 4 zones

Zone 1

STAGE 4 HAS NO LOTS IN ZONE 1

Two Storey Homes: A minimum above grade living area of 2,000 sq. ft. excluding the garage is required. Finished main floor area shall be a minimum of 1,200 sq. ft.

Bungalows/Bilevels: A minimum above grade living area of 1,500 sq ft is required excluding the garage.

Zone 2

Lots 31-50 Block 8

Two Storey Homes: A minimum above grade living area of 1,600 sq ft. excluding the garage is required. Finished main floor area shall be a minimum of 900 sq. ft.

Bungalow/Bilevels: A minimum above grade living area of 1320 sq ft. is required excluding the garage.

Zone 3

Lots 20-30 Block 8, Lots 1-26 Block 10, Lots 8-20 Block 9

Two Storey Homes: A minimum above grade living area of 1400 sq ft excluding garage is required. Finished main floor area shall be a minimum of 800 sq. ft.

Bungalows/Bilevels: A minimum above grade living area of 1150 sq ft is required excluding garage.

Identical designs or mirror images will not be acceptable on adjacent lots, opposite or diagonal sites within 3 lots.

Zone 4

The Legends - Stage 4 has no lots in Zone 4

Two storey Homes: A minimum above grade living area of 1200 sq ft excluding garage is required. Finished main floor area shall be a minimum of 600 sq ft.

Bungalows/Bilevels: A minimum above grade living area of 1000 sq ft is required excluding garage

****ZONE 4 WILL BE ALLOWED TO HAVE SINGLE CAR (MIN 14') GARAGE ON EACH LOT (IE: 52A AND 52B)**

2. Exterior Finishes - STAGE 4

ZONE 1 – All finishes in zone 1 must be stucco, as well a minimum of 50% of the front elevation above the foundation, and excluding openings must be masonry veneer. Brick, stone tile, natural stone will be acceptable finishes. All masonry veneer must return around outside corners a minimum of 2'. All combinations stucco/stone must compliment each other. Refer to number 5 as it pertains to colors.

ZONE 2 – Acceptable finishes in zone 2 are stucco or hardie plank/canexcel siding. ** Vinyl Siding will be allowed in Zone 2 in Stage 4. If siding is used a minimum of 50% of the front elevation above the foundation, and excluding openings is to be masonry veneer. Brick, stone tile, natural stone, man made stone will be acceptable. All masonry veneer must return around outside corners a minimum of 2'. All combinations of

stucco/siding/stone must compliment each other. Refer to number 5 as it pertains to colors.

ZONE 3&4 – Acceptable finishes in zone 3&4 are stucco, hardie plank/canexcel, and vinyl siding. When siding is used a minimum of 50% of the front elevation above the foundation, and excluding openings is to be masonry veneer. Brick, stone tile, natural stone, man made stone will be acceptable. All masonry veneer must return around outside corners a minimum of 2'. All combinations of stucco/siding/stone must compliment each other. Refer to number 5 as it pertains to colors.

3. Roofing

The main roof including garage shall be a minimum of 6/12 roof pitch.

Asphalt shingles, clay tile and cedar shakes are all acceptable roof finishes.

Soffit & Fascia colors must compliment house colors.

Aluminum is a permitted material for downspouts and soffits.

Downspout color must compliment house colors.

4. Chimneys

All furnace and fireplace chimneys that vent through the roof must be contained inside a chase and finished to match the exterior of the house. The flue can extend a maximum of 2.0ft beyond the framed chase detail. Where possible, direct venting should be considered as an alternative.

5. House Color

The appearance of quality in The Legends must be maintained by NOT using bright, garish colors. Only the use of natural colors (earth tones) with complementary trim will be accepted.

Repetition of identical color schemes will not be permitted within a 3 lot radius on adjacent or diagonal lots.

*******ALL COLOR SCHEMES MUST BE SUBMITTED TO KH DEVELOPMENTS FOR APPROVAL! FIRST APPLIED, FIRST APPROVED!**

6. Garages, Driveways & outbuildings

Double attached garages with a minimum width of 22' and a minimum length of 22' are required in all areas of The Legends. Zone 4 in Stage 2 the garage will be allowed to have a min of 14' wide (this would be on each lot ie: 52a and 52b)

Garage locations are required to be constructed as indicated in the lot guide. The water and sewer service will be run on the opposite side of the lot from the garage. This will also allow for better street appeal as well as an improved view from inside the houses.

All garages exterior finish must be consistent with the exterior of the house. In the situation where more than a double garage is constructed (3 car), a minimum of one garage door must be set back or forward a minimum of 2'. In a 3 car garage the use of 1-16' and 1-9' oh door will be permitted.

Driveway finishes must be finished with one of the following materials. Patterned concrete, exposed aggregate concrete, concrete, or paving stone. Sidewalks and pathways in the front of the home may be a combination of the above noted finishes. Sidewalks in the front & side elevations of the home are to be a minimum of 48" in width.

Driveways and sidewalks on the front elevation of the house must be completed a minimum of 1 year after completion of construction of the house.

In Lots 1-17 Block 3 in Zone 1 out buildings must be kept a minimum of 30' from rear property line.

In Lots 1-10 Block 4 in Zone 2 out buildings must be kept a minimum of 30' from rear property line.

7. Garbage control

As per Town of Warman bylaw 2007-09 "During the period of construction, it shall be the responsibility of the owner or the

owner's agent, to arrange for a minimum 14 yard disposal bin to be located on site for the disposal of construction materials." The bylaw pertains to each building site where a building is under construction, and must be in place during the entire period of construction. The bin must be placed on site during the framing stage of construction.

8. Site Information

All lots are purchased "As Is" this means as you see them. KH Management Ltd is not responsible to transport soil either in or out of lot. Grades are as is and all alterations to the existing grades are at the expense of the purchaser. A lot grading sheet has been supplied in your package the purchaser must adhere to specified lot grades. Lot grades that are altered from original plan, either below or above original grades will be forced to change grades at purchasers cost.

Purchaser acknowledges that they are responsible for any damage to sidewalks on the frontage and side yard of their lot. If there are any cracks in the sidewalk the owner of the property will be charged for the damage. If the amount for the damage is not paid the developer will file a caveat against the property. Please do your best to keep all big equipment off the sidewalks.

9. Vinyl lot fencing

Lots 43-49 Block 8 - Rear only, white picket fence.

Lots 50 Block 8 – Rear, and North side white picket fence.

Lots 42 Block 8 – Rear, 11.98meters white picket fence.

Any extra fence will be at the expense of the owner. The grades for lots will be determined by KH Management. Any changes will be completed and paid for by the original property owner. ALL & ANY RETAINING walls will be installed and paid for by neighboring property owners. KH Management reserves the right to decide where retaining walls are necessary and the property owner will be responsible to pay the cost of any such retaining

walls. Failure to comply with any decision made by KH Management will result in a lien being placed on the property.

****Important** failure to comply with the above noted guidelines will result in the developer filing a caveat against the property in question.**