

RESTRICTED USE PESTICIDE / PESTICIDA DE USO RESTRINGIDO

Due to eye and skin effects. For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification. / Debido a efectos sobre los ojos y la piel. Para la venta al por menor y uso únicamente por aplicadores certificados o personas que estén bajo su directa supervisión y únicamente para los usos detallados en el certificado de la Certificación del Aplicador.

PROPARGITE GROUP 12C ACARICIDE

Transmit

INSECTICIDE

Agricultural Miticide

NOT REGISTERED FOR USE BY CALIFORNIA, IDAHO, OREGON, OR WASHINGTON

ACTIVE INGREDIENT	% BY WT.
Propargite*	69.6%
OTHER INGREDIENTS	30.4%
TOTAL	100.0%

* Contains 6 lbs. active ingredient per gallon. Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN / MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Complete First Aid affixed to front panel.
See inside booklet for additional
Precautionary Statements and Directions for Use.

FIRST AID - IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. **IF INHALED:** • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. **IF SWALLOWED:** • Call a poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage.


Have the product container or label with you when calling a poison control center or doctor or going for treatment: **FOR 24-HOUR MEDICAL EMERGENCY ASSISTANCE CALL PROPHARMA:** 1-866-303-6952 or +1-651-603-3432. **FOR 24-HOUR CHEMICAL EMERGENCY (Spill, leaks, fire, exposure or accident) CALL CHEMTREC:** 1-800-424-9300 or +1-703-527-3887.

PRIMEROS AUXILIOS - SI ENTRA EN CONTACTO CON LOS OJOS: • Mantenga los ojos abiertos y enjuáguelos lenta y cuidadosamente con agua, durante 15 a 20 minutos. • Si utiliza lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame al centro de control de envenenamientos o a un médico para consejo de tratamiento. **SI CAE EN LA PIEL O LA ROPA:** • Quítense la ropa contaminada. • Enjuague la piel inmediatamente con bastante agua por 15 - 20 minutos. • Llame al centro de control de envenenamientos o a un médico para consejo de tratamiento. **SI ES INHALADO:** • Traslade a la persona al aire fresco. • Llame al centro de control de envenenamientos o a un médico para consejo de tratamiento. **SI SE INHALARIA:** • Llame al centro de control de envenenamientos o a un médico para consejo de tratamiento. **SI SE INGERIERE:** • Llame de inmediato a un centro de control de envenenamientos o a un médico para consejo de tratamiento. • No induzca el vómito a menos que así se lo indique un centro de control de envenenamientos o un médico. • No administre **ningún** líquido a la persona. • No administre nada por boca a una persona que haya perdido el conocimiento.

NOTA AL MÉDICO: Contiene un destilado de petróleo. El vómito puede causar neumonía por aspiración. El probable daño de las mucosas puede contraindicar el uso de un lavado gástrico.

Quando llame a un centro de control de envenenamiento, o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto: **PARA ASISTENCIA DE EMERGENCIA MÉDICA LAS 24 HORAS LLAME A PROPHARMA:** 1-866-303-6952 o +1-651-603-3432. **PARA EMERGENCIAS QUÍMICAS LAS 24 HORAS (Derrames, fugas, incendios, exposición o accidentes) LLAME A CHEMTREC:** 1-800-424-9300 o +1-703-527-3887.

Produced For:

Sharda USA LLC 

7217 Lancaster Pike, Suite A
Hockessin, Delaware 19707

EPA Reg. No. 83529-274

EPA Est. No. **[AG]** 72159-GA-001; **[MC]** 89332-GA-001; **[SC]** 39578-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Contains petroleum distillates. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breath spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All Mixers, Loaders, Applicators, and Other Handlers Must Wear:

- Coveralls over long-sleeved shirt and long pants.
- Chemical-resistant footwear and socks.
- Chemical-resistant gloves made of: Barrier Laminate, Butyl Rubber \geq 14 mils, Nitrile Rubber \geq 14 mils, and Viton \geq 14 mils except for flaggers and applicators using closed cabs.
- Chemical-resistant apron for mixers and loaders, and persons exposed to the concentrate.
- For overhead exposure wear chemical-resistant headgear.
- Protective eyewear (goggles, face shield).
- Wear a minimum of NIOSH-approved elastomeric half mask respirator with organic vapor (OV) cartridges and combination R or P filters; **QR** a NIOSH-approved gas mask with OV canisters; **QR** a NIOSH-approved powered air purifying respirator with OV cartridges and combination HE filters.

See **ENGINEERING CONTROLS** for further requirements.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

Mixers and loaders supporting aerial applications to corn and cotton must: use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)] **and must:**

- Wear the personal protective equipment required in **PPE** for mixers/loaders.

Applicators using airblast spray equipment must:

- Wear the personal protective equipment required in **PPE** for mixers and loaders.
- Take off any PPE that was worn in the treated area before reentering the cab if the applicators are operating in a closed cab.
- Store all such PPE in a chemical-resistant container, such as plastic bag, to prevent contamination of the inside of the cab or other enclosed area.

Direct flaggers need to wear the personal protective equipment required above for mixers/loaders, and applicators/handlers, unless they are in an enclosed vehicle which need not be pressurized. When handlers and/or applicators use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove contaminated clothing and wash before reuse.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may cause reproductive effects in wildlife. Do not apply directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store the product near heat or open flame.

DIRECTIONS FOR USE

RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers to enter treated areas during the restricted-entry interval (REI) listed except as provided for by the WPS. The REI and Exceptions are listed in the **DIRECTIONS FOR USE** associated with the crop. Notify workers of these exceptions (including when entry is permitted for each of the tasks named in the exception).

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, appears below.

- Coveralls over long-sleeved shirt and long pants,
- Chemical-resistant gloves made of: Barrier Laminate, Butyl Rubber \geq 14 mils, Nitrile Rubber \geq 14 mils, and Viton \geq 14 mils; except for flaggers and applicators using closed cab,
- Chemical-resistant footwear plus sock, and
- Protective eyewear.

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Keep this product in its tightly closed original container. Do not use or store this product near heat or open flame. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PESTICIDE DISPOSAL statement for transport vehicles only: To avoid wastes, empty as much product from this transport vehicle as possible for repackaging or use in accordance with label directions. If wastes cannot be avoided, offer remaining product or rinsate to a waste disposal facility or pesticide disposal program. All disposal must be in accordance with applicable federal, state and local regulations and procedures.

CONTAINER HANDLING

Nonrefillable container equal to or less than 5 gallons. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank and drain container for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain container for 10 seconds after the flow begins to drip. Repeat this procedure two more times. If pressure rinsing: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Nonrefillable container greater than 5 gallons. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full of water. Agitate vigorously or recirculate water with pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection equipment. Repeat this rinsing procedure two more times. **CONTAINER HANDLING STATEMENT FOR ALL TRANSPORT CONTAINERS AS DEFINED IN 40 CFR 156.3** Empty container retains vapor and product residue. Observe all precautions stated on this label until the container is cleaned, reconditioned or destroyed. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, and worn-out threads and closures. Clean thoroughly before reuse for transportation of a material of different composition or before retiring this transport vehicle from service.

RECYCLING

Once cleaned, some agricultural pesticide plastic containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or Ag Container Recycling Council (ACRC) at 877-952-2272 or <http://www.acrecycle.org>. If recycling is not available, dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

RESISTANCE MANAGEMENT

For resistance management, **Transmit** contains a Group 12 insecticide or acaricide. Any insect/mite population may contain individuals naturally resistant to **Transmit** and other Group 12 insecticides/acaricides. The resistant individuals may dominate the insect/mite population if this group of insecticides/acaricides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide/acaricide resistance, take the following steps:

- Rotate the use of **Transmit** or other Group 12 insecticides/acaricides within a growing season or among growing seasons with different groups that control the same pests.
- Use tank mixtures with insecticides/acaricides from a different group that are equally effective on the target pest when such use is permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture. In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):
 - o Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.
 - o Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.
 - o When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).
 - o Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.
 - o The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.
- Adopt an integrated pest management program for insecticide/acaricides use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.

SPRAY DRIFT PRECAUTIONS

AVOIDING SPRAY DRIFT IS THE RESPONSIBILITY OF THE APPLICATOR.

WHEN SPRAYING IN THE VICINITY OF AQUATIC AREAS:

- Do not apply by ground within 50 feet or by air within 75 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds; estuaries and commercial fish farm ponds.
- The above excludes irrigation canals and wasteways as well as man-made irrigation conveyance structures and impoundments unless an exclusion contains water year-round.
- Risk of exposure to sensitive aquatic areas can be reduced by making applications when the wind direction is away from the aquatic area.
- Consider inclusion of a drift control agent in the spray tank.

Wind Direction and Speed

- Only apply this product if the wind direction favors on target deposition.
- Do not apply when the wind velocity exceeds 15 mph.

Temperature Inversion

- Do not make aerial or ground applications into temperature inversions.
- Inversions are characterized by stable air and increasing temperatures with height above the ground. Mist or fog may indicate the presence of an inversion in humid areas. The applicator may detect the presence of an inversion by producing smoke and observing a smoke layer near the ground surface.

Droplet Size

- For ground and aerial applications apply the coarsest droplet size spectrum that provides sufficient coverage and mite control.

Additional Requirements for Ground Applications

- For ground boom applications, apply using a nozzle height of no more than 4 feet above the ground or crop canopy.
- For airblast applications, turn off outward pointing nozzles at row ends and when spraying the outer two rows. To minimize spray loss over the top in orchard applications, spray must be directed into the canopy.

Additional Requirements for Aerial Applications

- The spray boom should be mounted on the aircraft as to minimize drift caused by wingtip or rotor vortices. The minimum practical boom length should be used and must not exceed 75% of the wing span or 80% rotor diameter.
- Spray must be released at the lowest height consistent with pest control and flight safety. Do not release spray at a height greater than 10 feet above the crop canopy unless a greater height is required for aircraft safety.
- When applications are made with a cross-wind, the swath will be displaced downwind. The applicator must compensate for this displacement at the downwind edge of the application area by adjusting the path of the aircraft upwind.

FOR CHEMIGATION APPLICATION, refer to **CHEMIGATION USE PRECAUTIONS FOR CORN AND POTATOES** section; Dosage Instructions table exhibits application rate range.

RUNOFF PRECAUTIONS

Under some conditions, propargite may have a high potential for runoff into surface water for several days after application. Do not apply in the following areas:

- Frequently flooded areas (excluding crop irrigation areas).
- Areas where intense or sustained rainfall is forecasted to occur within 48 hours.

Care should be taken when making applications where the following conditions exist:

- Poorly draining or wet soils with readily visible slopes toward adjacent surface water.
- Areas with in-field canals or ditches that drain to surface water.
- Areas not separated from adjacent surface water with vegetated filter.

Consult your soil conservation service for recommendations in your use area.

USE RESTRICTIONS

Do not apply in spray solution above pH 10. It is best to use **Transmit** at pH 7 or lower.

Unless the rotated crop is a registered use for propargite, the following applies:

- Do not plant any root crop in rotation within 6 months after last application of propargite to labeled crops.
- Do not plant other crops in rotation within 2 months after last application of propargite to labeled crops.
- Registered-labeled field and vegetable uses for propargite are:

Beans, dry
Corn (sweet, field and popcorn)
Cotton
Hops
Jojoba

Mint
Peanuts
Potatoes
Sorghum

Terrestrial Non-food/Non-feed Seed crops only:
Alfalfa
Carrot
Clover
Sugar Beets

PRODUCT USE INSTRUCTIONS

Transmit is a liquid emulsifiable concentrate for preparing sprays to control mites.

Transmit is not systemic in action, therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Transmit can be used in concentrate sprays as directed by label.

Transmit performance is best when day temperatures average above 70°F.

MIXING INSTRUCTIONS

After spray tank is three-quarters full of water, add recommended dosage (from table) of **Transmit** to the spray tank. Fill tank, agitate and spray thoroughly to cover foliage and fruit for best results.

COMPATIBILITIES

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

Do not use penetrating surfactants. Under certain conditions a non-penetrating surfactant can be added. Rely on your prior use experience or consult your local surfactant supplier for specific recommendations.

Do not apply in combination with petroleum based foliar spray oils as phytotoxicity may occur.

Transmit is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of **Transmit** will be reduced.

Except as noted, **Transmit** is compatible with many pesticides. Observe all cautions and limitation of labeling of all products used in mixtures. However, due to variations in water quality, e.g. hardness and pH, it is required that users conduct small scale trials under local conditions to ensure compatibility prior to large scale use.

Contact your supplier or the company representative for additional information on compatibility.

APPLICATION INSTRUCTIONS

BEANS, Dry (including dry lima beans) (West of Rocky Mountains)		
MITES CONTROLLED	APPLICATION RATE (fl. oz./A)	APPLICATION INFORMATION
Two-spotted spider	36 - 52 (1.69 - 2.44 lbs. a.i.)	Apply high rate to areas with high mite infestation and to areas which historically have had high mite infestations. See COMPATIBILITIES section.
<p>Ground Application: Apply in a minimum of 20 gallons total volume per acre.</p> <p>Aerial Application: Apply in a minimum of 5 gallons total volume per acre.</p>		
<p>RESTRICTIONS FOR BEANS, Dry (including dry lima beans) (West of Rocky Mountains):</p> <ul style="list-style-type: none"> • Do not apply more than 96 fl. oz. of Transmit per acre per calendar year (4.5 lbs. propargite a.i. per acre per calendar year). • Do not make more than 2 applications per calendar year. • The minimal spray interval is 21 days. • Do not feed or forage treated bean vines or bean trash after harvesting. • The Restricted-Entry Interval (REI) is 9 days. See AGRICULTURAL USE REQUIREMENTS for general REI exemptions. There is no exception allowed for hand weeding. • Pre-harvest Interval: Do not harvest within 14 days of the last application. 		
CORN (Field - Grain or Silage) (Seed, Sweet, Popcorn)		
MITES CONTROLLED	APPLICATION RATE (fl. oz./A)	APPLICATION INFORMATION
Two-spotted spider Banks grass	36 - 54 (1.69 - 2.53 lbs. a.i.)	Apply a single high rate application to areas with high mite infestation and to areas which historically have had high mite infestations. At least 48 fl. oz. per acre should be used under conditions of severe mite pressure. Treat early. Best results are achieved when mite populations are low, before the mites have damaged the plants. Treatment is recommended when mite populations are just beginning to build, and the corn is still small enough (usually 3 to 4 feet) to allow good coverage. Ensure application is made only when corn leaves are dry. This is especially true for white corn varieties which are the most susceptible to plant injury. See COMPATIBILITIES section.
<p>Ground Application: Apply in a minimum of 20 gallons total volume per acre.</p> <p>Aerial Application: Apply in a minimum of 3 gallons total volume per acre.</p> <p>Chemigation Application: Apply in 0.1 to 0.2 acre inches of water. (See CHEMIGATION USE PRECAUTIONS FOR CORN AND POTATOES)</p>		
<p>RESTRICTIONS FOR CORN (Field - Grain or Silage) (Seed, Sweet, Popcorn):</p> <ul style="list-style-type: none"> • Do not apply more than 54 fl. oz. of Transmit per acre per calendar year (2.5 lbs. propargite a.i. per acre per calendar year). • Do not make more than 1 application per calendar year. • The Restricted-Entry Interval (REI) is 13 days. See AGRICULTURAL USE REQUIREMENTS for general REI exemptions. There is no exception allowed for hand weeding. • Pre-harvest Interval: Do not harvest within 30 days of the last application. • Similarly, the grazing or cutting for silage within 30 days after treatment is prohibited. 		

COTTON (East of the Rocky Mountains)		
MITES CONTROLLED	APPLICATION RATE (fl. oz./A)	APPLICATION INFORMATION
Two-spotted spider Pacific spider Strawberry spider	Early: 20 (0.94 lb. a.i.) Mid-Season to Layby: 24 - 36 (1.13 - 1.69 lbs. a.i.) Layby to Boll Opening: 36 (1.69 lbs. a.i.)	Apply high rate to areas with high mite infestation and areas which historically have had high mite infestations. Transmit may be phytotoxic to young cotton under certain conditions. Age and climatic conditions result in a physiological hardening when plants are generally between 6 and 12 inches tall. Applications can begin after plants are hardened. Transmit may be used in concentrate sprayers designed for concentrate row crop applications. Maintain Transmit dosage rate per acre. Commercially acceptable mite control may be difficult to obtain where synthetic pyrethroids are or have been used. See COMPATIBILITIES section.
Ground Application: Apply in 15 to 30 gallons total volume per acre for early cotton; 25 to 40 gallons for mid-season to layby cotton; 25 to 50 gallons for layby to boll opening cotton.		
Aerial Application: Apply in 5 to 15 gallons total volume per acre from mid-season to boll opening; aerial application is not recommended for early cotton.		
RESTRICTIONS FOR COTTON (East of the Rocky Mountains):		
<ul style="list-style-type: none"> • Do not apply more than 70 fl. oz. of Transmit (3.3 lbs. propargite a.i.) per acre per calendar year. Apply only before bolls open. • Do not apply Transmit after bolls have opened. • Do not feed treated foliage or cotton trash to livestock. • Do not make more than 2 applications per calendar year. • The minimal spray interval is 21 days. • The Restricted-Entry Interval (REI) is 6 days. See AGRICULTURAL USE REQUIREMENTS for general REI exemptions. There is no exception allowed for hand weeding. • Pre-harvest Interval: Do not harvest within 50 days of the last application. 		

MINT		
MITES CONTROLLED	APPLICATION RATE (fl. oz./A)	APPLICATION INFORMATION
Two-spotted spider Mint bud (squirrelly mint effect)	36 - 48 (1.69 - 2.25 lbs. a.i.)	Apply high rate to areas with high mite infestation and to areas which historically have had high mite infestations. See COMPATIBILITIES section.
Ground Application: Apply in 20 to 50 gallons total volume per acre.		
Aerial Application: Apply in a minimum of 8 gallons total volume per acre.		
RESTRICTIONS FOR MINT:		
<ul style="list-style-type: none"> • Do not apply more than 84 fl. oz. of Transmit (4.1 lbs. propargite a.i.) per acre per calendar year. • Do not feed mint spent hay to livestock. • Do not make more than 2 applications per calendar year. • The minimal spray interval is 14 days. • The Restricted-Entry Interval (REI) is 7 days. See AGRICULTURAL USE REQUIREMENTS for general REI exemptions. There is no exception allowed for hand weeding. • Pre-harvest Interval: Do not harvest within 14 days of the last application. 		

ORANGES and GRAPEFRUIT (Bearing) (Florida and Texas only)		
MITES CONTROLLED	APPLICATION RATE (fl. oz./A)	APPLICATION INFORMATION
Citrus red Texas citrus Six-spotted Citrus rust False spider Broad spider	36 - 52 (1.69 - 2.44 lbs. a.i.)	Apply high rate to areas with high mite infestation and to areas which historically have had high mite infestations. Do not apply petroleum oils 30 days prior to or 40 days after applying Transmit as phytotoxicity may occur on leaves and/or fruit. Do not apply Transmit mixed with petroleum oils or any material containing petroleum based solvents as phytotoxicity may occur on leaves and/or fruit. Do not mix Transmit with or apply prior to, or after, alkaline materials such as lime, Bordeaux mixture or lime sulfur. Avoid Transmit applications to immature leaves and fruit, and prevent spray solution from puddling, dripping, or running off leaves and/or fruit. See COMPATIBILITIES section.
Ground Application: Apply in a minimum of 25 gallons total volume per acre. Apply in sufficient water for thorough coverage. Aerial Application: Apply in a minimum of 10 gallons total volume per acre. Apply in sufficient water for thorough coverage.		
RESTRICTIONS FOR ORANGES and GRAPEFRUIT (Bearing) (Florida and Texas only): <ul style="list-style-type: none"> Do not apply more than 87 fl. oz. of Transmit (4.1 lbs. propargite a.i.) per acre per calendar year. Do not make more than 2 applications per calendar year. The minimal spray interval is 28 days. The Restricted-Entry Interval (REI) is 20 days. See AGRICULTURAL USE REQUIREMENTS for general REI exemptions. There is no exception allowed for hand weeding. Pre-harvest interval: Do not harvest within 21 days of the last application. 		

PEANUTS		
MITES CONTROLLED	APPLICATION RATE (fl. oz./A)	APPLICATION INFORMATION
Two-spotted spider	36 (1.69 lbs. a.i.)	When temperatures are greater than 90°F with high humidity some leaf phytotoxicity may occur. See COMPATIBILITIES section.
Ground Application: Apply in a minimum 20 gallons total volume per acre. Aerial Application: Apply in a minimum of 5 gallons total volume per acre.		
RESTRICTIONS FOR PEANUTS: <ul style="list-style-type: none"> Do not apply more than 72 fl. oz. of Transmit per acre per calendar year (3.3 lbs. propargite a.i. per acre per calendar year). Do not make more than 2 applications per calendar year. The minimal spray interval is 14 days. Do not graze or feed livestock on treated areas or cut treated forage for hay. The Restricted-Entry Interval (REI) is 2 days. See AGRICULTURAL USE REQUIREMENTS for general REI exemptions. There is no exception allowed for hand weeding. Pre-harvest interval: Do not harvest within 14 days of the last application. 		

POTATOES (Pacific Northwest Only)		
MITES CONTROLLED	APPLICATION RATE (fl. oz./A)	APPLICATION INFORMATION
Two-spotted spider	36 - 48 (1.69 - 2.25 lbs. a.i.)	Apply high rate to areas with high mite infestation and to areas which historically have had high mite infestations. See COMPATIBILITIES section.
<p>Ground Application: Apply in 20 to 50 gallons total volume per acre.</p> <p>Aerial Application: Apply in a minimum of 10 gallons total volume per acre.</p> <p>Chemigation Application: Apply in 0.1 to 0.2 acre inches of water. (See CHEMIGATION USE PRECAUTIONS FOR CORN AND POTATOES)</p>		
<p>RESTRICTIONS FOR POTATOES (Pacific Northwest Only):</p> <ul style="list-style-type: none"> Do not apply more than 84 fl. oz. of Transmit (3.9 lbs. propargite a.i.) per acre per calendar year. Do not make more than 2 applications per calendar year. The minimal spray interval is 21 days (14 days in Washington State only). The Restricted-Entry Interval (REI) is 2 days. See AGRICULTURAL USE REQUIREMENTS for general REI exemptions. There is no exception allowed for hand weeding. Pre-harvest Interval: Do not harvest within 14 days of the last application. 		

SORGHUM (East of Rocky Mountains)		
MITES CONTROLLED	APPLICATION RATE (fl. oz./A)	APPLICATION INFORMATION
Two-spotted spider Banks grass	24 - 36 (1.13 - 1.69 lbs. a.i.)	Apply high rate to areas with high mite infestation and to areas which historically have had high mite infestations. Due to the large number of varieties of sorghum, it is recommended that a small test plot be treated to check for potential phytotoxicity before using Transmit on a large area. See COMPATIBILITIES section.
<p>Ground Application: Apply in a minimum of 20 gallons total volume per acre.</p> <p>Aerial Application: Apply in a minimum of 5 gallons total volume per acre.</p>		
<p>RESTRICTIONS FOR SORGHUM (East of Rocky Mountains):</p> <ul style="list-style-type: none"> Do not apply more than 36 fl. oz. of Transmit per acre per calendar year (1.7 lbs. propargite a.i. per acre per calendar year). Do not make more than 1 application per calendar year. The Restricted-Entry Interval (REI) is 2 days. See AGRICULTURAL USE REQUIREMENTS for general REI exemptions. There is no exception allowed for hand weeding. Pre-harvest Interval: Do not harvest silage within 30 days of the application. Do not harvest grain within 60 days of the application. 		

CHEMIGATION USE PRECAUTIONS FOR CORN AND POTATOES

- A. Apply this product only through sprinkler systems, including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, or hand move irrigation systems. Do not apply this product through any other type of irrigation system.
- B. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from nonuniform distribution of treated water.
- C. If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.
- D. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label prescribed safety devices for public water systems are in place.
- E. A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make the necessary adjustments should the need arise.
- F. The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
- G. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- H. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being drawn from the supply tank when the irrigation system is either automatically or manually shut down.
- I. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
- J. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
- K. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
- L. Do not apply when wind speed favors drift beyond the area intended for treatment.
- M. Constant agitation must be maintained in the chemical supply tank during the entire period of insecticide application.
- N. Inject the product with a positive displacement pump into the main line ahead of a right angle turn, to insure adequate mixing.
- O. Application of more than label recommended quantities of irrigation water per acre may result in decreased product performance by removing the chemical from the zone of effectiveness.
- P. Do not apply when system connections or fittings leak, when nozzles do not provide uniform distribution or when lines containing the product must be dismantled and drained.
- Q. Greater accuracy in calibration and distribution will be achieved by injecting a larger volume of more dilute mixture per hour. Pesticide should be applied continuously for the duration of the water addition.
- R. Where sprinkler irrigation patterns do not overlap sufficiently unacceptable mite control may result. Where sprinkler distribution patterns overlap excessively crop injury may result.
- S. Check with state lead agencies for state specific chemigation requirements.

WARRANTY AND DISCLAIMER STATEMENT

The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Such risks may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of Sharda USA LLC and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. All such risks shall be assumed by the user or buyer.

Sharda USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions.

This warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to Sharda USA LLC, and is subject to the inherent risks described above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SHARDA USA LLC DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SHARDA USA LLC, MANUFACTURER, AND SELLER DISCLAIM AND SHALL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE, OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE USER AND BUYER WAIVE ANY RIGHT THAT THEY MAY HAVE TO SUCH DAMAGES. NO AGENT, REPRESENTATIVE OR EMPLOYEE OF SHARDA USA LLC IS AUTHORIZED TO MAKE ANY WARRANTY, GUARANTEE OR REPRESENTATION BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF SHARDA USA LLC, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT SHARDA USA LLC'S ELECTION, THE REPLACEMENT OF THE PRODUCT.

DECLARACIONES PREVENTIVAS

RIESGOS PARA LOS SERES HUMANOS Y ANIMALES DOMÉSTICOS

PELIGRO: Contiene un destilado de petróleo. Corrosivo. Causa daño ocular irreversible y quemaduras en la piel. Podría ser letal si se inhala. Dañino si se ingiere. Dañino si se absorbe por la piel. No permita que caiga en los ojos, la piel o la ropa. No respire la niebla de rocío. Lávese bien con agua y jabón después de manipular y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quítese y lave la ropa contaminada antes de reutilizarla. El contacto prolongado y frecuente con la piel puede causar reacciones alérgicas en algunos individuos.

EQUIPO DE PROTECCIÓN PERSONAL (PPE, POR SUS SIGLAS EN INGLÉS)

Todos los mezcladores, cargadores, aplicadores y otros manipuladores de pesticidas deben usar:

- Overol (mameluco) encima de una camisa de manga larga y pantalones largos.
- Calcetines y zapatos resistentes a productos químicos.
- Guantes resistentes a productos químicos fabricados con laminados impermeables, goma de butilo \geq 14 mils, goma de nitrilo \geq 14 mils, y Viton \geq 14 mils excepto para banderilleros y aplicadores que utilicen cabinas cerradas.
- Delantal resistente a productos químicos para mezcladores y cargadores, y personas expuestas al concentrado.
- Para la exposición por encima de la cabeza, utilice equipo de protección para la cabeza resistente a productos químicos.
- Gafas protectoras (gafas de seguridad o pantalla facial).
- Utilice como mínimo, un respirador con purificador de aire y máscara para medio rostro o semimáscara (elastomérico) aprobado por NIOSH que esté equipado con un cartucho químico para vapores orgánicos (OV) en combinación con un filtro purificador o material de filtración de las series R o P; o una mascarilla de filtrado para gases aprobada por NIOSH que esté equipada con cántisters OV; o un respirador purificador de aire motorizado aprobado por NIOSH equipado con cartuchos OV en combinación con filtros HE.

Consulte Controles de ingeniería para conocer más requisitos.

Deseche la ropa y otros materiales absorbentes que hayan sido empapados o muy contaminados con el concentrado de este producto. No vuelva a reutilizarlos. Siga las instrucciones del fabricante para la limpieza y el mantenimiento del equipo de protección personal (PPE, por sus siglas en inglés). En caso de no existir dichas instrucciones de lavado, utilice detergente y agua caliente. Mantenga y lave el PPE por separado del resto de la ropa.

DECLARACIÓN DE CONTROL TÉCNICO

Los mezcladores y cargadores que apoyan las aplicaciones aéreas al maíz y al algodón deben: utilizar un sistema cerrado que cumpla con los requisitos enumerados en la Norma de Protección del Trabajador (WPS) para pesticidas agrícolas [40 CFR 170.240(d)(4)] **y debe:**

- Usar el equipo de protección personal requerido en la sección de **EQUIPOS DE PROTECCIÓN PERSONAL (PPE POR SUS SIGLAS EN INGLÉS)** de esta etiqueta para mezcladores y cargadores.

Los aplicadores que utilicen equipos de pulverización con chorro de aire deben:

- Usar el equipo de protección personal requerido en la sección de **EQUIPOS DE PROTECCIÓN PERSONAL (PPE POR SUS SIGLAS EN INGLÉS)** de esta etiqueta para mezcladores y cargadores.
- Quítese cualquier EPP que haya usado en el área tratada antes de volver a ingresar a la cabina si los aplicadores están operando en una cabina cerrada.
- Guarde todo este EPP en un envase resistente a productos químicos, como una bolsa de plástico, para evitar la contaminación del interior de la cabina u otra área cerrada.

Los banderilleros directos deben usar el equipo de protección personal requerido anteriormente para mezcladores/cargadores y aplicadores/manipuladores, a menos que se encuentren en un vehículo cerrado que no necesite estar presurizado. Cuando los manipuladores de pesticidas usen sistemas cerrados, cabinas, o aeronaves, de manera que cumplan con los requisitos enumerados en la Norma de Protección al Trabajador (WPS, por sus siglas en inglés) [40 CFR 170.240 (d) (4-6)], para pesticidas agrícolas, los requisitos de equipo de protección personal (PPE) para el manipulador de pesticidas pueden reducirse o modificarse como está especificado en la WPS.

RIESGOS AMBIENTALES

Este pesticida es tóxico para los peces y los invertebrados acuáticos y puede causar efectos reproductivos en la vida silvestre. No aplique directamente a cuerpos de agua, en áreas donde haya aguas superficiales, o en áreas intermareales que se encuentren bajo el nivel de altura máxima promedio del agua. La escorrentía de las áreas tratadas puede ser peligrosa para los organismos acuáticos de las áreas vecinas. No contamine el agua al desechar el agua de lavado del equipo.

PELIGROS FÍSICOS O QUÍMICOS

Combustible. No utilice ni almacene el producto cerca del calor o llamas abiertas.

El uso de este producto de forma contraria a lo indicado en su etiqueta constituye una violación de la Ley Federal.

ALMACENAMIENTO Y DESECHO

No contamine el agua, los alimentos ni los forrajes durante el almacenamiento o el desecho.

ALMACENAMIENTO DE PESTICIDAS

Mantenga este producto en su envase original, bien cerrado. No utilice ni almacene este producto cerca del calor o de una llama abierta. Almacenar en un área limpia y seca (preferiblemente cerrada) que sea inaccesible para niños y animales.

DESECHO DE PESTICIDAS

Los residuos de pesticidas son altamente peligrosos. La disposición inadecuada del pesticida sobrante, mezcla de aerosol o aguas de enjuague de contenedores, constituye una violación de la Ley Federal. Si estos residuos no pueden ser eliminados de acuerdo con las instrucciones de la etiqueta, contacte la agencia para el manejo de pesticidas o control ambiental de su estado, o el representante para el Manejo de Residuos Peligrosos de la Oficina Regional de la EPA más cercana para obtener indicaciones del proceso a seguir para su disposición.

DESECHO DE PESTICIDAS solo para vehículos de transporte: Para evitar desperdicios, vacíe la mayor cantidad posible de producto de este vehículo de transporte para volver a envasarlo o utilizarlo de acuerdo con las instrucciones de la etiqueta. Si no se pueden evitar los desechos, ofrezca el producto restante o el enjuague a una instalación de eliminación de desechos o a un programa de eliminación de pesticidas. Toda eliminación debe realizarse de acuerdo con las normas y procedimientos federales, estatales y locales aplicables.

MANIPULACIÓN DE ENVASES

Envase no rellenable menor o igual a 5 galones. No reutilice ni rellene este envase. Enjuague tres veces el envase (o equivalente) inmediatamente después de vaciarlo. Enjuague tres veces siguiendo estas indicaciones: vacíe los contenidos restantes en el equipo de aplicación o un tanque de mezcla, y drene por 10 segundos después de que el flujo empiece a gotear. Llene el envase 1/4 lleno con agua y tape de nuevo. Agite por 10 segundos. Vierta el líquido de enjuague (rinsate) en el equipo de aplicación o tanque de mezcla, o almacene el enjuague para uso más tarde o eliminación. Drene por 10 segundos después de que el flujo empiece a gotear. Repita este procedimiento dos veces más. Si se realiza un enjuague a presión: Vacíe los contenidos restantes en el equipo de aplicación o un tanque de mezcla, y drene por 10 segundos después de que el flujo empiece a gotear. Mantenga el envase boca abajo sobre el equipo de aplicación o un tanque de mezcla, o recolecte el enjuague para uso más tarde o la eliminación. Inserte la boquilla de enjuague a presión en el lado del envase y enjuague a aproximadamente 40 PSI por al menos 30 segundos. Drene por 10 segundos después de que el flujo empiece a gotear. Luego ofrezca para el reciclaje si está disponible o el reacondicionado si está adecuado, o perfore y deseche en un área adecuada para desechos sanitarios o por otros procedimientos aprobados por las autoridades estatales y locales.

Envase no rellenable más de 5 galones. No reutilice ni rellene este envase. Enjuague tres veces el envase (o equivalente) inmediatamente después de vaciarlo. Enjuague tres veces siguiendo estas indicaciones: vacíe los contenidos restantes en el equipo de aplicación o un tanque de mezcla. Llene el envase 1/4 lleno con agua. Reemplace y asegure los cierres. Vuelque el envase al lado y hágalo rodar por 30 segundos, asegurando por lo menos una revolución completa. Ponga el envase vertical e inclínelo hacia adelante y hacia atrás varias veces. Dé vuelta al envase hacia el lado opuesto e inclínelo hacia adelante y hacia atrás varias veces. Vierta el líquido de enjuague (rinsate) en el equipo de aplicación o tanque de mezcla, o almacene el enjuague para uso más tarde o eliminación. Repita este procedimiento dos veces más. Luego ofrezca para el reciclaje si está disponible o el reacondicionado si está adecuado, o perfore y deseche en un área adecuada para desechos sanitarios o por otros procedimientos aprobados por las autoridades estatales y locales.

Envase rellenable. Rellene este envase sólo con pesticida (plaguicida). No reutilice este envase para ningún otro propósito. La limpieza del envase antes de su eliminación final es la responsabilidad de la persona que se deshace del envase. La limpieza antes de rellenar es la responsabilidad de la persona que lo va a rellenar. Para limpiar el envase antes de su eliminación final, vacíe el contenido restante de este envase en el equipo de aplicación o en el tanque de mezcla. Llene el envase con un 10% de agua. Agitar vigorosamente o haga recircular el agua con la bomba durante 2 minutos. Vierta o bombee el agua de enjuague en el equipo de aplicación o en el sistema de recolección de agua de enjuague. Repita este procedimiento dos veces más. **DECLARACIÓN DE MANEJO DE CONTENEDORES PARA TODOS LOS ENVASES DE TRANSPORTE SEGUN SE DEFINE EN 40 CFR 156.3** El envase vacío retiene vapor y residuos de producto. Observe todas las precauciones indicadas en esta etiqueta hasta que el envase se limpie, reacondicione o destruya. Antes de rellenar, inspeccione cuidadosamente en busca de daños tales como grietas, perforaciones, abrasiones, roscas desgastadas y dispositivos de cierre. Límpielo completamente antes de reutilizarlo para transportar un material de diferente composición o antes de retirarlo del servicio.

RECICLAJE

Una vez limpios, algunos envases de plástico para pesticidas agrícolas pueden ser llevados a un sitio de recolección de envases o pueden ser recogidos para su reciclaje. Para encontrar el sitio más cercano, comuníquese con su distribuidor o fabricante de productos químicos o comuníquese con El Consejo de Reciclaje de Contenedores Agrícolas (ACRC) en 877-952-2272 o www.acrecycle.org. Si no hay reciclaje disponible, deséchelo en un vertedero sanitario o mediante otros procedimientos aprobados por las autoridades estatales y locales.

RESTRICTED USE PESTICIDE

Due to eye and skin effects. For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

PROPARGITE GROUP 12C ACARICIDE

Transmit

Agricultural Miticide

NOT REGISTERED FOR USE BY CALIFORNIA, IDAHO, OREGON, OR WASHINGTON

ACTIVE INGREDIENT	% BY WT.
Propargite*	69.6%
OTHER INGREDIENTS	30.4%
TOTAL	100.0%

* Contains 6 lbs. active ingredient per gallon. Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

Complete First Aid affixed to front panel.

See inside booklet for additional Precautionary Statements and Directions for Use.

FIRST AID

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. **IF INHALED:** • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. **IF SWALLOWED:** • Call a poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor or going for treatment: **FOR 24-HOUR MEDICAL EMERGENCY ASSISTANCE CALL PROPHARMA: 1-866-303-6952 or +1-651-603-3432. FOR 24-HOUR CHEMICAL EMERGENCY (Spill, leaks, fire, exposure or accident) CALL CHEMTREC: 1-800-424-9300 or +1-703-527-3887.**

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - DANGER: Contains petroleum distillates. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breath spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Produced For: Sharda USA LLC, 7217 Lancaster Pike, Suite A, Hockessin, Delaware 19707

EPA Reg. No. 83529-274 EPA Est. No. **AG** 72159-GA-001; **MC** 89332-GA-001; **SC** 39578-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Net Contents: **2.5 Gals.*** **265 Gals.**

* Unless alternate checked

ENVIRONMENTAL HAZARDS - This pesticide is toxic to fish and aquatic invertebrates and may cause reproductive effects in wildlife. Do not apply directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

PHYSICAL OR CHEMICAL HAZARDS - Combustible. Do not use or store the product near heat or open flame.

DIRECTIONS FOR USE - RESTRICTED USE PESTICIDE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Keep this product in its tightly closed original container. Do not use or store this product near heat or open flame. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **PESTICIDE DISPOSAL** statement for transport vehicles only: To avoid wastes, empty as much product from this transport vehicle as possible for repackaging or use in accordance with label directions. If wastes cannot be avoided, offer remaining product or rinsate to a waste disposal facility or pesticide disposal program. All disposal must be in accordance with applicable federal, state and local regulations and procedures. **CONTAINER HANDLING: Nonrefillable container equal to or less than 5 gallons. Do not reuse or refill this container.** Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows. Empty the remaining contents into application equipment or mix tank and drain container for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain container for 10 seconds after the flow begins to drip. Repeat this procedure two more times. If pressure rinsing: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. **Nonrefillable container greater than 5 gallons. Do not reuse or refill this container.** Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. **Refillable container. Refill this container with pesticide only.** Do not reuse this container for any other purpose. Cleaning the container before disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full of water. Agitate vigorously or recirculate water with pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection equipment. Repeat this rinsing procedure two more times. **CONTAINER HANDLING STATEMENT FOR ALL TRANSPORT CONTAINERS AS DEFINED IN 40 CFR 156.3** Emptied container retains vapor and product residue. Observe all precautions stated on this label until the container is cleaned, reconditioned or destroyed. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, and worn-out threads and closures. Clean thoroughly before reuse for transportation of a material of different composition or before refitting this transport vehicle from service. **RECYCLING:** Once cleaned, some agricultural pesticide plastic containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or Ag Container Recycling Council (ACRC) at 877-952-2272 or <http://www.acrecycle.org>. If recycling is not available, dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

OPEN HERE