




Flora Well: Larix [S] Static White


CAST BRASS LANDSCAPE




SPECIFICATIONS

Lumens	600lm					
Power	10W					
Input Voltage	8 - 16V AC					
Light Color (CCT)	2700K	3000K	3500K	4000K	5000K	Custom
Beam Angle	24°	36°	45°	60°	80°	
Module Replaceable	Yes					
Fixture Material	Heavy Duty Cast Brass					
Optional Finish	Antique Bronze or Custom					
Dimensions	4.50" (114.3mm) × 6.25" (158.7mm)					
IP Rating	IP68					
Warranty	5 Years					

DIMENSIONS



PROJECT NAME _____ FIXTURE TYPE _____ LOCATION _____



Flora Well: Larix [S] Static White

CAST BRASS LANDSCAPE



SHIELD OPTIONS

Glass



Part Number:
FLRA-WLL01-ACC-GS

Rock Guard



Part Number:
FLRA-WLL01-ACC-RG

Shield




Part Number:
FLRA-WLL01-ACC-SD

Eye



Part Number:
FLRA-WLL01-ACC-EY

PROJECT NAME _____ FIXTURE TYPE _____ LOCATION _____



Flora Well: Larix [S] Static White

CAST BRASS LANDSCAPE



PART NUMBER EXAMPLE

FLRA-WLL01 - SW - MGN - 4W - 30K - BZ

PART NUMBER BUILDER

SERIES	TYPE	CONTROL	WATTAGE	CCT	FINISH
FLRA-WLL01	SW	MGN			
ilLuminate Flora Well: Larix [S] Well Light	SW — Static White	MGN — Magnetic Transformer Dimming	4W — 4 Watts 5W — 5 Watts 6W — 6 Watts 7W — 7 Watts	27K — 2700K 30K — 3000K 35K — 3500K 40K — 4000K 50K — 5000K CU — Custom	BZ — Antique Bronze CU — Custom

PROJECT NAME _____ FIXTURE TYPE _____ LOCATION _____