

All rights reserved. Reproduction without permission is strictly prohibited.

# econiclay coverings

## 2026 Product Catalog



[www.phomi.com](http://www.phomi.com)  
[market@phomi.com](mailto:market@phomi.com)

2026.3

## About US

We are PHOMI HOLDING, forerunner of eco-environmental material science! Founded in 2008, focusing on the research, development and production of econiclay-based materials, we are committed to providing carbon neutral material solutions to the world. With a start-up mentality, we develop up-to-date, sustainable material solutions for new challenges of living on our planet.

We use modern technology of the digital age, combined with knowledge of traditional craftsmanship, to create sustainable, eco-friendly, and inspiring materials with a human-centric emphasis.

As a technical enabler, we give our material solutions and knowlegde to partners to spread it worldwide. Our mission is to create a better future for all by continuously expanding the applications of econiclay, providing innovative solutions that benefit society worldwide.

Our Vision: With our leadership in material science and technology, we aspire to work with more partners to shape a sustainable world, together. We believe that it is human nature to shape the world in the best way possible - from the first hut in ancient times to a blue planet worth living on in the future. In relentless pursuit of this vision, we will develop and deliver the best materials across a range of applications, now and into the future.



## Phomi eCovering: The zero-carbon cladding material, balancing flexibility and performance

| Items                    | Material                                                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                          | Plastic film                                                                        | Plastic building material                                                           |                                                                                     | 3.0 eCovering                                                                       | 4.0 eCovering                                                                       |
|                          |                                                                                     | PVC                                                                                 | SPC                                                                                 |                                                                                     |                                                                                     |
| Flexibility              |  |  |  |  |  |
| Thickness                | 1mm                                                                                 | 2mm                                                                                 | 4mm                                                                                 | 4mm                                                                                 | 3-4mm                                                                               |
| Bendibility              | Ø 2 mm                                                                              | Ø 200 mm                                                                            | Ø 300 mm                                                                            | Ø 400 mm                                                                            | Ø 500 mm                                                                            |
| Fireproof rating (class) | F                                                                                   | C/B2                                                                                | C/B2                                                                                | A2                                                                                  | A2/A1                                                                               |
| UV resistance            | Outdoor, 6 months                                                                   | Outdoor, 2 years                                                                    | Outdoor, 3 years                                                                    | Outdoor, 30 years                                                                   | Outdoor, 50 years                                                                   |
| Water resistance         | -                                                                                   | Cannot be kept submerged                                                            | Cannot be kept submerged                                                            | Can be kept submerged                                                               | Can be kept submerged                                                               |

### 3 Core Disadvantages of Excessive Flexibility

Flexibility is negatively correlated with building material performance: the greater the flexibility, the more serious the subsequent issues will be.

**1.Poor UV Resistance:** Higher flexibility → more plastics used → lower UV resistance.

**2.Poor Wall Aesthetics:** Higher flexibility → higher requirements for wall flatness → uneven wall surfaces are more likely to show after pasting, affecting the aesthetic appeal.

**3.Poor Fire Safety:** Higher flexibility → more plastics used → lower fire rating → stronger odor and more toxic smoke released during combustion.

### 4.0 eCovering's Scientific Solution

We first meet the core performance requirements of building materials, then adapt to the building's bending needs. The specific logic is as follows:

**1.Performance FIRST:** We meet THREE key criteria - ① Both UV resistance and fire rating have reached the highest level in the industry, with no odor during combustion; ② Complies with the universal standard for wall flatness, ensuring no unevenness after application; ③ Achieves near-zero carbon emissions throughout the entire product life cycle.

**2.Optimal Flexibility:** We optimize the ability of eCovering to bend, based on data and long time production know-how, resulting in eCovering 4.0 meeting the bending requirements of all buildings, while avoiding the performance loss caused by "unnecessary excessive flexibility."

# eCovering series

## eConiclay products all comply with "cradle to cradle" advanced material certification standards



### 1. Material Health

econiclay uses naturally-occurring materials such as soil, stone waste, and non-metallic tailings as its raw materials. A meticulous process of collection, sorting, and screening ensures the quality of these inputs. After being powdered, specialized surfactants are applied to create a protective, multi-layered network structure around the particles, effectively preventing the release of harmful substances. This commitment to material quality guarantees that econiclay products are free from any harmful residues or emissions.

### 2. Product Circularity

econiclay products are very easily recycled once they reach the end of their useful life. They don't break down into harmful substances, making recycling practical. Mixing econiclay with other materials can create durable and flexible products, reducing the need for plastic and extending product lifespans. This conserves resources and supports product circularity - one of the key pillars of sustainability.

### 3. Clean Air & Climate Protection

Our plant uses self-generated green electricity and steam as an energy source, and produces at low temperatures. In turn, this reduces our reliance on fossil fuels and significantly decreases greenhouse gas emissions. The entire production process is environmentally friendly with no smoke, harmful gases, or wastewater released. The inorganic properties of econiclay ensures that it doesn't emit gases or pollutants during use or recycling, contributing to cleaner air.

### 4. Water & Soil Stewardship

The econiclay production process conserves water resources by utilizing steam, which is efficiently transformed into production water during the condensation process. Simultaneously, the production process generates zero wastewater, making a positive contribution to the conservation of water resources. Importantly, econiclay products, being non-vitrified inorganic materials, have no detrimental impact on the soil after their lifecycle concludes, ensuring the long-term health of the land.

### 5. Social Fairness

The production process of econiclay products is designed to minimize waste, noise, and the release of harmful substances, ensuring that both workers and neighboring communities are not negatively impacted by hazardous materials or poor environmental conditions. Utilizing low-temperature manufacturing and self-generated green electricity/steam as an energy source also helps reduce environmental pollution, fostering social equity. Implementation of carbon-neutral measures further supports social sustainability. econiclay products boast a Class A fire rating, enhancing fire safety in application areas and thereby increasing community safety, ultimately contributing to social equity.

## The full life cycle of eCovering

### Zero carbon footprint for raw materials

The basic raw materials are based on inorganic solid waste such as urban construction waste, scraps of soil, stone, and ceramics, and non-metallic tailings.

### Production process

The molding process only requires temperatures of 100°C, with green electricity and heat cogeneration both used.



### Transportation

eCovering weighs only 4kg/m<sup>2</sup>, versus natural stone which weighs 70kg/m<sup>2</sup>. This drastically reduces the energy required during transportation by 94%.

### Endless recycling

When dismantled, eCovering will disintegrate into small pieces and return to the soil without negative effect. Plant roots can easily enter the debris and grow, because the material has a self-respiratory function and maintains a specific water absorption rate.



PHOMI eCovering Products Series



PHOMI eCovering Core Value

**High value and durability**  
eCovering showcases the texture and color of natural materials. Based on the inorganic-organic hybrid structure, it has excellent UV-resistant qualities. The service life of eCovering is several times longer than that of PVC wallcovering and flooring, reducing the frequency of replacement and the waste of resources.

**A1 fire rating**  
Thanks to its inorganic properties, eCovering has a fire resistance rating of A1. This provides a better safeguard compared to flammable plastic and wood surface materials.

**Replacement of energy-intensive materials**  
The unique active bonds and low-temperature molding can create more functional products to meet the needs of different settings, becoming an ideal substitute for traditional materials such as tiles, stones, cement, wood, leather, plastics, etc.

**Environmental Protection and Sustainability**  
1. Not relying on specific mineral resources diminishes the adverse impact of resource extraction on the environment.  
2. The low temperature molding process decreases energy consumption and eliminates waste gas emissions, and wastewater disposal.  
3. Inorganic solid waste can be repeatedly reused and recycled, greatly limiting the negative impact on the environment.

eCovering has successfully obtained  
**BUREAU VERITAS Product Carbon Footprint Verification Certification**



The carbon emission of 1m<sup>2</sup> of eCovering is **1.02kg CO<sub>2</sub>e**.

 eCovering produces **95.4% CO<sub>2</sub>e** than conventional **tiles**

 eCovering produces **98.63% CO<sub>2</sub>e** than conventional **stone**



An aerial photograph of a massive stone quarry carved into a steep, rocky mountain. The quarry features numerous terraced levels and winding roads, with some areas showing signs of active construction or processing. The surrounding landscape is rugged and forested.

**Material technology  
integrated with 3D-tech  
empowers traditional  
stone industry for  
transformation**

**Stone Series**





# Greece Travertine

Anna Light Grey



Plain White



Mookie Ivory



Anna White



Anna Light Grey



Anna Medium Grey



Kamu Grey



Kamu Yellow



Kamu Red

| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|-------------------|---------------|---------------|---------|---------|
| 4.0        | 1200x600          | 3.2(±0.5)     | 1220x620x75   | 14      | 10.08   |





# Coral Travertine

Stratus Light Grey



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|-------------------|---------------|---------------|---------|---------|
| 4.0        | 1200x600          | 3.2(±0.5)     | 1220x620x75   | 14      | 10.08   |





# Rome Travertine

Andes Yellow



| Generation | Standard size (mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|--------------------|---------------|---------------|---------|---------|
| 3.0        | 1200x600           | 3.3(±1)       | 1220x620x75   | 18      | 12.96   |
|            | 2400x1200          |               |               |         |         |
|            | (3000-6000mm)x1200 |               |               |         |         |
| 4.0        | 1200 x 600         | 3.2(±0.5)     | 1220x620x75   | 16      | 11.52   |





# Lane Crawford Travertine

Anna White



Plain White



Cloud Yellow



Cloud Grey



Anna Light Grey



Anna Medium Grey



Persian Beige Grey



Persian Gold



Anna White



Kamu Yellow



Kamu Red

| Generation | Standard size (mm) | Thickness(mm) | Packaging(mm)                                                                                      | Pcs/box | Sqm/box |
|------------|--------------------|---------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200x600           |               | 1220x620x75                                                                                        |         |         |
|            | 2400x1200          |               | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
|            | 3000x1200          |               |                                                                                                    |         |         |
| 4.0        | 1200 x 600         | 3.2(±0.5)     | 1220x620x75                                                                                        | 14      | 10.08   |





# Ghana Travertine

Sairo Grey



| Generation | Standard size (mm) | Thickness (mm) | Packaging (mm)                                                                                     | Pcs/box | Sqm/box |
|------------|--------------------|----------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200x600           | 2.8(±1)        | 1220x620x75                                                                                        | 18      | 12.96   |
|            | 2400x1200          |                | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
| 4.0        | 1200x600           |                | 1220x620x75                                                                                        |         |         |





# Anthill Travertine

Stellar Yellow



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|-------------------|---------------|---------------|---------|---------|
| 4.0        | 1200x600          | 3.2(±0.5)     | 1220x620x75   | 16      | 11.52   |





# Cloud Silk Travertine

Ash Grey



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|-------------------|---------------|---------------|---------|---------|
| 4.0        | 1200x600          | 1-4           | 1220x620x75   | 14      | 10.08   |





# Oceanic Travertine

Greek Yellow



Moonlight

Greek Yellow

Plain Cloud Grey

Light Cloud Grey

Ink Cloud Grey

Moon Blue


Deep Blue

Riverbank Green

Purple Clay

| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                                                      | Pcs/box | Sqm/box |
|------------|-------------------|---------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 4.0        | 1200 x 600        | 3.2(±0.5)     | 1220x620x75                                                                                        | 14      | 10.08   |
| 3.0        | 2800x1200         | 2-6           | Sizes above 2800x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |





# Rough Surface

Castol Yellow



| Generation | Standard size(mm) | Thickness(mm)                | Packaging(mm)                                                                                      | Pcs/box | Sqm/box |
|------------|-------------------|------------------------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 1-6<br>natural<br>unevenness | 1220 x 620 x 75                                                                                    | 12      | 8.64    |
|            | 2400 x 1200       |                              | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
|            | (3000-6000)x1200  |                              |                                                                                                    |         |         |





# Marble

Veil Grey










| Generation | Standard size(mm) | Thickness (mm) | Packaging (mm)                                                                                     | Pcs/box | Sqm/box |
|------------|-------------------|----------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 2.8(±1)        | 1220 x 620 x 75                                                                                    | 20      | 14.4    |
|            | 2400 x 1200       |                | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
|            | (3000-6000) x1200 |                |                                                                                                    |         |         |
| 4.0        | 1200 x 600        | 3.2(±0.5)      | 1220 x 620 x 75                                                                                    | 16      | 11.52   |





# Polished Stone

Castol White

|                                                                                                                  |                                                                                                        |                                                                                                         |                                                                                                           |                                                                                                               |
|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <br>Sunis White               | <br>Ash Grey        | <br>Veil White       | <br>Cloud White        | <br>Cloud Grey             |
| <br>Castol White              | <br>Castol Grey     | <br>Veil Grey        | <br>Veil Yellow        | <br>Cloud Yellow           |
| <br>Andes White               | <br>Andes Yellow    | <br>Andes Gold       | <br>Salento Yellow     | <br>Tunguska Yellow        |
| <br>Anna White                | <br>Kamu Yellow     | <br>Seasons Pink     | <br>Andes Red          | <br>Nile Red               |
| <br>Castol Blue               | <br>Kamu Grey       | <br>Kamu Red         | <br>Anna Medium Grey   | <br>Andes Grey             |
| <br>Loki Mountain Light Grey | <br>Nile Warm Grey | <br>Anna Light Grey | <br>Rock Mottle Brown | <br>Rock Mottle Dark Grey |
| <br>Roman Grey              | <br>Roman Red     | <br>Nile Dark Grey | <br>Multi-Color Red  | <br>Portoro              |

| Generation | Standard size (mm) | Thickness (mm) | Packaging (mm)  | Pcs/box | Sqm/box |
|------------|--------------------|----------------|-----------------|---------|---------|
| 4.0        | 1200 x 600         | 3.2(±0.5)      | 1220 x 620 x 75 | 16      | 11.52   |






# Polish Concrete Stone

Puzzlecrete Medium Grey

|              |                |                    |                             |
|--------------|----------------|--------------------|-----------------------------|
| Cloud        | Greyish Desert | Loozee Light Grey  | Puzzlecrete Light Grey      |
| Great Desert | Fog            | Loozee Medium Grey | Puzzlecrete Medium Grey     |
| Medium Grey  | Dark Brown     | Loozee Plain Grey  | Puzzlecrete Dark Grey       |
| Dark Grey    | Ink-Dyed       | Loozee Dim Grey    | Puzzlecrete Ultra-Dark Grey |

| Generation | Standard size(mm) | Thickness (mm) | Packaging (mm)                                                                                     | Pcs/box | Sqm/box |
|------------|-------------------|----------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 2.8(±1)        | 1220 x 620 x 75                                                                                    | 20      | 14.4    |
|            | 2400 x 1200       |                | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
|            | (3000-6000) x1200 |                |                                                                                                    |         |         |
| 4.0        | 1200 x 600        | 3.2(±0.5)      | 1220 x 620 x 75                                                                                    | 16      | 11.52   |





# 4eyes Concrete

Greyish Desert



| Generation | Standard size(mm) | Thickness (mm) | Packaging (mm)  | Pcs/box | Sqm/box |
|------------|-------------------|----------------|-----------------|---------|---------|
| 4.0        | 1200 x 600        | 3.2(±0.5)      | 1220 x 620 x 75 | 16      | 11.52   |





# Rusty Slab

Nuée Ardente



| Generation | Standard size(mm) | Thickness (mm) | Packaging (mm)                                                                                     | Pcs/box | Sqm/box |
|------------|-------------------|----------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 2.8(±1)        | 1220 x 620 x 75                                                                                    | 20      | 14.4    |
|            | 2400 x 1200       |                | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
|            | (3000-6000) x1200 |                |                                                                                                    |         |         |
| 4.0        | 1200 x 600        | 3.2(±0.5)      | 1220 x 620 x 75                                                                                    | 16      | 11.52   |





Florence Gold



| Generation | Standard size(mm) | Thickness (mm)         | Packaging (mm)                                                                                     | Pcs/box | Sqm/box |
|------------|-------------------|------------------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 1-4 natural unevenness | 1220 x 620 x 75                                                                                    | 18      | 12.96   |
|            | 2400 x 1200       |                        | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
|            | 2700 x1200        |                        |                                                                                                    |         |         |
|            | (3000-6000) x1200 |                        |                                                                                                    |         |         |
| 4.0        | 1200 x 600        |                        | 1220 x 620 x 75                                                                                    |         |         |





Skyline

Nile Dark Grey



| Generation | Standard size(mm) | Thickness (mm) | Packaging (mm)                                                                                     | Pcs/box | Sqm/box |
|------------|-------------------|----------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 1-4            | 1220 x 620 x 75                                                                                    | 20      | 14.4    |
|            | 2400 x 1200       |                | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
|            | (3000-6000) x1200 |                |                                                                                                    |         |         |
| 4.0        | 1200 x 600        | 1-4.5          | 1220 x 620 x 75                                                                                    | 14      | 10.08   |





# Stone Alpes

Anna White



| Generation | Standard size(mm) | Thickness(mm)      | Packaging(mm)                                                                                      | Pcs/box | Sqm/box |
|------------|-------------------|--------------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 1-8                |                                                                                                    |         |         |
|            | 2400 x 1200       | natural unevenness | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |





# Sandstone

Australia Orange



Plain White



Australia White



Greyish Desert




Australia Orange



Kaman Yellow



Great Desert



Roman Red

| Generation | Standard size (mm) | Thickness (mm) | Packaging (mm)   | Pcs/box | Sqm/box |
|------------|--------------------|----------------|------------------|---------|---------|
| 3.0        | 1200 x 600         | 2.8(±1)        | 1220 x 620 x 75  | 20      | 14.4    |
|            | 2400 x 1200        |                | 2420 x 1230 x 14 | 4       | 11.52   |
| 4.0        | 1200 x 600         | 3.2(±0.5)      | 1220 x 620 x 75  | 16      | 11.52   |





# Rammed Earth Wall

Light Brown



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                                                      | Pcs/box | Sqm/box |
|------------|-------------------|---------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 1-5           | 1220 x 620 x 75                                                                                    | 16      | 11.52   |
|            | 2400 x 1200       |               | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
| 4.0        | 1200 x 600        |               | 1220 x 620 x 75                                                                                    |         |         |






# Crossard Mushroom Stone

Blue Grey



| Generation | Standard Size (mm) | Thickness(mm)                 | Packaging(mm)                                                |
|------------|--------------------|-------------------------------|--------------------------------------------------------------|
| 3.0        | 800 x 400          | 1-10<br>natural<br>unevenness | Wooden case as per order quantity (subject to packaging fee) |
|            | 800 x 800          |                               |                                                              |
| 4.0        | 300 x 300          |                               |                                                              |





# Devine Mushroom Stone

Andes Yellow




| Generation | Standard Size (mm) | Thickness(mm)                | Packaging(mm)                                                   |
|------------|--------------------|------------------------------|-----------------------------------------------------------------|
| 3.0        | 800x400            | 1-8<br>natural<br>unevenness | Wooden case as per order quantity<br>(subject to packaging fee) |
|            | 1200x600           |                              |                                                                 |
|            | 2400x1200          |                              |                                                                 |






# Oblique Mushroom

Nile Light Yellow



| Generation | Standard Size (mm) | Thickness(mm)                | Packaging(mm)                                                                                      | Pcs/box | Sqm/box |
|------------|--------------------|------------------------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200x 600          | 1-8<br>natural<br>unevenness | 1220x 620x75                                                                                       | 8       | 5.76    |
|            | 2400x 1200         |                              | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |





# Concrete Pouring Slab

Castle Rock Gray



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm)                                                |
|------------|--------------------|---------------|--------------------------------------------------------------|
| 3.0        | 1400 x 600         | 1-3.5         | Wooden case as per order quantity (subject to packaging fee) |
|            | 2800 x 1200        |               |                                                              |





# Arcuate Rock

Thin Clouds Gray






| Generation | Standard Size (mm) | Thickness(mm)                | Packaging(mm)   | Pcs/box | Sqm/box |
|------------|--------------------|------------------------------|-----------------|---------|---------|
| 3.0        | 1400 x 600         | 1-8<br>natural<br>unevenness | 1420 x 620 x75  | 12      | 10.08   |
|            | 2800 x 1200        |                              | 按订货量木箱包装, 包装费另计 |         |         |
| 4.0        | 1200 x 600         |                              | 1220 x 620 x75  |         |         |






# U Stone

Anna White

|                                                                                                      |                                                                                                     |                                                                                                              |                                                                                                          |
|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <br>Plain White   | <br>Ash Grey     | <br>New White Sesame      | <br>Gold Sesame       |
| <br>Veil Yellow   | <br>Andes Yellow | <br>Kamu Yellow           | <br>Tunguska Yellow   |
| <br>Sunis White   | <br>Cloud        | <br>Fog                   | <br>Nile Red          |
| <br>Anna White    | <br>Veil Grey    | <br>Anna Light Grey       | <br>Nile Warm Grey    |
| <br>Arctic Mocha | <br>Playform    | <br>Flash Ray Light Grey | <br>Multi-Color Rust |

| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|--------------------|---------------|---------------|---------|---------|
| 4.0        | 1200 x 600         | 1-4.5         |               |         |         |





| Generation | Standard Size (mm) | Thickness(mm)                | Packaging(mm)   | Pcs/box | Sqm/box |
|------------|--------------------|------------------------------|-----------------|---------|---------|
| 3.0        | 600 x 300          | 1-9<br>natural<br>unevenness | 620 x 320 x 90  | 8       | 1.44    |
|            | 1200 x 600         |                              | 1220 x 620 x 75 | 6       | 4.32    |
| 4.0        | 1200 x 600         |                              | 1220 x 620 x 75 |         |         |







# 35 Piece Stone

Tunguska Yellow




| Generation | Standard Size (mm) | Thickness(mm)           | Packaging(mm) | Pcs/box | Sqm/box |
|------------|--------------------|-------------------------|---------------|---------|---------|
| 3.0        | 600 x 300          | 1-10 natural unevenness | 620 x320x90   | 10      | 1.8     |
|            | 1200 x 600         |                         | 1220 x 620x75 | 8       | 5.76    |





# Chiseled Stone

Andes Yellow



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm)   | Pcs/box | Sqm/box |
|------------|--------------------|---------------|-----------------|---------|---------|
| 3.0        | 1200 x 600         | 1-8.5         | 1220 x 620 x75  | 8       | 5.76    |
|            | 2400 x 1200        |               | 2420 x 1230 x14 | 2       | 5.76    |
| 4.0        | 1200 x 600         |               | 1220 x 620 x75  |         |         |





# Oman Linear Stone

Kamu Yellow




| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm)  | Pcs/box | Sqm/box |
|------------|--------------------|---------------|----------------|---------|---------|
| 3.0        | 1350x600           | 1-9           | 1380 x 620 x65 | 8       | 6.48    |
|            | 2700x600           |               |                |         |         |
|            | (2700-6000) x1200  |               |                |         |         |
| 4.0        | 1200x600           | 6.2 (±0.5)    | 1220 x 620 x65 | 8       | 5.76    |





# Flat Linear Stone

Tunguska Yellow




| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm)   | Pcs/box | Sqm/box |
|------------|--------------------|---------------|-----------------|---------|---------|
| 3.0        | 1200 x 600         |               | 1220 x 620 x75  |         |         |
|            | 2400 x 1200        |               | 按订货量木箱包装, 包装费另计 |         |         |
| 4.0        | 1200 x 600         | 1-8           | 1220 x 620 x75  |         |         |





# Stone Ridged

Andes White



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm)  | Pcs/box | Sqm/box |
|------------|--------------------|---------------|----------------|---------|---------|
| 3.0        | 1200 x 600         | 1-4.5         | 1220 x 620 x75 | 16      | 11.52   |
|            | 2400 x 1200        |               | 2420x1230x14   | 4       | 11.52   |
| 4.0        | 1200 x 600         |               | 1220 x 620 x75 |         |         |





# Bush Hammered

Pale Yellow



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm)                                                                                      | Pcs/box | Sqm/box |
|------------|--------------------|---------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 900 x 600          | 1-3.5         | 920 x 620 x 80                                                                                     | 20      | 10.08   |
|            | 1380 x 600         |               | 1400 x 620 x 65                                                                                    | 18      | 14.904  |
|            | 2760 x 1200        |               | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |
| 4.0        | 1200 x 600         | 1-4           | 1220 x 620                                                                                         | 14      | 10.08   |





# Scabbled Stone

Tunguska Yellow



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|--------------------|---------------|---------------|---------|---------|
| 3.0        | 900 x 600          |               |               |         |         |
|            | 1380 x 600         |               |               |         |         |
|            | 2760 x 1200        |               |               |         |         |
| 4.0        | 1200 x 600         |               |               |         |         |





Spanish Beige



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|--------------------|---------------|---------------|---------|---------|
| 3.0        | 2600 x 1200        | 3.5(±1)       |               |         |         |
| 4.0        | 1200 x 600         |               |               |         |         |





# 3D Papel

Nile Warm Grey



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm)                                                                                      | Pcs/box | Sqm/box |
|------------|--------------------|---------------|----------------------------------------------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600         | 1-9           | 1220 x 620x75                                                                                      | 8       | 5.76    |
|            | 2400 x 1200        |               | Sizes above 2400x1200 are packed with wooden case as per order quantity (subject to packaging fee) |         |         |





# Stackle Square

Andes Yellow



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|--------------------|---------------|---------------|---------|---------|
| 3.0        | 600 x 600          | 1-7.5         | 620x620x90    | 12      | 4.32    |
| 4.0        | 1200 x 600         |               | 1220x620x75   | 10      | 7.2     |





# Rockface Stone

Tunguska Yellow



| Generation | Standard Size (mm) | Thickness(mm)                 | Packaging(mm) | Pcs/box | Sqm/box |
|------------|--------------------|-------------------------------|---------------|---------|---------|
| 3.0        | 1200 x 600         | 1-10<br>natural<br>unevenness | 1220x620x75   | 6       | 4.32    |
|            | 1200 x 1200        |                               |               |         |         |
|            | 2400 x 1200        |                               |               |         |         |





Royal  
Design


Spanish Beige



| Generation | Standard Size (mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|--------------------|---------------|---------------|---------|---------|
| 3.0        | 1200 x 600         |               |               |         |         |
|            | 2400 x 1200        |               |               |         |         |
| 4.0        | 1200 x 600         |               |               |         |         |



Texture options



Primary colors: Plain White

| Texture                             | Generation | Standard Size (mm) | Thickness(mm)           | Packaging(mm) | Pcs/box | Sqm/box |
|-------------------------------------|------------|--------------------|-------------------------|---------------|---------|---------|
| Stone Strip - Rockface Stone        | 3.0        | 480x120            | 1-10 natural unevenness |               |         |         |
|                                     |            | 960x120            |                         |               |         |         |
| Stone Strip - Travertine            | 3.0        | 480x120            | 3.3(±1)                 |               |         |         |
|                                     |            | 960x120            |                         |               |         |         |
| Stone Strip - Stone Ridged          | 3.0        | 480x120            | 1-3.5                   |               |         |         |
|                                     |            | 960x120            |                         |               |         |         |
| Stone Strip - Devine Mushroom Stone | 3.0        | 480x120            | 1-8 natural unevenness  |               |         |         |
|                                     |            | 960x 120           |                         |               |         |         |
| Stone Strip - Bush Hammered         | 3.0        | 480x120            | 1-3.5                   |               |         |         |
|                                     |            | 960x120            |                         |               |         |         |
| Stone Strip - Rough Surface         | 3.0        | 480x120            | 1-6 natural unevenness  |               |         |         |
|                                     |            | 960x120            |                         |               |         |         |
| Stone Strip - Marble                | 3.0        | 480x120            | 2.8(±1)                 |               |         |         |
|                                     |            | 960x120            |                         |               |         |         |
| Stone Strip - Sandstone             | 3.0        | 480x120            | 2.8(±1)                 |               |         |         |
|                                     |            | 960x120            |                         |               |         |         |
| Stone Strip - Mount Celestial       | 3.0        | 480x120            | 1-4                     |               |         |         |
|                                     |            | 960x120            |                         |               |         |         |



Example of mixed effect - partial view





A low-angle, upward-looking photograph of a lush tropical forest. Sunlight beams through the dense green canopy, creating a dappled light effect. Several large, moss-covered tree trunks are visible, with prominent buttresses and aerial roots. The scene conveys a sense of a healthy, ancient ecosystem.

Reducing Deforestation,  
Saving Earth's Ozone Layer

**Wood Series**





# Spliced Wood

Silk-mist Brown



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1400 x 600        | 2.8(±1)       | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
|            | 2800 x 1200       |               |                                                                 |         |         |





# Poly Wood

Autumn



| Generation | Standard size (mm) | Thickness (mm) | Packaging (mm)                                                  | Pcs/box | Sqm/box |
|------------|--------------------|----------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1350 x 300         | 2.8(±1)        | 1380 x 620 x 65                                                 | 42      | 17.01   |
|            | 2700 x 300         |                | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
|            | 2700 x 1200        |                |                                                                 |         |         |





# Original Wood

Yoly



| Generation | Standard size (mm) | Thickness (mm) | Packaging (mm)                                                  | Pcs/box | Sqm/box |
|------------|--------------------|----------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1350 x 300         | 2.8±1          | 1380 x 620 x 65                                                 | 42      | 17.01   |
|            | 2700 x 300         |                | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
|            | 2700 x 1200        |                |                                                                 |         |         |
| 4.0        | 1200 x 600         |                |                                                                 |         |         |





# Sawtooth Wood

Caesious



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1350 x 300        | 2.8±1         | 1380 x 620 x 65                                                 | 42      | 17.01   |
|            | 2700 x 300        |               | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
|            | 2700 x 1200       |               |                                                                 |         |         |
| 4.0        | 1200 x 600        |               |                                                                 |         |         |





Polished  
Wood

Perth Grey



Perth White



Perth Grey



Steinburg Yellow



Sunset Yellow



Robe Red



Dark Brown

| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------|---------|---------|
| 4.0        | 1200x600          | 3.2           | 1220 x 620 x 75 | 16      | 11.52   |





**Material technology,  
integrated with ethnic customs**

**Weaving Series**





# W Weaving

001



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1350 X 600        | 1-4           | 1370 X 620 X90                                                  | 8       | 6.48    |
|            | 2700 X 1200       |               | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
| 4.0        | 1200X 600         |               |                                                                 |         |         |






# Ocean Flower Weaving

Tunguska Yellow



Castol Blue



WN01



HN02



BN02



Tunguska Yellow



ON02



RN03



FN04

| Generation | Standard size (mm) | Thickness (mm) | Packaging (mm)                                                  | Pcs/box | Sqm/box |
|------------|--------------------|----------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600         | 1-4            | 1220 x 620 x 75                                                 | 14      | 10.08   |
|            | 1200 x 1200        |                | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
|            | 2400 x 1200        |                |                                                                 |         |         |
| 4.0        | 1200 x 600         |                |                                                                 |         |         |





W Herringbone

O03



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 1-4           | 1220 x 620 x 75                                                 | 16      | 11.52   |
|            | 1200 x 1200       |               | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
|            | 2400 x 1200       |               |                                                                 |         |         |
| 4.0        | 1200 x 600        |               |                                                                 |         |         |





# Rope Wave A

HY001



HY001



HN02



BN02



ON02




RN03



FN04

| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1350 x 600        | 1-4           | 1370 x 620 x90                                                  | 18      | 14.58   |
|            | 2700 x 1200       |               | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
| 4.0        | 1200 x 600        |               |                                                                 |         |         |






Rope Wave B

HY001



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1350 x 600        | 1-4           | 1370 x 620 x90                                                  | 18      | 14.58   |
|            | 2700 x 1200       |               | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
| 4.0        | 1200 x 600        |               |                                                                 |         |         |






Rattan Mat A

Y03



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1350 x 600        | 1-4           | 1370 x 620 x90                                                  | 18      | 14.58   |
|            | 2700 x 1200       |               | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
| 4.0        | 1200 x 600        |               |                                                                 |         |         |






# Rattan Mat B

HY001



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1200 x 600        | 3(±0.5)       | 1220 x 620 x75                                                  | 16      | 11.52   |
|            | 2400 x 1200       |               | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
| 4.0        | 1200 x 600        |               |                                                                 |         |         |





Twig Mat

F04



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm)                                                   | Pcs/box | Sqm/box |
|------------|-------------------|---------------|-----------------------------------------------------------------|---------|---------|
| 3.0        | 1350 x 600        | 1-4           | 1380 x 620 x75                                                  | 12      | 12.15   |
|            | 2700 x 1200       |               | Wooden case as per order quantity<br>(subject to packaging fee) |         |         |
| 4.0        | 1200 x 600        |               |                                                                 |         |         |





Rattan Knit A

Y03



| Generation | Standard size (mm) | Thickness (mm) | Packaging (mm)                                               | Pcs/box | Sqm/box |
|------------|--------------------|----------------|--------------------------------------------------------------|---------|---------|
| 3.0        | 1350 x 600         | 1-4            | 1370 x 620 x 90                                              | 18      | 14.58   |
|            | 2700 x 1200        |                | Wooden case as per order quantity (subject to packaging fee) |         |         |
| 4.0        | 1200 x 600         |                |                                                              |         |         |






**Showcasing a diverse  
collection of global bricks,  
Exploring the rich history and  
evolution of brick architecture.**

**Brick Series**





# G Facing Brick

Os Cyan



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|-------------------|---------------|---------------|---------|---------|
| 4.0        | 480x120           | 2.5 (±0.5)    |               |         |         |





# G Facing Brick

Os Red



| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|-------------------|---------------|---------------|---------|---------|
| 4.0        | 480x120           | 2.5 (±0.5)    |               |         |         |





# Stone Brick

Kamu Yellow



Polish Concrete Wall Fog



Polish Concrete Wall Medium Grey



Kamu Grey



Anna White



Kamu Yellow



Anna Medium Grey



Gold Sesame



Copper Rust Red



Greyish Brown



Gilded Iron



Multi-Color Red



Fantasy Red



Portoro



Maca Blue

| Generation | Standard size(mm) | Thickness(mm) | Packaging(mm) | Pcs/box | Sqm/box |
|------------|-------------------|---------------|---------------|---------|---------|
| 4.0        | 480x120           | 2.5 (±0.5)    |               |         |         |



# Performance comparison between eCovering and traditional building decorative materials

| No./ Performance |                                             |                    | eCovering                                                                                        | Ceramic Slab                                                                                                 | Wall Cloth                                                                 | Natural Stone                                                                                                | Coating                                                             |                                                                       |                                                                                     |                                                                    | Wood Veneer                                                      |                                                                                            | PVC Panel                                                                |
|------------------|---------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
|                  |                                             |                    |                                                                                                  |                                                                                                              |                                                                            |                                                                                                              | Emulsion Paint                                                      | Diatom Mud                                                            | Mud Paint                                                                           | Inorganic painting                                                 | Wood Veneer                                                      | Artificial Wood Veneer                                                                     |                                                                          |
| 1                | Fire Sately                                 |                    | A Class                                                                                          | A Class                                                                                                      | C Class                                                                    | A Class                                                                                                      | C Class                                                             | A Class                                                               | A Class                                                                             | B Class                                                            | C Class                                                          | C Class                                                                                    | B Class                                                                  |
| 2                | Environmental Friendliness                  | Application        | Excellent, UL certificate                                                                        | Good, Environmental Labeling                                                                                 | Depends on quality. VOCs are typically above safe figures level            | Depends on quality. Some varieties are radioactive                                                           | Poor VOCs are typically above safe figures level                    | Good No VOC release                                                   | Good No VOC release                                                                 | Depends on quality                                                 | Depends on quality                                               | Poor VOCs are typically above safe figures level                                           | Depends on quality. VOCs are typically above safe figures level          |
|                  |                                             | Production process | 3R* principles matched<br>Low Energy Consumption<br>Zero Emission<br>Zero Pollution<br>Renewable | Fails to match 3R* principles<br>High Energy Consumption<br>High Emission<br>High Pollution<br>Non-renewable | Depends on quality                                                         | Fails to match 3R* principles<br>High Energy Consumption<br>High Emission<br>High Pollution<br>Non-renewable | Depends on quality                                                  | Fails to match 3R* principles<br>Destroy Nature<br>Non-renewable      | 3R* principles matched<br>Low Energy Consumption<br>Zero Emission<br>Zero Pollution | Depends on quality                                                 | Fails to match 3R* principles<br>Destroy Nature<br>Non-renewable | Fails to match 3R* principles<br>High Energy Consumption<br>High Emission<br>Non-renewable | Fails to match 3R principles<br>High Energy Consumption<br>Non-renewable |
| 3                | Moisture Absorption and Dampproof capacity  |                    | Excellent in moisture proofing. Keeps structure dry in wet conditions                            | Non-moisture proof Condensation in wet conditions                                                            | Non-moisture proof Condensation in wet conditions                          | Non-moisture proof Condensation in wet conditions                                                            | Non-moisture proof Condensation in wet conditions                   | Excellent in moisture proofing. Keeps structure dry in wet conditions | Excellent in moisture proofing. Keeps structure dry in wet conditions               | Non-moisture proof Condensation in wet conditions                  | Non-moisture proof Condensation in wet conditions                | Non-moisture proof Condensation in wet conditions                                          | Non-moisture proof Condensation in wet conditions                        |
| 4                | Moldproof                                   |                    | Good                                                                                             | Good                                                                                                         | Poor                                                                       | Good                                                                                                         | Poor                                                                | Varies in quality                                                     | Good                                                                                | Varies in quality                                                  | Poor                                                             | Good                                                                                       | Good                                                                     |
| 5                | Breathability                               |                    | Excellent                                                                                        | Poor                                                                                                         | Poor                                                                       | Excellent                                                                                                    | Poor                                                                | Excellent                                                             | Excellent                                                                           | Good                                                               | Excellent                                                        | Poor                                                                                       | Poor                                                                     |
| 6                | Air-cleaning capacity                       |                    | Able to absorb and decompose formaldehyde and odor due to its catalytic UV feature.              | Unable to absorb formaldehyde<br>Some are able to decompose formaldehyde on the surface                      | No                                                                         | No                                                                                                           | No                                                                  | Able to absorb and decompose formaldehyde and odor                    | Able to absorb and decompose formaldehyde and odor                                  | No                                                                 | No                                                               | No                                                                                         | No                                                                       |
| 7                | Durability                                  |                    | Durable<br>No edge lifting<br>Fastness<br>Moldproof<br>No emptying swell**                       | Durable<br>No edge lifting<br>Fastness<br>Emptying swell**                                                   | Not durable, remains shape for 1-2 years<br>Color fading<br>Easy to mildew | Durable<br>No edge lifting<br>Fastness<br>Emptying swell**                                                   | Not durable<br>Fades fast, especially dark colors<br>Easy to mildew | Not durable<br>No peeling<br>Softening with water<br>Powdering        | Durable<br>No peeling<br>Fastness<br>Moldproof<br>Remains hard effected by water    | Durable<br>Fastness<br>Moldproof<br>Remains hard effected by water | Not durable<br>Easy rots<br>Easy to mildew                       | Not durable<br>Easy to deform<br>Edge lifting<br>Color shading                             | Durable<br>No edge lifting<br>Moldproof<br>No emptying swell             |
| 8                | Salt Spray Resistance                       |                    | Good                                                                                             | Good                                                                                                         | Good                                                                       | Good                                                                                                         | Poor                                                                | Poor                                                                  | Good                                                                                | Good                                                               | Poor                                                             | Poor                                                                                       | Good                                                                     |
| 9                | Application/ construction method complexity |                    | Simple, No anchoring required                                                                    | Complex                                                                                                      | Simple                                                                     | Complex                                                                                                      | Simple                                                              | Complex                                                               | Situation Depends                                                                   | Complex                                                            | Simple                                                           | Simple                                                                                     | Simple                                                                   |

\* 3R principles refer to reducing, reusing and recycling.  
\*\* Emptying Swell refers to an effect caused by a high air pressure created in the cavity under the low/none-air permeable cladding that causes its detachment from the surface.

## Certification

1. BUREAU VERITAS Product Carbon Footprint Verification Certification
2. UL: American Conference of Governmental Industrial
3. EU EPD Environmental Product Certification
4. EU CE certification and Class A fireproof certification
5. Russia (GoST) standard certification
6. Polish Conference of Governmental Industrial
7. TPAT Customs-Trade Partnership
8. 2014/90/EU MED 96/98/ECe 2014/
9. Czech Republic fire safety A Class
10. Russia fire safety A Class
11. Malaysia fire safety A class
12. Singapore Greenable Green certification
13. Korea Green Building Material certification
14. UNIEN ISO 14021: Products contain at least 40 percent recyclable material before consumption
15. China certification and Class A fireproof certification
16. UNIEN ISO9001 National Quality Management System certification
17. China National Safety Standardization Production Certificate
18. China National Occupational Safety and Health Management System Administration
19. CCEP(China Certification for Environmental Products)
20. China 3-star Greenable Green certification