



GOLDENBRIGHT GROUP

SMART CHINA / SMART CITY / SMART LIGHTING



COMPANY INTRODUCTION

Jiangsu Goldenbright Group Co., Ltd was born in China, It is an enterprise specialising in street light pole as well as photovoltaic industry, production, processing, after-sales service and installation.

Focusing on innovation and responding to market demand, we make use of global advanced manufacturing technology, processing technology and business philosophy to make continuous progress and actively engage in domestic and international lighting projects such as urban road construction, park lighting, neighbourhood lighting and so on.

We maintain an innovative strategic approach and strong team capabilities, which have earned us unanimous praise at home and abroad.

PRODUCT CERTIFICATION
CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: 0205281 Valid from May 11, 2020
Valid until May 11, 2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT
Jiangsu Golden Light Lighting Engineering Group Co., Ltd.
Shuguang Industrial Zone, Lingtang Hu Nationality County, Gejiu City, Jiangsu Province, P.R. China

BRAND NAME
GBLIT

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER
Jiangsu Golden Light Lighting Engineering Group Co., Ltd.
Shuguang Industrial Zone, Lingtang Hu Nationality County, Gejiu City, Jiangsu Province, P.R. China

NAME AND LOCATION OF THE FACTORY
Jiangsu Golden Light Lighting Engineering Group Co., Ltd.
Shuguang Industrial Zone, Lingtang Hu Nationality County, Gejiu City, Jiangsu Province, P.R. China

PRODUCT NAME, MODEL AND SPECIFICATION
Luminaires for Road and Street Lighting LED Road Lighting, On-Arrest (Class A), AC, Substituted Electronic Control Type LED Module, Non-dimmable, Class 1, IP54, Not Suitable for Direct Mounting On Normally Flammable Material, 4x45°C, 4x45°C, 60W (200W/100W/150W/200W/250W/300W/350W/400W/450W/500W/550W/600W/650W/700W/750W/800W/850W/900W/950W/1000W/1050W/1100W/1150W/1200W/1250W/1300W/1350W/1400W/1450W/1500W/1550W/1600W/1650W/1700W/1750W/1800W/1850W/1900W/1950W/2000W/2050W/2100W/2150W/2200W/2250W/2300W/2350W/2400W/2450W/2500W/2550W/2600W/2650W/2700W/2750W/2800W/2850W/2900W/2950W/3000W/3050W/3100W/3150W/3200W/3250W/3300W/3350W/3400W/3450W/3500W/3550W/3600W/3650W/3700W/3750W/3800W/3850W/3900W/3950W/4000W/4050W/4100W/4150W/4200W/4250W/4300W/4350W/4400W/4450W/4500W/4550W/4600W/4650W/4700W/4750W/4800W/4850W/4900W/4950W/5000W/5050W/5100W/5150W/5200W/5250W/5300W/5350W/5400W/5450W/5500W/5550W/5600W/5650W/5700W/5750W/5800W/5850W/5900W/5950W/6000W/6050W/6100W/6150W/6200W/6250W/6300W/6350W/6400W/6450W/6500W/6550W/6600W/6650W/6700W/6750W/6800W/6850W/6900W/6950W/7000W/7050W/7100W/7150W/7200W/7250W/7300W/7350W/7400W/7450W/7500W/7550W/7600W/7650W/7700W/7750W/7800W/7850W/7900W/7950W/8000W/8050W/8100W/8150W/8200W/8250W/8300W/8350W/8400W/8450W/8500W/8550W/8600W/8650W/8700W/8750W/8800W/8850W/8900W/8950W/9000W/9050W/9100W/9150W/9200W/9250W/9300W/9350W/9400W/9450W/9500W/9550W/9600W/9650W/9700W/9750W/9800W/9850W/9900W/9950W/10000W/10050W/10100W/10150W/10200W/10250W/10300W/10350W/10400W/10450W/10500W/10550W/10600W/10650W/10700W/10750W/10800W/10850W/10900W/10950W/11000W/11050W/11100W/11150W/11200W/11250W/11300W/11350W/11400W/11450W/11500W/11550W/11600W/11650W/11700W/11750W/11800W/11850W/11900W/11950W/12000W/12050W/12100W/12150W/12200W/12250W/12300W/12350W/12400W/12450W/12500W/12550W/12600W/12650W/12700W/12750W/12800W/12850W/12900W/12950W/13000W/13050W/13100W/13150W/13200W/13250W/13300W/13350W/13400W/13450W/13500W/13550W/13600W/13650W/13700W/13750W/13800W/13850W/13900W/13950W/14000W/14050W/14100W/14150W/14200W/14250W/14300W/14350W/14400W/14450W/14500W/14550W/14600W/14650W/14700W/14750W/14800W/14850W/14900W/14950W/15000W/15050W/15100W/15150W/15200W/15250W/15300W/15350W/15400W/15450W/15500W/15550W/15600W/15650W/15700W/15750W/15800W/15850W/15900W/15950W/16000W/16050W/16100W/16150W/16200W/16250W/16300W/16350W/16400W/16450W/16500W/16550W/16600W/16650W/16700W/16750W/16800W/16850W/16900W/16950W/17000W/17050W/17100W/17150W/17200W/17250W/17300W/17350W/17400W/17450W/17500W/17550W/17600W/17650W/17700W/17750W/17800W/17850W/17900W/17950W/18000W/18050W/18100W/18150W/18200W/18250W/18300W/18350W/18400W/18450W/18500W/18550W/18600W/18650W/18700W/18750W/18800W/18850W/18900W/18950W/19000W/19050W/19100W/19150W/19200W/19250W/19300W/19350W/19400W/19450W/19500W/19550W/19600W/19650W/19700W/19750W/19800W/19850W/19900W/19950W/20000W/20050W/20100W/20150W/20200W/20250W/20300W/20350W/20400W/20450W/20500W/20550W/20600W/20650W/20700W/20750W/20800W/20850W/20900W/20950W/21000W/21050W/21100W/21150W/21200W/21250W/21300W/21350W/21400W/21450W/21500W/21550W/21600W/21650W/21700W/21750W/21800W/21850W/21900W/21950W/22000W/22050W/22100W/22150W/22200W/22250W/22300W/22350W/22400W/22450W/22500W/22550W/22600W/22650W/22700W/22750W/22800W/22850W/22900W/22950W/23000W/23050W/23100W/23150W/23200W/23250W/23300W/23350W/23400W/23450W/23500W/23550W/23600W/23650W/23700W/23750W/23800W/23850W/23900W/23950W/24000W/24050W/24100W/24150W/24200W/24250W/24300W/24350W/24400W/24450W/24500W/24550W/24600W/24650W/24700W/24750W/24800W/24850W/24900W/24950W/25000W/25050W/25100W/25150W/25200W/25250W/25300W/25350W/25400W/25450W/25500W/25550W/25600W/25650W/25700W/25750W/25800W/25850W/25900W/25950W/26000W/26050W/26100W/26150W/26200W/26250W/26300W/26350W/26400W/26450W/26500W/26550W/26600W/26650W/26700W/26750W/26800W/26850W/26900W/26950W/27000W/27050W/27100W/27150W/27200W/27250W/27300W/27350W/27400W/27450W/27500W/27550W/27600W/27650W/27700W/27750W/27800W/27850W/27900W/27950W/28000W/28050W/28100W/28150W/28200W/28250W/28300W/28350W/28400W/28450W/28500W/28550W/28600W/28650W/28700W/28750W/28800W/28850W/28900W/28950W/29000W/29050W/29100W/29150W/29200W/29250W/29300W/29350W/29400W/29450W/29500W/29550W/29600W/29650W/29700W/29750W/29800W/29850W/29900W/29950W/30000W/30050W/30100W/30150W/30200W/30250W/30300W/30350W/30400W/30450W/30500W/30550W/30600W/30650W/30700W/30750W/30800W/30850W/30900W/30950W/31000W/31050W/31100W/31150W/31200W/31250W/31300W/31350W/31400W/31450W/31500W/31550W/31600W/31650W/31700W/31750W/31800W/31850W/31900W/31950W/32000W/32050W/32100W/32150W/32200W/32250W/32300W/32350W/32400W/32450W/32500W/32550W/32600W/32650W/32700W/32750W/32800W/32850W/32900W/32950W/33000W/33050W/33100W/33150W/33200W/33250W/33300W/33350W/33400W/33450W/33500W/33550W/33600W/33650W/33700W/33750W/33800W/33850W/33900W/33950W/34000W/34050W/34100W/34150W/34200W/34250W/34300W/34350W/34400W/34450W/34500W/34550W/34600W/34650W/34700W/34750W/34800W/34850W/34900W/34950W/35000W/35050W/35100W/35150W/35200W/35250W/35300W/35350W/35400W/35450W/35500W/35550W/35600W/35650W/35700W/35750W/35800W/35850W/35900W/35950W/36000W/36050W/36100W/36150W/36200W/36250W/36300W/36350W/36400W/36450W/36500W/36550W/36600W/36650W/36700W/36750W/36800W/36850W/36900W/36950W/37000W/37050W/37100W/37150W/37200W/37250W/37300W/37350W/37400W/37450W/37500W/37550W/37600W/37650W/37700W/37750W/37800W/37850W/37900W/37950W/38000W/38050W/38100W/38150W/38200W/38250W/38300W/38350W/38400W/38450W/38500W/38550W/38600W/38650W/38700W/38750W/38800W/38850W/38900W/38950W/39000W/39050W/39100W/39150W/39200W/39250W/39300W/39350W/39400W/39450W/39500W/39550W/39600W/39650W/39700W/39750W/39800W/39850W/39900W/39950W/40000W/40050W/40100W/40150W/40200W/40250W/40300W/40350W/40400W/40450W/40500W/40550W/40600W/40650W/40700W/40750W/40800W/40850W/40900W/40950W/41000W/41050W/41100W/41150W/41200W/41250W/41300W/41350W/41400W/41450W/41500W/41550W/41600W/41650W/41700W/41750W/41800W/41850W/41900W/41950W/42000W/42050W/42100W/42150W/42200W/42250W/42300W/42350W/42400W/42450W/42500W/42550W/42600W/42650W/42700W/42750W/42800W/42850W/42900W/42950W/43000W/43050W/43100W/43150W/43200W/43250W/43300W/43350W/43400W/43450W/43500W/43550W/43600W/43650W/43700W/43750W/43800W/43850W/43900W/43950W/44000W/44050W/44100W/44150W/44200W/44250W/44300W/44350W/44400W/44450W/44500W/44550W/44600W/44650W/44700W/44750W/44800W/44850W/44900W/44950W/45000W/45050W/45100W/45150W/45200W/45250W/45300W/45350W/45400W/45450W/45500W/45550W/45600W/45650W/45700W/45750W/45800W/45850W/45900W/45950W/46000W/46050W/46100W/46150W/46200W/46250W/46300W/46350W/46400W/46450W/46500W/46550W/46600W/46650W/46700W/46750W/46800W/46850W/46900W/46950W/47000W/47050W/47100W/47150W/47200W/47250W/47300W/47350W/47400W/47450W/47500W/47550W/47600W/47650W/47700W/47750W/47800W/47850W/47900W/47950W/48000W/48050W/48100W/48150W/48200W/48250W/48300W/48350W/48400W/48450W/48500W/48550W/48600W/48650W/48700W/48750W/48800W/48850W/48900W/48950W/49000W/49050W/49100W/49150W/49200W/49250W/49300W/49350W/49400W/49450W/49500W/49550W/49600W/49650W/49700W/49750W/49800W/49850W/49900W/49950W/50000W/50050W/50100W/50150W/50200W/50250W/50300W/50350W/50400W/50450W/50500W/50550W/50600W/50650W/50700W/50750W/50800W/50850W/50900W/50950W/51000W/51050W/51100W/51150W/51200W/51250W/51300W/51350W/51400W/51450W/51500W/51550W/51600W/51650W/51700W/51750W/51800W/51850W/51900W/51950W/52000W/52050W/52100W/52150W/52200W/52250W/52300W/52350W/52400W/52450W/52500W/52550W/52600W/52650W/52700W/52750W/52800W/52850W/52900W/52950W/53000W/53050W/53100W/53150W/53200W/53250W/53300W/53350W/53400W/53450W/53500W/53550W/53600W/53650W/53700W/53750W/53800W/53850W/53900W/53950W/54000W/54050W/54100W/54150W/54200W/54250W/54300W/54350W/54400W/54450W/54500W/54550W/54600W/54650W/54700W/54750W/54800W/54850W/54900W/54950W/55000W/55050W/55100W/55150W/55200W/55250W/55300W/55350W/55400W/55450W/55500W/55550W/55600W/55650W/55700W/55750W/55800W/55850W/55900W/55950W/56000W/56050W/56100W/56150W/56200W/56250W/56300W/56350W/56400W/56450W/56500W/56550W/56600W/56650W/56700W/56750W/56800W/56850W/56900W/56950W/57000W/57050W/57100W/57150W/57200W/57250W/57300W/57350W/57400W/57450W/57500W/57550W/57600W/57650W/57700W/57750W/57800W/57850W/57900W/57950W/58000W/58050W/58100W/58150W/58200W/58250W/58300W/58350W/58400W/58450W/58500W/58550W/58600W/58650W/58700W/58750W/58800W/58850W/58900W/58950W/59000W/59050W/59100W/59150W/59200W/59250W/59300W/59350W/59400W/59450W/59500W/59550W/59600W/59650W/59700W/59750W/59800W/59850W/59900W/59950W/60000W/60050W/60100W/60150W/60200W/60250W/60300W/60350W/60400W/60450W/60500W/60550W/60600W/60650W/60700W/60750W/60800W/60850W/60900W/60950W/61000W/61050W/61100W/61150W/61200W/61250W/61300W/61350W/61400W/61450W/61500W/61550W/61600W/61650W/61700W/61750W/61800W/61850W/61900W/61950W/62000W/62050W/62100W/62150W/62200W/62250W/62300W/62350W/62400W/62450W/62500W/62550W/62600W/62650W/62700W/62750W/62800W/62850W/62900W/62950W/63000W/63050W/63100W/63150W/63200W/63250W/63300W/63350W/63400W/63450W/63500W/63550W/63600W/63650W/63700W/63750W/63800W/63850W/63900W/63950W/64000W/64050W/64100W/64150W/64200W/64250W/64300W/64350W/64400W/64450W/64500W/64550W/64600W/64650W/64700W/64750W/64800W/64850W/64900W/64950W/65000W/65050W/65100W/65150W/65200W/65250W/65300W/65350W/65400W/65450W/65500W/65550W/65600W/65650W/65700W/65750W/65800W/65850W/65900W/65950W/66000W/66050W/66100W/66150W/66200W/66250W/66300W/66350W/66400W/66450W/66500W/66550W/66600W/66650W/66700W/66750W/66800W/66850W/66900W/66950W/67000W/67050W/67100W/67150W/67200W/67250W/67300W/67350W/67400W/67450W/67500W/67550W/67600W/67650W/67700W/67750W/67800W/67850W/67900W/67950W/68000W/68050W/68100W/68150W/68200W/68250W/68300W/68350W/68400W/68450W/68500W/68550W/68600W/68650W/68700W/68750W/68800W/68850W/68900W/68950W/69000W/69050W/69100W/69150W/69200W/69250W/69300W/69350W/69400W/69450W/69500W/69550W/69600W/69650W/69700W/69750W/69800W/69850W/69900W/69950W/70000W/70050W/70100W/70150W/70200W/70250W/70300W/70350W/70400W/70450W/70500W/70550W/70600W/70650W/70700W/70750W/70800W/70850W/70900W/70950W/71000W/71050W/71100W/71150W/71200W/71250W/71300W/71350W/71400W/71450W/71500W/71550W/71600W/71650W/71700W/71750W/71800W/71850W/71900W/71950W/72000W/72050W/72100W/72150W/72200W/72250W/72300W/72350W/72400W/72450W/72500W/72550W/72600W/72650W/72700W/72750W/72800W/72850W/72900W/72950W/73000W/73050W/73100W/73150W/73200W/73250W/73300W/73350W/73400W/73450W/73500W/73550W/73600W/73650W/73700W/73750W/73800W/73850W/73900W/73950W/74000W/74050W/74100W/74150W/74200W/74250W/74300W/74350W/74400W/74450W/74500W/74550W/74600W/74650W/74700W/74750W/74800W/74850W/74900W/74950W/75000W/75050W/75100W/75150W/75200W/75250W/75300W/75350W/75400W/75450W/75500W/75550W/75600W/75650W/75700W/75750W/75800W/75850W/75900W/75950W/76000W/76050W/76100W/76150W/76200W/76250W/76300W/76350W/76400W/76450W/76500W/76550W/76600W/76650W/76700W/76750W/76800W/76850W/76900W/76950W/77000W/77050W/77100W/77150W/77200W/77250W/77300W/77350W/77400W/77450W/77500W/77550W/77600W/77650W/77700W/77750W/77800W/77850W/77900W/77950W/78000W/78050W/78100W/78150W/78200W/78250W/78300W/78350W/78400W/78450W/78500W/78550W/78600W/78650W/78700W/78750W/78800W/78850W/78900W/78950W/79000W/79050W/79100W/79150W/79200W/79250W/79300W/79350W/79400W/79450W/79500W/79550W/79600W/79650W/79700W/79750W/79800W/79850W/79900W/79950W/80000W/80050W/80100W/80150W/80200W/80250W/80300W/80350W/80400W/80450W/80500W/80550W/80600W/80650W/80700W/80750W/80800W/80850W/80900W/80950W/81000W/81050W/81100W/81150W/81200W/81250W/81300W/81350W/81400W/81450W/81500W/81550W/81600W/81650W/81700W/81750W/81800W/81850W/81900W/81950W/82000W/82050W/82100W/82150W/82200W/82250W/82300W/82350W/82400W/82450W/82500W/82550W/82600W/82650W/82700W/82750W/82800W/82850W/82900W/82950W/83000W/83050W/83100W/83150W/83200W/83250W/83300W/83350W/83400W/83450W/83500W/83550W/83600W/83650W/83700W/83750W/83800W/83850W/83900W/83950W/84000W/84050W/84100W/84150W/84200W/84250W/84300W/84350W/84400W/84450W/84500W/84550W/84600W/84650W/84700W/84750W/84800W/84850W/84900W/84950W/85000W/85050W/85100W/85150W/85200W/85250W/85300W/85350W/85400W/85450W/85500W/85550W/85600W/85650W/85700W/85750W/85800W/85850W/85900W/85950W/86000W/86050W/861

GB-A8/A9 SERIES ALL IN ONE STREET LIGHT



Efficient Controller



Motion Sensor



Superior Outdoor LED



Bifacial solar panel



Conversion Rate up to 30%



25 Years Lifespan



FEATURES OF GLORY SERIES

- Glory series light features all designs in one, equipped with double-sided solar modules and powerful lighting, which can maximize the utilization of light energy. Including PIR/microwave motion sensors and integrated intelligent controllers entering the design.
- The design of bilateral distribution boards makes them suitable for remote areas and areas without electricity supply.
- Deep cycle batteries are designed for 2000 charging and discharging times.
- Operating time: With the intelligent model enabled, it can operate for 10 days during rainy weather
- The power range is between 30W and 150W.



ALL IN ONE STREET LIGHT

Glory series combines cutting-edge technology with efficient photovoltaic modules

- According to customer needs, a variety of flexible design, can meet more scenarios.
- The use of new lithium iron phosphate batteries, higher stability, higher battery density.
- Easy maintenance, installation and replacement of parts, long service life. Can achieve intelligent unmanned management.



Model	Nominal Power	V / W	LiFeO4	Qty	CCT	LM/W	LM
GB-A8/A901	40W	18V 60W	12.8V 24AH	5050Leds / 3030Leds	2800K-6500K	170-200Lm/w 120-160Lm/w	8000Lm / 6400Lm
GB-A8/A902	50W	18V 60W	12.8V 30AH	5050Leds / 3030Leds	2800K-6500K	170-200Lm/w 120-160Lm/w	10000Lm / 8000Lm
GB-A8/A903	60W	18V 80W	12.8V 36AH	5050Leds / 3030Leds	2800K-6500K	170-200Lm/w 120-160Lm/w	12000Lm / 9600Lm
GB-A8/A904	80W	18V 100W	12.8V 42AH	5050Leds / 3030Leds	2800K-6500K	170-200Lm/w 120-160Lm/w	16000Lm / 12800Lm
GB-A8/A905	100W	36V 120W	25.6V 24AH	5050Leds / 3030Leds	2800K-6500K	170-200Lm/w 120-160Lm/w	20000Lm / 16000Lm



GB-A11 SERIES ALL IN ONE STREET LIGHT



ALL IN ONE STREET LIGHT

High brightness, long service life

- The design is simple and elegant, with a strong sense of science and technology.
- High brightness, long service life.
- Energy-saving lighting, automatic brightness adjustment, self-contained photosensitive system, the brightness increases when it is close, and decreases when it is far away.

Model	Nominal Power	LiFeO4	LM/W	LM
GB-A1101	25W	8V 11.1AH	150Lm/w	3750Lm
GB-A1102	30W	18.5V 5AH	150Lm/w	4500Lm
GB-A1103	40W	11.1V 10AH	150Lm/w	6000Lm
GB-A1104	50W	11.1V 18AH	150Lm/w	7500Lm

Model	Nominal Power	LiFeO4	LM/W	LM
GB-A1105	60W	11.1V 20AH	150Lm/w	9000Lm
GB-A1106	90W	11.1V 25AH	150Lm/w	13500Lm
GB-A1107	150W	11.1V 80AH	150Lm/w	25000Lm



GB-A14 SERIES ALL IN ONE STREET LIGHT



ALL IN ONE STREET LIGHT



Provide excellent lumen output, the best stability and excellent visual perception

- Flexible selection of high lumen and high luminous flux, customized the best solution of luminaire according to local sunshine.
- Integrated design, easy installation, each component can be easily replaced and maintained, saving cost.
- The intelligent controller matches the PIR infrared or intelligent microwave sensor to ensure the effective lighting time of the lamp.

Model	Nominal Power	V / W	LiFeO4	Qty	CCT	LM/W	LM
GB-A1401	30W	18V 40W	12.8V 18AH	5050Leds	2800K-6500K	170-200Lm/w	5100-6000Lm
GB-A1402	40W	18V 50W	12.8V 24AH	5050Leds	2800K-6500K	170-200Lm/w	6800-8000Lm
GB-A1403	50W	18V 60W	12.8V 30AH	5050Leds	2800K-6500K	170-200Lm/w	8500-10000Lm
GB-A1404	60W	18V 80W	12.8V 36AH	5050Leds	2800K-6500K	170-200Lm/w	10200-12000Lm
GB-A1405	80W	18V 100W	12.8V 42AH	5050Leds	2800K-6500K	170-200Lm/w	13600-16000Lm
GB-A1406	100W	36V 100W	25.6V 24AH	5050Leds	2800K-6500K	170-200Lm/w	17000-20000Lm



GB-A16 SERIES ALL IN ONE STREET LIGHT



- THD < 15%
- PFC > 0.95
- CRI > 70
- 20 ~ +50
- IP66
- IK08

ALL IN ONE STREET LIGHT



Grade A LiFePo4 battery, capacity is more than 80% after 2000 cycles

- Adopting high efficiency monocrystalline silicon solar panel, conversion rate is more than 21%.
- Using high efficiency 5050 leds, more than 220lm/w.
- PWM and MPPT solar charger, intelligent to control the dimming by PIR/Motion sensor and timer.

Model	Nominal Power	V / W	LiFeO4	Qty	CCT	LM/W	LM
GB-A1601	30W max	18V 40W	12.8V 18AH	5050Leds	2800K-6500K	170-200Lm/w	6000Lm
GB-A1602	40W max	18V 50W	12.8V 24AH	5050Leds	2800K-6500K	170-200Lm/w	8000Lm
GB-A1603	50W max	18V 60W	12.8V 30AH	5050Leds	2800K-6500K	170-200Lm/w	10000Lm
GB-A1604	60W max	18V 80W	12.8V 36AH	5050Leds	2800K-6500K	170-200Lm/w	12000Lm
GB-A1605/-1	80W max	18V 100W	12.8V 42AH	5050Leds	2800K-6500K	170-200Lm/w	16000Lm
GB-A1606/-1	100W max	36V 120W	25.6V 24AH	5050Leds	2800K-6500K	170-200Lm/w	17000/20000Lm
GB-A1607	120W max	36V 150W	25.6V 30AH	5050Leds	2800K-6500K	170-200Lm/w	24000Lm
GB-A1608	150W max	36V 180W	25.6V 36AH	5050Leds	2800K-6500K	170-200Lm/w	30000Lm
GB-A1609	200W max	36V 240W	25.6V 48AH	5050Leds	2800K-6500K	170-200Lm/w	40000Lm



GB-T07 SERIES SOLAR STREET LIGHT



SOLAR STREET LIGHT



Provide excellent lumen output, the best stability and excellent visual perception

- Solar controller, battery and other storage and lamp holder. With more efficient solar panels.
- Flexible configuration according to customer needs, suitable for rural and urban lighting renovation.
- High quality driver provide excellent stability, long lifetime and best working performance .

Model	Nominal Power	V / W	LiFeO4	Qty	CCT	LMW	LM
GB-T0701	20W	18V 40W/18V 60W	12.8V 18AH 230WH / 12.8V 30AH 384WH	3030Leds	2700K-6500K	160Lm/w	3200Lm
GB-T0702	30W	18V 60W/18V 90W	12.8V 30AH 384WH / 12.8V 42AH 538WH	3030Leds	2700K-6500K	160Lm/w	4800Lm
GB-T0703	40W	18V 80W/18V 120W	12.8V 36AH 461WH / 12.8V 54AH 691WH	3030Leds	2700K-6500K	160Lm/w	6400Lm
GB-T0704	50W	18V 100W/36V 150W	25.6V 36AH 922WH / 12.8V 48AH 615WH	3030Leds	2700K-6500K	160Lm/w	8000Lm



GB-21 SERIES LED STREET LIGHT



LED STREET LIGHT

Super High Performance Price Ratio

- Higher efficacy LED by Lumileds, Bridgelux or Philip chip.
- High quality driver provide excellent stability, long lifetime and best working performance .
- It can be applied to streets, roads, highways, squares, parks and parking lots.

Model	Nominal Power			Input Voltage	Hz	Qty	CCT	LMW
GB-2102	40W	50W	60W	100-240/277VAC	50/60HZ	3030Leds	2700K-6500K	120-140Lm/w
GB-2103	80W	100W		100-240/277VAC	50/60HZ	3030Leds	2700K-6500K	120-140Lm/w
GB-2104	120W	150W		100-240/277VAC	50/60HZ	3030Leds	2700K-6500K	120-140Lm/w
GB-2105	200W	240W		100-240/277VAC	50/60HZ	3030Leds	2700K-6500K	120-140Lm/w



GB-41 SERIES LED STREET LIGHT



LED STREET LIGHT



30-250W powers is covering the road lighting application

- Design for you to provide a variety of lamp housing options, sleek and smoothly lamp head, heat dissipation lamp head.
- Light weight of luminaires design to achieve the safety of on-site installation and subsequent use.
- Modulated bracket arm available, one lamp with multi-type options to offer you more solutions.

Model	Nominal Power	Input Voltage	Hz	Qty	CCT	LM/W
GB-4101	50W 60W 80W	100-240/277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	130-140 / 150-165Lm/w
GB-4102	100W 120W 150W	100-240/277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	130-140 / 150-165Lm/w
GB-4103	200W 250W	100-240/277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	130-140 / 150-165Lm/w



GB-51-G/L SERIES LED STREET LIGHT



- THD < 15%
- PFC > 0.95
- CRI > 70
- 20 ~ +50
- IP66
- IK08

LED STREET LIGHT

It can be applied to streets, roads, highways, squares, parks and parking lots

- Goldenbright GB-51 series LED street light will provide the best lumen output, the better stability and very long lifetime.
- Multiple Configurations Optional 10KV SPD is optional. Photocell, timer dimming, DALI, 0-10V dimming is optional. Intelligent control system with 7 PIN NEMA interface is optional.
- More convenient for installation and maintenance.

Model	Nominal Power	Input Voltage	Hz	Qty	CCT	LM/W
GB-5101-G/L	30~60W	100-277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	>130Lm/w
GB-5102-G/L	80~120W	100-277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	>130Lm/w
GB-5103-G/L	150~180W	100-277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	>130Lm/w
GB-5104-G/L	200~240W	100-277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	>130Lm/w



GB-81-G/L SERIES LED STREET LIGHT




LED STREET LIGHT

Economical design for project and wholesale



- Higher quality Lumileds 3030/5050 led chips, efficiency is 130~160lm/w.
- Wider Application Goldenbright GB-81 series LED street light will provide the best lumen output, The better stability and very long lifetime.
- Tempered glass or Optic Lens are optional; Adjust arm or hoops are optional.

Model	Nominal Power	Input Voltage	Hz	Qty	CCT	LMW
GB-8101-G/L	40~60W	100-277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	>130Lm/w / >160Lm/w
GB-8102-G/L	80~100W	100-277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	>130Lm/w / >160Lm/w
GB-8103-G/L	120~150W	100-277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	>130Lm/w / >160Lm/w
GB-8104-G/L	200~250W	100-277VAC	50/60HZ	3030Leds / 5050Leds	2700K-6500K	>130Lm/w / >160Lm/w

Compared with other companies' products, Goldenbright street light has better lens light distribution and almost no waste.



Multi-layer Distribution with Peanut optics




Multiple spot with modules based LED street light oered by other Competition

STEEL POLE

Lighting poles are essential for urban landscapes, enhancing aesthetics and functionality. Golden Bright specializes in steel poles for outdoor settings like roads and plazas, combining elegance with durability.

Goldenbright, known for innovation, customizes solutions with industry-leading standards. Our poles are visually appealing yet practical, crafted for durability and weather resistance in urban and commercial environments.



PRODUCTION PROCESS OF STEEL POLE

The steel pole anti-corrosion treatment uses internal and external hot-dip galvanizing. The galvanizing process includes pickling, hot-dip galvanizing, water washing, phosphating, and passivation. The galvanized layer has a smooth and beautiful surface, consistent luster, and no defects such as wrinkled skin, sagging, zinc tumors, peeling, spots. The thickness of the zinc layer is more than 86um, and the adhesion of the galvanized layer should meet the GB2694-88 standard to ensure that it does not fade for 8 years and has an anti-corrosion life of more than 20 years.

The street pole is hot-dip galvanized and then electrostatically sprayed with powder coating(color optional). The spray material is all-polyester powder, which is weather-resistant for outdoor use. The surface is polished before spraying to increase adhesion. During the spraying process, the curing time and temperature are strictly controlled to ensure that the plastic layer is even, smooth, and free of pores. The thickness of the sprayed layer is $\geq 100\mu\text{m}$, the adhesion reaches GB9286-880 level, the surface is smooth, and the hardness is $\geq 2\text{H}$.

Handhole

The grounding terminal and electrical fixing plate are welded inside the inspection door; the edge of the inspection port is smooth and flat, and the gap after assembly is $\leq 2\text{mm}$. The door cover is interchangeable and has effective and reliable anti-theft measures.



Anchor bolts

As a necessary condition for the installation of street lights, it must be ensured that they have sufficient depth and strength to ensure the necessary resistance to wind and snow.



Steel Pole



Flange

The flange corners are processed safely to prevent personal injuries caused by collisions during transportation and installation.



VARIOUS SHAPES OF STEEL POLE ARE AVAILABLE



ROUND STEEL POLE




SQUARE STEEL POLE



HEXAGONAL STEEL POLE



TWELVE-SIDED STEEL POLE




ROUND TAPERED STEEL POLE

STRAIGHT STEEL POLE

STRAIGHT STICK TO STICK STEEL POLE

FACTORIES AND FACILITIES

STREET LIGHT POLE WORKSHOP







LED LIGHT WORKSHOP



SOLAR PANEL WORKSHOP



CASE STUDIES



The company has close cooperation with various provincial and municipal governments in China. Colleagues have made great contributions to the development of Xinlong. Whether in the photovoltaic industry or street lighting, our company actively responds to the government's call and fully supports and cooperates with government bidding projects.

The company adheres to the concept of integrating service and innovation. During the bidding process, it has gained favor from various governments and received unanimous praise from all over the country.



INTERNATIONAL LIGHTING CASES

GOLDEN BRIGHT


GOLDEN BRIGHT

Goldenbright Group's GB-A8, GB-A9 and other integrated lights are hot-selling in various countries. The simple shape, convenient installation method and flexible adjustment mode are favored by customers.

GOLDEN BRIGHT

GOLDEN BRIGHT

GOLDEN BRIGHT



GOLDEN BRIGHT CONTACT INFORMATION

We are dedicated to providing you with the following services

Business consultation: Provide consultation and promotion of the company's business and products, as well as guidance on pre-sales, in sales, and after-sales services

Complaint suggestions: Collect and accept various complaints and suggestions from customers; Resolve customer issues, provide timely feedback to customers, and optimize relevant workflow processes

Supervision and management: responsible for supervising and managing the departments and individuals involved in customer complaints within the company, and following up on them

Emergency contact: Responsible for emergency contact of customers for urgent matters or other emergency situations



ADDRESS

Lintang Industrial Park of
Yangzhou, Jiangsu Province, China



HOTLINE

TEL: 0086 514 87115682
FAX: 0086 514 84239859



EMAIL CONTACT

h@goldenbright.com.cn



WEB SITE

goldenbright.en.made-in-china.com



KK

0086 15380313636

0086 514 87115682

a@goldenbright.com.cn



Tom

0086 15358872901

0086 514 87115682

e@goldenbright.com.cn



Sheldon

0086 13921922767

0086 514 87115682

c@goldenbright.com.cn



Lisa

0086 15366892601

0086 514 87115682

s@goldenbright.com.cn

GOLDEN BRIGHT



 **Made-in-China.com**
Connecting Buyers with Chinese Suppliers
goldenbright.en.made-in-china.com

JIANGSU GOLDENBRIGHT GROUP CO., LTD.

M: 0086-514-87115682 E: H@goldenbright.com.cn
ADD: Lingtang Industrial Park of Yangzhou, Jiangsu, China

We adapt to local regulations, we strive to deliver quality solutions and we are constantly trying to reduce our environmental impact.



Copyright © 2024 **GOLDEN BRIGHT**. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions. *Other names and brands may be claimed as the property of others.

GOLDENBRIGHT.EN.MADE-IN-CHINA.COM