



EXTENDED SPLASH PANEL KIT

Installation Instructions

Release Date: January 9, 2011

Publication Number: 720901107

Revision Date: March 24, 2014

Revision: D

Visit the Cornelius web site at www.cornelius.com for all your Literature needs.

The products, technical information, and instructions contained in this manual are subject to change without notice.

These instructions are not intended to cover all details or variations of the equipment, nor to provide for every possible contingency in the installation, operation or maintenance of this equipment. This manual assumes that the person(s) working on the equipment have been trained and are skilled in working with electrical, plumbing, pneumatic, and mechanical equipment. It is assumed that appropriate safety precautions are taken and that all local safety and construction requirements are being met, in addition to the information contained in this manual.

This Product is warranted only as provided in Cornelius' Commercial Warranty applicable to this Product and is subject to all of the restrictions and limitations contained in the Commercial Warranty.

Cornelius will not be responsible for any repair, replacement or other service required by or loss or damage resulting from any of the following occurrences, including but not limited to, (1) other than normal and proper use and normal service conditions with respect to the Product, (2) improper voltage, (3) inadequate wiring, (4) abuse, (5) accident, (6) alteration, (7) misuse, (8) neglect, (9) unauthorized repair or the failure to utilize suitably qualified and trained persons to perform service and/or repair of the Product, (10) improper cleaning, (11) failure to follow installation, operating, cleaning or maintenance instructions, (12) use of "non-authorized" parts (i.e., parts that are not 100% compatible with the Product) which use voids the entire warranty, (13) Product parts in contact with water or the product dispensed which are adversely impacted by changes in liquid scale or chemical composition.

Contact Information:

To inquire about current revisions of this and other documentation or for assistance with any Cornelius product contact:

www.cornelius-usa.com

800-238-3600

Trademarks and Copyrights:

This document contains proprietary information and it may not be reproduced in any way without permission from Cornelius.

This document contains the original instructions for the unit described.

CORNELIUS INC
101 Regency Drive
Glendale Heights, IL
Tel: + 1 800-238-3600

Printed in U.S.A.

SAFETY INSTRUCTIONS

SAFETY

WARNING:

Before starting installation, read and understand all safety label and warnings on the machine. Also review and understand all safety instructions in the owners, installation and service manuals.

Failure to comply could result in serious injury, death or damage to the equipment.

QUALIFIED SERVICE PERSONNEL

WARNING:

Only trained and certified electrical, plumbing and refrigeration technicians should service this unit.

All wiring and plumbing must conform to national and local codes. Failure to comply could result in serious injury, death or equipment damage.

SAFETY PRECAUTIONS

This unit has been specifically designed to provide protection against personal injury. To ensure continued protection observe the following:

WARNING:

Disconnect power to the unit before servicing. Follow all lock out/tag out procedures established by the user. Verify all power is off to the unit before performing any work.

Failure to comply could result in serious injury, death or damage to the equipment.

CAUTION:

Always be sure to keep area around the unit clean and free of clutter.

Failure to keep this area clean may result in injury or equipment damage

INSTRUCTIONS FOR USE ON A QUEST UNIT WITH DRAIN TUBE HOLES IN THE BASE

1. Remove the drip tray and screws holding the splash panel as Shown in Figure 1.



Figure 1.

2. Remove the screws securing the drip tray support arms as shown in Figure 2.



Figure 2.

3. Place bracket 720511514 (QST 4) under unit, align with rivnut holes and secure in place with threaded leg.



Figure 3.

4. Replace the drip tray arms in the bracket. The holes are threaded for the 8-32 screws.



Figure 4.

5. Attach the new drain and overflow tubes as shown in Figure 5.



Figure 5.

6. Mount the extended splash panel and replace drip tray as shown in Figure 6.



Figure 6.

INSTRUCTIONS FOR USE ON A QUEST UNIT WITHOUT DRAIN TUBE HOLES IN BASE

1. This is the view of the frame without the drain tube holes.



Figure 7.

2. Attach the tank drain fitting (400104) and tube and rotate it. The tank drain tube should be trimmed as shown in Figure 8.



Figure 8.

3. Remove cabinet drain barb and insert the T-Fitting (396108000). The tube from the tank drain is attached as shown in Figure 9.



Figure 9.

4. The tube is flexible enough to be squeezed between the frame and splash panel without restricting the water drainage.



Figure 10.

5. The longer screws included (0704105) are to allow easier assembly of the splash panel with the drain tube behind it.



Figure 11.



Cornelius Inc.
www.cornelius.com