

INSTALLATION INSTRUCTIONS

Quest Fuse Kit

SAFETY INSTRUCTIONS

 **WARNING:**

Before starting installation, read and understand all safety label and warnings on the machine. Also review and understand all safety instructions in the owners, installation and service manuals.

Failure to comply could result in serious injury, death or damage to the equipment.

QUALIFIED SERVICE PERSONNEL

 **WARNING:**

Only trained and certified electrical, plumbing and refrigeration technicians should service this unit.

All wiring and plumbing must conform to national and local codes. Failure to comply could result in serious injury, death or equipment damage.

SAFETY PRECAUTIONS

This unit has been specifically designed to provide protection against personal injury. To ensure continued protection observe the following:

 **WARNING:**

Disconnect power to the unit before servicing. Follow all lock out/tag out procedures established by the user. Verify all power is off to the unit before performing any work.

Failure to comply could result in serious injury, death or damage to the equipment.

 **CAUTION:**

Always be sure to keep area around the unit clean and free of clutter.

Failure to keep this area clean may result in injury or equipment damage.

ASSEMBLY INSTRUCTIONS

1. Remove two (2) screws from top panel.




Figure 1.

2. Remove back panel from unit.



Figure 2.

3. Disconnect Red Harness wires.




Figure 3.

4. Connect Red Harness (Part # 620047348) Red wire assembly.




Figure 4.

5. Disconnect one blue wire from transformer.



Figure 5.

6. Connect blue fuse wire to blue wire disconnected in previous step (Part # 620047190)






Figure 6.


TOOLS AND MATERIALS PHOTO INDEX




Needle Nose Pliers



Phillips Screwdriver



Harness Fuse Assy 620047348



Harness Fuse Assy 620047190