

INSTALLATION INSTRUCTIONS FOR QUEST ELITE 2 & 4FL MERCHANDISER, GRAPHICS & LENS

REMOVING THE GRAPHICS

STEP 1. DISASSEMBLE THE MERCHANDISER

- Remove the Screws around the merchandiser door (Top, Bottom, Left and Right side of the merchandiser).




Remove the screws



STEP 2. REMOVE THE CONNECTION TO THE MERCHANDISER SWITCH BUTTONS

- Remove the electrical connections in the Merchandiser. See the figure below




Remove the connections



INSTALLATION INSTRUCTIONS FOR QUEST ELITE 2 & 4FL MERCHANDISER, GRAPHICS & LENS

STEP 3. DISMANTLE THE LENS

- Remove the screws and dismantle the Lens from the Merchandiser, See the Figure A.
- Peel off the white plastic cover from the lens as shown in Figure B & C



Remove the Screws



Lens

STEP 4. GRAPHICS

- Peel off the clear cover from the graphics before installing. See the Figure below.



INSTALLATION INSTRUCTIONS FOR QUEST ELITE 2 & 4FL MERCHANDISER, GRAPHICS & LENS

CHANGING THE GRAPHICS

STEP 5. ASSEMBLE THE GRAPHICS

- Place the graphics between the Merchandiser and Lens as shown in the Figure A
- Hold the Lens and Graphics together as shown in Figure B and assemble into the Merchandiser.
NOTE: While assembling, the slot feature on the Lens should match with the projection feature on the Merchandiser as shown in the Figure C
- Tighten the screws on the lens at four locations see Figure D.



STEP 6. ASSEMBLE THE MERCHANDISER TO THE DOOR

- Connect back the Electrical connection to the Merchandiser switches.
- Fix the Screws around the merchandiser door (Top, Bottom, Left and Right side of the merchandiser)

