

INSTALLATION INSTRUCTIONS

FOR ADAPTER KIT PN/ 629097756

FOR ICEMAKERS FOOTPRINTS 14.5" x 25"

SAFETY OVERVIEW

- Read and follow **ALL SAFETY INSTRUCTIONS** in this manual and any warning/caution labels on the unit (decals, labels or laminated cards).
- Read and understand ALL applicable OSHA (Occupational Safety and Health Administration) safety regulations before operating this unit.

SAFETY ALERT SYMBOL



This is the safety alert symbol. When you see this in the manual or on the unit, be alert to the potential of personal injury or damage to the unit.

Types of Alerts:

| | |
|---|---|
|  DANGER | Indicates an immediate hazardous situation which if not avoided WILL result in serious injury, death or equipment damage. |
|  WARNING | Indicates a potentially hazardous situation which, if not avoided, COULD result in serious injury, death, or equipment damage. |
|  CAUTION | Indicates a potentially hazardous situation which, if not avoided, MAY result in minor or moderate injury or equipment damage. |

SAFETY TIPS

- Keep safety signs in good condition and replace missing or damaged items.
- Learn how to operate the unit and how to use the controls.
- **Do not** let anyone operate the unit without proper training. This appliance is **not** intended for use by very young children or infirm persons without supervision. Young children should be supervised to ensure that they do not play with the appliance.
- Keep your unit in proper working condition and do not allow unauthorized modifications to the unit.



QUALIFIED SERVICE PERSONNEL

| | |
|--------------------|---|
| WARNING | <p>Only trained and certified electrical, plumbing and refrigeration technicians should service this unit.</p> <p>All wiring and plumbing must conform to National and Local Codes. Failure to comply could result in serious injury, death or equipment damage.</p> |
|--------------------|---|

SAFETY PRECAUTIONS

This unit has been specifically designed to provide protection against personal injury. To ensure continued protection observe the following:

| | |
|--------------------|--|
| WARNING | <p>Disconnect power to the unit before servicing following all lock out/tag out procedures established by the user. Verify all the power is off to the unit before any work is performed. Failure to disconnect the power could result in serious injury, death or equipment damage.</p> |
| CAUTION | <p>Always be sure to keep area around the unit clean and free of clutter. Failure to keep this area clean may result in injury or equipment damage.</p> |

Shipping And Storage

| | |
|--------------------|--|
| CAUTION | <p>Before shipping, storing, or relocating the unit, the unit must be sanitized and all sanitizing solution must be drained from the system. A freezing ambient environment will cause residual sanitizing solution or water remaining inside the unit to freeze resulting in damage to internal components.</p> |
|--------------------|--|

CO2 (Carbon Dioxide) Warning

| | |
|-------------------|--|
| DANGER | <p>CO₂ displaces oxygen. Strict attention MUST be observed in the prevention of CO₂ gas leaks in the entire CO₂ and soft drink system. If a CO₂ gas leak is suspected, particularly in a small area, IMMEDIATELY ventilate the contaminated area before attempting to repair the leak. Personnel exposed to high concentrations of CO₂ gas experience tremors which are followed rapidly by loss of consciousness and DEATH.</p> |
|-------------------|--|

Unit Location

| | |
|--------------------|---|
| CAUTION | <ul style="list-style-type: none"> • This unit is not designed for use in outdoor locations. • The appliance must be placed in a horizontal position. • The appliance is not suitable for installation in an area where a water jet would be used. |
|--------------------|---|

Machine Usage

| | |
|--------------------|--|
| CAUTION | <ul style="list-style-type: none"> • This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. • Children should be supervised to ensure that they do not play with the appliance. |
|--------------------|--|

INSTALLATION DROP ZONE

The Spire 3.0 ice maker adapter kits is recommended for use with Spire 3.0 dispensers & Ice makers that measure 14.5" wide X 25". The ice maker drop zone and bin stat must fit within the footprint shown in Figure 1.




Figure 1 Ice Maker Drop Zone



WARNING

All the attachment screws and plates must be installed as directed in this manual.
Failure to comply could result in serious injury, death or equipment damage.

INSTALLATION STEPS

Review all installation steps first, before performing installation

1. Position the adapter kit onto the drink dispenser.

Note the following:

- Position the adapter kit as far **backward**, flush with Icemaker mounting bracket.

NOTE: Whenever possible, secure the kit to the dispensing unit prior to lifting the dispenser onto the counter to allow sufficient access for fast and easy installation.




Figure 2. Kit Position

2. Secure the kit to the dispenser using the screws provided and the pre-drilled holes in the Kit. Refer to Figure 3.




Figure 3.

3. Position the ice maker on top of the kit.

Note the following to position the ice maker:

- To position the ice maker, lift it into place.
- The back side of the ice maker should line up with the Icemaker mounting bracket.
- Side walls should also be centered from left to right.
- Connect the ice maker according to the manufacturer's requirements.


4. Seal the ice maker to the kit.

NOTE: To seal the ice maker to the kit, apply a continuous bead of silicone (supplied) around the ice maker. (For reference -Silicone is NSF International Listed Silastic Sealant, Dow 732 or equivalent).

5. Drill holes to secure the Icemaker to Icemaker mounting bracket.

Note the following before drilling holes and refer to Figure 4.

- Use the slots or holes in the bracket as a template to locate the position of the holes to be drilled
- Ensure the location of the bracket will not damage the kit or the ice maker prior to drilling any holes
- Maximum drill depths should not go further than the thickness of the material being drilled (just enough to go through)
- **USE EXTREME CAUTION - DO NOT TO DRILL INTO ANY OTHER COMPONENTS**



Using the slots in the Icemaker mounting bracket, secure the Icemaker to the unit being drilling 0.140" (9/64") holes and using the supplied screws in the kit

Figure 4

ICE MAKER ADAPTER KIT OPERATION

Note the following when using the adapter kit:

- When manual filling the hopper, open door and slide the lid and out of the way.
- **DO NOT** rest any heavy objects (bucket of ice, other) on the lid to avoid damage to the lid
- For optimal performance, **DO NOT** fill ice bin to more than 2/3 of capacity
- The recommended maximum fill height is four (4) inches from the top of the bin
- Lid needs to be fully closed in order for the unit to function