

INSTALLATION INSTRUCTIONS

for Adapter Kit PN/ 629097699

SAFETY OVERVIEW

- Read and follow **ALL SAFETY INSTRUCTIONS** in this manual and any warning/caution labels on the unit (decals, labels or laminated cards).
- Read and understand ALL applicable OSHA (Occupational Safety and Health Administration) safety regulations before operating this unit.

SAFETY ALERT SYMBOL



This is the safety alert symbol. When you see this in the manual or on the unit, be alert to the potential of personal injury or damage to the unit.

Types of Alerts

 DANGER	Indicates an immediate hazardous situation which if not avoided WILL result in serious injury, death or equipment damage.
 WARNING	Indicates a potentially hazardous situation which, if not avoided, COULD result in serious injury, death, or equipment damage.
 CAUTION	Indicates a potentially hazardous situation which, if not avoided, MAY result in minor or moderate injury or equipment damage.

SAFETY TIPS

- Keep safety signs in good condition and replace missing or damaged items.
- Learn how to operate the unit and how to use the controls.
- **Do not** let anyone operate the unit without proper training. This appliance is **not** intended for use by very young children or infirm persons without supervision. Young children should be supervised to ensure that they do not play with the appliance.
- Keep your unit in proper working condition and do not allow unauthorized modifications to the unit.



QUALIFIED SERVICE PERSONNEL

 WARNING	<p>Only trained and certified electrical, plumbing and refrigeration technicians should service this unit.</p> <p>All wiring and plumbing must conform to National and Local Codes. Failure to comply could result in serious injury, death or equipment damage.</p>
--------------------	---

SAFETY PRECAUTIONS

This unit has been specifically designed to provide protection against personal injury. To ensure continued protection observe the following:

 WARNING	<p>Disconnect power to the unit before servicing following all lock out/tag out procedures established by the user. Verify all the power is off to the unit before any work is performed. Failure to disconnect the power could result in serious injury, death or equipment damage.</p>
 CAUTION	<p>Always be sure to keep area around the unit clean and free of clutter. Failure to keep this area clean may result in injury or equipment damage.</p>

Shipping And Storage

 CAUTION	<p>Before shipping, storing, or relocating the unit, the unit must be sanitized and all sanitizing solution must be drained from the system. A freezing ambient environment will cause residual sanitizing solution or water remaining inside the unit to freeze resulting in damage to internal components.</p>
--------------------	--

CO2 (Carbon Dioxide) Warning

 DANGER	<p>CO2 displaces oxygen. Strict attention MUST be observed in the prevention of CO2 gas leaks in the entire CO2 and soft drink system. If a CO2 gas leak is suspected, particularly in a small area, IMMEDIATELY ventilate the contaminated area before attempting to repair the leak. Personnel exposed to high concentrations of CO2 gas experience tremors which are followed rapidly by loss of consciousness and DEATH.</p>
-------------------	---

Unit Location

 CAUTION	<ul style="list-style-type: none"> • This unit is not designed for use in outdoor locations. • The appliance must be placed in a horizontal position. • The appliance is not suitable for installation in an area where a water jet would be used.
--------------------	---

Machine Usage

 CAUTION	<ul style="list-style-type: none"> • This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. • Children should be supervised to ensure that they do not play with the appliance.
--------------------	--

INSTALLATION DROP ZONE

The Spire 3.0 ice maker adapter kit is recommended for use with Spire 3.0 dispensers with the built in adapter and ice makers that measure 14" wide X 22" deep. The ice maker drop zone and bin stat must fit within the footprint shown in Figure 1.




Figure 1 Ice Maker Drop Zone



WARNING

All the attachment screws and plates must be installed as directed in this manual.
 Failure to comply could result in serious injury, death or equipment damage.

INSTALLATION STEPS

Review all installation steps first, before performing installation.

1. Clean the surfaces thoroughly then apply 2 thick beads of silicone about 10" long as shown in Figure 2.




Figure 2.

2. Place the new sheet metal cover down on the silicone bead, then push the cover toward the ice maker as shown in Figure 3.

Note: The cover should sit underneath ice maker by 1/4".




Figure 3.

3. Seal the ice maker to the new cover using silicone. Then, if necessary, wipe away any excess silicone along the edges.

Note: Be sure the silicone does not interfere with panel removal.

See Figure 4.




Figure 4.

4. Mount the ice maker.

For ice maker mounting instructions, see "Ice Maker Mounting" in the Spire 3.0 Installation manual (p/n 620062609INS.)



ICE MAKER ADAPTER KIT OPERATION

Note the following when using the adapter kit:

- DO NOT rest any heavy objects (bucket of ice, other) on the lid to avoid damage to the lid
- For optimal performance, DO NOT fill ice bin to more than 2/3 of capacity
- The recommended maximum fill height is four (4) inches from the top of the bin
- Lid needs to be fully closed in order for the unit to function

