



FLAVORFUSION™/OVERLOAD & IDC215/255 / IDC 255 Progate ICE MAKER ADAPTER KITS

ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE		Dispenser Models		
			FLAVOR FUSION / OVERLOAD 255 BLACK * GUN METAL GRAY, Green and Orange IS Part #	IDC215/255 BLACK "For additional adapter kits see SS Part #	IDC255 Pro gate Crew Serve - Black Part #
			W	D	
CORNELIUS					
Nordic CCM 0322, 0522 (+)	22	24	629096944 ^	629096829^ - (IDC)	NA
Nordic CCM 0330, 0430, 0530, 0630, 0830, 1030, 1530 (+)	30	24	629096376^ - (IDC)	629096687	NA
WCC 500/700 Chunklet Series (h) (i)	14.5	25	629088671 (m)	629088667 (m)	NA
WCC-1001A (h) (i)	22	24	629096944 ^	629096829^ - (IDC)	NA
WCC2000 Chunklet Series/ WCC1000 (h)	30	24.5	629096376 ^	629096376^ - (IDC)	NA
WCC1400A Chunklet Series Air Cooled (h) (i)	30	24.5	629096376 ^	629096376^ - (IDC)	NA
WCC 500/700/1400R Chunklet Series mounted sideways (h)	14.5	25	629087980	NA	NA
WCC 500/700 Using 2 Icemakers (h)(i)	14.5	25	NA	629087942Q1636	NA
WCC1400R Chunklet Series Remote Cooled (h)	14.5	25	629088671 (m)	629088667 (m)	NA
Nordic Elite CNM Series (CNM330/530/630)	22	24	629088681 (m)	629096829	NA
Nordic Elite CNM Series (CNM322/522)	30	24	629096376	629096376	NA
WCC700 Carbon	30	24	629096376		
HOSHIZAKI					
KM-280/ 500/ 630/ 650	22	27.5	629096944 ^	629096829^ - (IDC)	629088756
F-1001M H-C series (i) , F-801 M H-C (i)	22	27.375	629096944 ^	629096829^ - (IDC)	NA
KM-1300NRF	42	27.5	NA	NA	NA
KM-280/ 500/ 630/ - For side manual ice load only.	22	27.5	NA	NA	NA
KM-900M/1300M/1600M, KML-250M H, F-2001MRH	30	27.5	629096944 ^	629096376^ - (IDC)	NA
KMS 1300MLH / 1400MLH/ 2000MLH	30	24.5	NA	NA	629088536
KMD-700M/850M-H/900MWH/900MRH/KMS-1300MLH/1230	30	24.5	629096376^ - (IDC)	629096376^ - (IDC)	NA
F-1500M(AH,WH,RH) IT0524A (a)(i)/ KMD-530M H				629088536 (IDC)	NA
KMD-900MAH	42	24.5	NA	NA	NA
KML-200/350/450/600	30	27.375	629096376^ - (IDC)	629096376^ - (IDC)	NA
KMS 1300MLH /2000MLH	30	24	629096376^ - (IDC)	629096376^ - (IDC)	NA
KMD-410, FD-1001 M J-C (i)	22	24	629096944 ^	629096829^ - (IDC)	NA
F-450AH @	22	27.37			629088756
KMS 1400MLH , KMS 750MLH	30	24	629096944 ^	629096376^ - (IDC)	NA
FD-650M_H-C	22	24	629088671	629088667 (m)	NA
KM-320/515MAH-E	22	27.37	629096944 ^	629096829^ - (IDC)	NA
KM-515MAH (For Jersey Mike's)	22	27.37	NA	629097475	NA
F-450MAH (i)	22	27.38	629096944 ^	NA	NA
FS-1001 (i)	30	11	629097219	NA	NA
KMS 822 MLH	22	24.6	629096944 ^	629096829	NA
FD-1002-MAJ-C	22	24	629096944 ^	NA	NA
KMD-201 and KMD-270	22	25	NA	NA	NA
ICE-O-MATIC					
C & EC 20,30,40,50,66,106, 200, 300	30	23.5	629096376^ - (IDC)	629096376^ - (IDC)	NA
C & EC 400/405/500/605/ 606	30	23.5	629096376^ - (IDC)	629096376^ - (IDC)	NA
ECP300/305/400/500/556	22	24	629096944 ^	629096829	NA
GC300/500/550/555	22	24	629096944 ^	629096829	NA
GC650/750/800/1200	30	24	629096376^ - (IDC)	629096376^ - (IDC)	NA
ICE1506HR*	30.28	28.36	629096376^ - (IDC)	629096376^ - (IDC)	NA
ICE1606HR	44.2	26.7	NA	NA	NA
ICE250/400/500/600/800/1000	30	24	629096376^ - (IDC)	629096376^ - (IDC)	NA
ICE320/520	22	24	629096944 ^	629088537 / 629096829	NA
GEM 450/ 650 / 900 (h)	22	24	629088681 (m)	629088677 (m)	NA
Elevation CIM Series	22	24	629088681 (m)	629096829	NA
Elevation CIM Series	30	24	629096376	629096376	629088536



FLAVORFUSION™/OVERLOAD & IDC215/255 / IDC 255 Progate ICE MAKER ADAPTER KITS

ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE		Dispenser Models		
			FLAVOR FUSION / OVERLOAD 255	IDC215/255	IDC255 Pro gate
MANITOWOC (b)					
B450/600/800/1000	30	23.5	629096376 [^] - (IDC)	629096376 [^] - (IDC)	NA
IB600/800/1000C	22	14	629088666	629088662	NA
IB-0696YC (IBF0620C-161) / IB-0894YC (IBF0820C-161) / IB-1094YC (IBT1020C-161)	22	14	629088666	629088662	NA
Q320/420, RNS-0608, IY-0524A, IY-0324A	22	24.5	629096944 [^]	NA	NA
RN0408A (i), RN1078C (i), RN1278C (i)	22	24.5	629096944 [^]	629096829	NA
IY0686C (IYF0600C) / IY1004A / ID-1002A / ID-1003W / IY-1005W / ID-1092N / IY-1094N / IY0504A / IR-0500A / ID-0502A / IR-0501W / ID-0503W / IY-0505W / ID-0592N (IDT0500N) / IY-0594N (IYT0500N) / IY0686C / QQ1400C, QQ600/800/1000C IY-0684C ID-0684C, IT0524A, IY0976, S 300/450/500/600/850/1000, ID-0452A, ID-0453W, IY-0452A, IY-0455W, IY0454A/IY0606A, RN1008A (i), RN1009W (i), RN1408A (i), RN1409W (i), S-1472C ID-1472C (IDF1400C-161), IY1474C (IYF1400C-161), IY-0504A, Q280/450/600/800/1000, ID-0500A.IDT0502A, IY 0304A / D2176C (IDF2100C-161). / IY2176C (IYF2100C-161)	30	24.5	629096376 [^] - (IDC)	629096376 [^] - (IDC)	629088536
ID-1106A / IY-1106A / ID-1106W / IY-1106W / ID1196N / IY1196N (IYT1200N) / ID-1202A / IY-1204A / ID 1196N (IDT1200N) / ID-1203W / IY1205W / SY-0304A / SY-0454A / SD0502A / IYT0450A / ID1872C (IDF1800C-161) / IY1874C (IYF1800C-161)	30	24.5	629096376 [^] - (IDC)	629096376 [^] - (IDC)	629088536
IY 454 / IY 455 / IY 604 / IY 605 / IY 606 (IYF0600N) / IY 855 / IY 894 / IY 976C (IYF0900C) / IY 1004 / IY 1005 / IY 1096 / IR 500A / IR501A / iT1200 Indigo NXT series / ID 0996N (IDF0900N) / IY 0996N (IYF0900N) / IY1176C (IYT1200C) / ID1176C (IDT1200C)	30	24.5	629096376 [^] - (IDC)	629096376 [^] - (IDC)	629088536
QQ600/800/1000C / IY-0684C / ID-0684C / IY-0304A/ QQ1400C / S300/450/500/600/850/1000	30	24.5	NA	NA	629088536
S320/420	22	23.5	629096944 [^]	629096829	NA
S322 / 422 / SN450	22	24.5	629096944 [^]	629096829	NA
ID-1106A	24.5	30	629096376 [^] - (IDC)	NA	NA
ID-0322A / IY0324A	22	24.5		629088756- (IDC)	NA
ID 1496N (IDT1500N-261)	48	24.5	NA	NA	NA
IY 1496N (IYT1500N-261)	48	24.5	NA	NA	NA
IR1890N (IRT1900N-261)	48	24.5	NA	NA	NA
IY1892N (IYT1900N-261)	48	24.5	NA	NA	NA
ID1894N (IDT1900N-261)	48	24.5	NA	NA	NA
SD3072C (SDF3000C-161)	48	31	NA	NA	NA
SY3072C (SYF3000C-161)	48	31	NA	NA	NA
KOOLAIRE D- is cube Y- is half cube					
K-0250 / K-0350	30	24 1/2	629096376 [^] - (IDC)	629096376 [^] - (IDC)	N/A
K-0420	22	24 1/2	629088681 (m)	629088677 (m)	N/A
K-0500 / K-0600	30	24 1/2	629088505 629096376 [^] - (IDC)	629096376 [^] - (IDC)	N/A
K-1000A / KY-1000A / KD-1000W / KY-1000W / KD-1000N (KDT1000N) / KY-1000N (KYT1000N)	30	24 1/2	629096376 [^] - (IDC)	629096376 [^] - (IDC)	N/A
K-1350A / KY-1350A / KD-1350W / KY-1350W / KD-1350N (KDT1700N) / KY1350N (KYT1700N)	48	24 1/2	N/A	N/A	N/A
KD 1800 N (KDT1700N) / KY 1800N (KYT1700N)	48	24	N/A	N/A	N/A



FLAVORFUSION™/OVERLOAD & IDC215/255 / IDC 255 Progate ICE MAKER ADAPTER KITS

ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE	Dispenser Models			
		FLAVOR FUSION / OVERLOAD 255	IDC215/255	IDC255 Pro gate	
SCOTSMAN					
CME 1056/1386 & Prodigy C0830/C01030/EH430	30	24	629096376 [^] - (IDC)	629096376 [^] - (IDC)	629088536
CME 256/506/656/806 & Prodigy C0330/C0530/C0630	30	24	629096376 [^] - (IDC)	629096376 [^] - (IDC)	629088536
CME 306/456 & Prodigy C0322/C0522	22	24	629096944 [^]	629088537	NA
ECLIPSE CME 686/810 & Prodigy EH222- 600/1000	22	16.5	629088666	629088662	NA
NME 1254	30	24	629088676 (m)	629088672 (m)	NA
NME 654/954	21	24	629088681 (m)	629088677 (m)	NA
N0422 / 0622 / 0922 / 1322	22	24	629088681 (m)	629088677 (m)	NA
FOLLETT for adapters call Follett - (800) 523-9361					
Horizon HCC1000A & W series	26.33	21	N/A	N/A	N/A
Horizon HCC1400A & W series	29.33	21	N/A	N/A	N/A
Horizon HCD1000R & N series	19	21	N/A	N/A	N/A
Horizon HCD1400R & N series	19	21	N/A	N/A	N/A

Legend:

N/A = Not Applicable/Available--Icemaker size is larger than the dispenser cabinet.

N/Q = Not Qualified, Extruded Ice Applications

^ = cover with sliding hinge assembly

(+) = Nordic and X Series adapter kits have bin thermostats included.

(h) = must order 6" bin stat kit 1611110006843 (one kit for the WCC700, two kits for the WCC1400) , 8" bin stat kit

(f) = must order ice slide 620920419

(f) = ice maker will hang over the back by 3"

(a) = ice maker will hang over the back by 2"

(b) = Manitowoc Q model series designations: Q (1)--(2) (3) (4) (5) (6) (7), i.e. QR-1000A3

(position 1) =R, D, OR Y for cube size or Q for QuietQube (CVD remote condenser)

(positions 2 & 3) = 02, 03, 04, 06, 08, 10, 14 for ice production capacity / 24 hrs.

(position 4) = 7 or 9 for remote condenser

(position 5) = 0 to 5 for cube size

(position 6) = A, W, N, C for air, water, remote, or CVD condensing units

(position 7) = 3 for 3-phase electrical power

Manitowoc S model series designations: S (1)--(2) (3) (4) (5) (6) , i.e. SD-0422A

(position 1) = D or Y for cube size (D for 'dice' and Y for 'half-dice')

(positions 2 thru 5) = 03xx, 04xx, 05xx, 06xx, 08xx, 10xx for Nominal ice production capacity / 24 hrs.

(position 6) = A, W, N for air, water or remote

(m) = kit contains ice slide.

* When installing ICE1506 with adapter 629088536 the ice maker will have a 3-4" overhang at the rear of the unit. When

This contains proprietary and confidential business information (including technology) of IMI Cornelius Inc. and may be used only (1) for the improvement, enhancement, or development of products or processes authorized by IMI Cornelius Inc. or, (2) where this information is the subject of an Agreement (e.g., Development, Confidentiality, Consulting, Non-disclosure, Selected Project, Supply) between IMI Cornelius Inc. and your company (or you), as such applicable Agreement sets forth. Use of this information for any other purpose without the written consent of IMI Cornelius Inc. is prohibited.

Soft ice kit accessories.

Part # 629097086 ice diverter for the FF/CF/IDC

Part # 629097238 ice slide and the ice diverter for the FF/CF/IDC .

Part # 629088514 DF150/EF175/DF175/ED175 soft ice kit (agitator/ice diverter)

Part # 629088508 ED/DF200 soft ice kit (ice slide and ice diverter)

Part # 629088507 ED/DF250 soft ice kit (ice slide and ice diverter)

Part # 629088644 ED300 soft ice kit (agitators and ice diverters)

Part # 620920419 IDC/FF/FO soft ice kit (ice slide)