

# INSTALLATION INSTRUCTIONS

## Guidelines for Fast Flow Valve

### SAFETY INSTRUCTIONS

**WARNING:**

Before starting installation, read and understand all safety label and warnings on the machine. Also review and understand all safety instructions in the owners, installation and service manuals.

**Failure to comply could result in serious injury, death or damage to the equipment.**

### QUALIFIED SERVICE PERSONNEL

**WARNING:**

Only trained and certified electrical, plumbing and refrigeration technicians should service this unit.

**All wiring and plumbing must conform to national and local codes. Failure to comply could result in serious injury, death or equipment damage.**

### SAFETY PRECAUTIONS

This unit has been specifically designed to provide protection against personal injury. To ensure continued protection observe the following:

**WARNING:**

Disconnect power to the unit before servicing. Follow all lock out/tag out procedures established by the user. Verify all power is off to the unit before performing any work.

**Failure to comply could result in serious injury, death or damage to the equipment.**

**CAUTION:**

Always be sure to keep area around the unit clean and free of clutter.

**Failure to keep this area clean may result in injury or equipment damage.**

## Guidelines

To reduce the possibility of leaks when installing the Fast Flow Valve (FFV) on the valve mounting block, lightly apply Optim (R) glycerine 99.7% USP to lubricate the o-rings on the valve mounting block. Wipe off any excess glycerine prior to installation. Lubrication should be used for all o-ring sealing applications, or the o-ring may twist or roll, which could result in leaks between the valve and the mounting block.

When installing the valve mounting block, should a slight drip occur at the valve inlet prior to installing the FFV valve, turn the shutoff stem slightly to eliminate the drip. This may be necessary since there is no indication of an exact OFF position for the shutoff stem.




Figure 1