



CORNELIUS INC ■ One Cornelius Place ■ Anoka, MN 55303-6234
Telephone (800) 238-3600 Facsimile (763) 422-3246

INSTALLATION INSTRUCTIONS

CONDENSER FAN MOTOR ASS'Y REPLACEMENT KIT (P/N 569000316, 569000323 or 569000318) on VENTURE POST-MIX DISPENSER

Read and understand these instructions thoroughly before installing this kit. Retain these instructions as part of your equipment manual.

NOTE: Only qualified personnel should install this Kit.

Table 1. Loose-Shipped Parts			
Item No.	Part No.	Name	Qty.
1	*569000316	Condenser Fan Motor Ass'y Kit (120 VAC, 60 Hz, 9 Watts, 1400 RPM)	1
	**569000318	Condenser Fan Motor Ass'y Kit (120 VAC, 60 Hz, 9 Watts, 1400 RPM)	1
	*569000323	Condenser Fan Motor Ass'y Kit (230 VAC, 50/60 Hz, 9 Watts, 1200 RPM)	1
2	569000317	Installation Instructions	1
3	690945000	Wire Tie	1

*These two Condenser Fan Motor Ass'y Kits are to be installed on Venture Dispensers requiring remote carbonators.

**This Condenser Fan Motor Ass'y Kit is to be installed on Venture Dispenser with integral (built-in) carbonator.



WARNING: To avoid possible fatal electrical shock or serious injury to Installer, make sure Dispenser is disconnected from power source before attempting to install this kit.

1. Disconnect electrical power from the Unit.
2. Remove screw securing hood to the Dispenser, then lift the hood straight up to remove.
3. Disconnect the condenser fan motor assembly power cord connector from the Dispenser wiring harness connector.
4. Dispenser Requiring Remote Carbonator. (see applicable illustration)

Remove four screws securing the condenser fan motor assembly to the agitator motor. Remove old condenser fan motor assembly from the Dispenser.

Dispenser With Integral Carbonator. (see applicable illustration)

Remove four screws securing the condenser fan motor assembly to the refrigeration deck. Remove old condenser fan motor assembly from the Dispenser.

5. Remove bolt securing the condenser fan blade to the old condenser fan motor shaft, then remove the fan blade. Discard the old condenser fan motor assembly.
6. Install the condenser fan on the new CONDENSER FAN MOTOR ASS'Y (item 1) shaft and secure with screw and washer provided with the new condenser fan motor assembly.
7. Install the new condenser fan motor assembly on the Dispenser and secure with four screws.
8. Connect new condenser fan motor assembly power cord connector to mating electrical connector on the Dispenser wiring harness where the old condenser fan motor assembly was disconnected in step 3.
9. Using the wire tie provided, secure wiring harness so it does not interfere with the condenser fan motor blades.
10. Install hood on Dispenser and secure screw.
11. Connect electrical power to the Dispenser, then check Dispenser for proper operation.

