



INSTALLATION INSTRUCTIONS

Ice Diverter Ed/Df Dispensers Kit P/n 629088564

SAFETY INSTRUCTIONS

⚠ WARNING:

Before starting installation, read and understand all safety label and warnings on the machine. Also review and understand all safety instructions in the owners, installation and service manuals.

Failure to comply could result in serious injury, death or damage to the equipment.

QUALIFIED SERVICE PERSONNEL

⚠ WARNING:

Only trained and certified electrical, plumbing and refrigeration technicians should service this unit.

All wiring and plumbing must conform to national and local codes. Failure to comply could result in serious injury, death or equipment damage.

SAFETY PRECAUTIONS

This unit has been specifically designed to provide protection against personal injury. To ensure continued protection observe the following:

⚠ WARNING:

Disconnect power to the unit before servicing. Follow all lock out/tag out procedures established by the user. Verify all power is off to the unit before performing any work.

Failure to comply could result in serious injury, death or damage to the equipment.

⚠ CAUTION:

Always be sure to keep area around the unit clean and free of clutter.

Failure to keep this area clean may result in injury or equipment damage.

INSTRUCTIONS

NOTE: For dispensing Scotsman NME654, NME954 and NME 1254 “Nugget” style ice and Cornelius WCC500 and WCC700 “Chunklet” style ice cubes.

WARNING:

Disconnect power to the unit before servicing. Follow all lock out/tag out procedures established by the user. Verify all power is off to the unit before performing any work.

Failure to comply could result in serious injury, death or damage to the equipment.

Perform the following procedure:

1. Remove upper front panel/merchandiser from dispenser.
2. Remove ice chute portion and gate restrictor.
3. Install ice diverter as shown (see Figure 1.) and reinstall the gate restrictor removed in previous step. Gate restrictor should be installed in ‘front’ of ice diverter. It is critical the opening be set a minimum of 1 ½” (see Figure 2.).




Figure 1. Exploded View of Ice Diverter Installation




Figure 2. Gate Restrictor with 1 ½” Opening




Figure 3. Timer Board Settings Reset



4. Remove screws securing white reflector panel and gain access to electrical box. Locate timer board and reset agitation timer to 2 seconds 'ON' and 3 hours 'OFF' (see Figure 3.).
5. Re-install front panel and plug unit back into outlet.

Unit should now be ready to dispense ice for customer use.