

BOWL GASKET INSTRUCTIONS FOR JS7

SAFETY INSTRUCTIONS

WARNING:

Before starting installation, read and understand all safety label and warnings on the machine. Also review and understand all safety instructions in the owners, installation and service manuals.

Failure to comply could result in serious injury, death or damage to the equipment.

QUALIFIED SERVICE PERSONNEL

WARNING:

Only trained and certified electrical, plumbing and refrigeration technicians should service this unit.

All wiring and plumbing must conform to national and local codes. Failure to comply could result in serious injury, death or equipment damage.

SAFETY PRECAUTIONS

This unit has been specifically designed to provide protection against personal injury. To ensure continued protection observe the following:

WARNING:

Disconnect power to the unit before servicing. Follow all lock out/tag out procedures established by the user. Verify all power is off to the unit before performing any work.

Failure to comply could result in serious injury, death or damage to the equipment.

CAUTION:

Always be sure to keep area around the unit clean and free of clutter.

Failure to keep this area clean may result in injury or equipment damage.

PROCEDURE

Perform the following procedure to install the gasket.

1. Remove the old gasket from the bottom of the bowl.
2. Wet the new gasket with water.
3. Press the new gasket down firmly on the bottom of the bowl, using the points indicated by the numbers shown in Figure 1. Follow the sequence of numbers in Figure 1 when installing the gasket.

NOTE: Make sure that the gasket is pressed completely into the bowl groove.




Figure 1.

4. Slide the bowl over the cooling coil.

NOTE: Make sure that the gasket is flat against the side of the lip at the base of the cooling coil and that there are no edges folded under.




Figure 2.

5. Insert the pinch tube according to the instructions in the owners manual or Pinch Tube Instruction Sheet (P/N 724391).



Figure 3.