


KIT #1935

INSTALLATION INSTRUCTIONS

For installing Scotsman MH750 Ice maker on Remcor Model TW200/TJ200 dispensers.

1. Disconnect power to dispenser.
2. Remove upper front panel from dispenser.
3. Using Fig. 1 as a guide:
  - A. Install gate diverter.
  - B. Adjust gate restrictor plate.
4. Remove agitator presently on dispenser.
5. Install new agitator with cone as follows:
  - A. Install new agitator and secure to motor shaft.
  - B. Affix cone over agitator using three (3) screws and lockwashers provided.
6. Using Fig. 2 as a guide, seal icemaker to top of dispenser as follows:
  - A. Run a bead of RTV on the dispenser cover around the outline of the icemaker.
  - B. Set icemaker onto cover and position as shown.
  - C. Wipe away excess RTV.
7. Fasten brackets as shown (Fig 2). Drill holes and install sheet metal screws provided into icemaker and dispenser cover.
8. Assemble ice transport tube per manufacturer's instructions.
9. To prevent interference with proper dispenser operation, cut icemaker bin thermostat bracket and install on end of transport tube with hose clamp provided as shown in Fig 3.
10. Install transport tube in icemaker per manufacturer's instructions and route capillary tube on bracket (Fig 3).
11. Position dispenser access lid and drill holes into cover as shown in Fig 2.
12. Follow the manufacturer's instructions to complete the installation of the icemaker.



Install restrictor plate in full up position  
 Move downward to reduce dispensing rate of ice if required





Fig. 1

(upper front panel removed)

INSTALLATION DETAILS  
SCOTSMAN 750 ICE MAKER

Figure 2



BIN THERMOSTAT INSTALLATION FOR SCOTSMAN  
MODEL MH750 ICEMAKER ON TW/TJ 200 DISPENSER

FIG. 3

